Coding Convention	Directives	Samples
File Names	Files suffixes include .class,.java,. map,. cards , .xml, .md,yml, .project,.classpath ,.gitignore Frequently used file names include Command,Model,Vlew	CommandController.java PhaseView.java EditMapCommand.java GameModel.java
indentation	Use Eclipse or IntelliJ IDEA Formatter for Indentations.	<pre>for (CommandType commandType : values()) {   if   (commandType.name.equals(name)) {     return commandType;   } }</pre>
Comments	Eliminate extra comments that are descripting the code and only add code when there is the need to single out a specific necessity.	// sort by the first column tt.setSort(0);
Declarations	initialize local variables where they're declared. Put declarations only at the beginning of blocks Avoid local declarations that hide declarations at higher levels	<pre>private String format(String[] columnNames, Object[][] data) {   TextTable tt = new   TextTable(columnNames, data);   tt.setAddRowNumbering(false);   // sort by the first column   tt.setSort(0);   return getTTString(tt, 0); }</pre>
Statements	Each line should contain at most one statement.  A return statement with a value should not use parentheses unless they make the return value more obvious if statements always use braces, {}	argv++; // Correct argc; // Correct argv++; argc; // AVOID! return (size ? size : defaultSize); if (condition) //AVOID! THIS OMITS THE BRACES {}! statement;
White Space	Use Eclipse or IntelliJ IDEA Formatter to put a limit for the white blank lines and blank spaces.	<pre>ArrayList<string> columns = new ArrayList&lt;&gt;(); columns.add("Country");  if (type == FormatType.Detail) {   columns.add("Armies");   columns.add("Owner"); }</string></pre>

Coding Convention	Directives	Samples
Naming Conventions	Packages:  The prefix of a unique package name is always written in all-lowercase ASCII letters and should be one of the top-level domain names, currently com, edu, gov, mil, net, org, or one of the English two-letter codes identifying countries as specified in ISO Standard 3166, 1981.	ca.concordia.encs.conquerdia.co ntroller.command
	Classes:  Class names should be nouns, in mixed case with the first letter of each internal word capitalized.	class AbstractCommand class EditCountryCommand
	Interfaces Interface names should be capitalized like class names.	interface Command
	Methods  Methods should be verbs, in mixed case with the first letter lowercase, with the first letter of each internal word capitalized.	<pre>protected String getCommandHelpMessage() { return COMMAND_HELP_MSG; }</pre>
	Variables  Except for variables, all instance, class, and class constants are in mixed case with a lowercase first letter.  Variable names should be short yet meaningful.	CountryRow countryRow; String cardType;
	Constants  The names of variables declared class constants and of ANSI constants should be all uppercase with words separated by underscores ("_").	EDIT_CONTINENT POPULATE_COUNTRIES COMMAND_HELP_MSG