# CSS Architecture

Home Connect Discover Search

**Paul Battley**
@threedaymonk

Follow

Observing that the maximum number of people who can productively simultaneously work on CSS is one.

3 RETWEETS 1 FAVORITE

9:13 AM - 28 Feb 12 via web · Embed this Tweet

Reply Retweet Favorite

**John Lamb** @lawnjam 3h
@threedaymonk We obviously need a replacement. How about Agile Style Sheets?

**James Weiner** @jamesweiner 3h
@threedaymonk that is my main experience of working with CSS

**Zach Inglis** @zachinglis 3h
@threedaymonk I've had mild success with people working on different responsive breakpoints at once but wouldn't advocate it.

twitter © 2012 Twitter About Help

# CSS is easy.

# Twitter

- Home
- Connect
- Discover
- Me

Search query Search Search

- 
- *Settings and help*
  - 
  -  **Snook** Edit profile
  - 
  - Direct messages
  - Lists
  - 
  - Help
  - Keyboard shortcuts
  - 
  - Settings
  - Sign out

Compose new Tweet

 **Snook** View my profile page

Home 3 Notifications 29 Messages Discover

Search Twitter

**Snook**
@snookca

snook.ca
Joined November 2006

412 Photos and videos

| TWEETS | FOLLOWING | FOLLOWERS | FAVORITES | LISTS |
|---|---|---|---|---|
| 29K | 488 | 43.9K | 945 | 4 |

Edit profile

Tweets | Tweets & replies | Photos & videos

Pinned Tweet

**Snook** @snookca · 11m

You should follow me on Twitter.

2 2

li{ }

**float: left**
**padding: 3px 50px;**
**margin: 0;**

```
.block { display:block !important; }
.inline { display:inline !important; }
.hide { display:none !important; }
.s-none { margin:0 !important; }
.s { margin:10px !important; }
.ss { margin:20px !important; }
.sr { margin-right:10px !important; }
.p-none { padding:0 !important; }
.p { padding:10px !important; }
.pp { padding:20px !important; }
.pt { padding-top:10px !important; }
.w-auto { width:auto !important; }
```

```
.Bfc {
    overflow: hidden;
    zoom: 1;
}
.M-10 {
    margin: 10px;
}
.Fl-start {
    float: left;
}
.Mend-10 {
    margin-right: 10px;
}
.Fz-s {
    font-size: smaller;
}
```

**http://snk.ms/21**

```
#nav-header ul li {
float: left;
list-style: none;
...
}

#nav-content ul li {
float: left;
list-style: none;
...
}
```

```
.layout_1_2 #blogList .pageitem .statusBar {}
.layout_1_2 #blogList .pageitem .statusBar .status,
            #blogList .pageitem .statusBar .status .status1 { }
.layout_1_2 #blogList .pageitem .statusBar .status { }
.layout_1_2 #blogList .pageitem .statusBar .status .status1 { }
.layout_1_2 #blogList .pageitem .statusBar .status .status1 a { }
.layout_1_2 #blogList .pageitem .statusBar .status .status1 .sep {}
```

```
.layout_1_2 #blogList .pageitem .statusBar {}
.layout_1_2 #blogList .pageitem .statusBar .status,
            #blogList .pageitem .statusBar .status .status1 { }
.layout_1_2 #blogList .pageitem .statusBar .status { }
.layout_1_2 #blogList .pageitem .statusBar .status .status1 { }
.layout_1_2 #blogList .pageitem .statusBar .status .status1 a { }
.layout_1_2 #blogList .pageitem .statusBar .status .status1 .sep {}
```

```
#comments .comment .meta .authorname {}
#comments .comment .meta .commentnumber a {}
```

```
#comments .comment .meta .authorname {}
#comments .comment .meta .commentnumber a {}
```


CSS
Global
HD

```
// Modules
// ----------------------------------------
@import "btn";
@import "img";
@import "layout";
@import "nav";
@import "tables";
@import "forms";
@import "section";
@import "fluid_container";
@import "table_filter";
@import "modal";
@import "dropdown";
@import "flags";
@import "progress";
@import "arrows";
@import "box";
```

# How we got there

# Naming Convention

# Naming Convention

**Naming convention clarifies intent**

# Use Class over ID

**Don't use a grenade to dig a hole when a shovel will do.**

# Specificity

| Inline | ID | Class<br>(pseudo-classes and attribute selectors) | Element<br>(pseudo-elements) |
|---|---|---|---|
| style="..." | #article | .article<br>:hover<br>[attr=val] | a<br>:first-child |

# Specificity

| Inline | ID | Class<br>(pseudo-classes and attribute selectors) | Element<br>(pseudo-elements) |
|---|---|---|---|
| style="..." | #article | .article<br>:hover<br>[attr=val] | a<br>:first-child |

```
a        { color: #039; }
.subdued { color: #666; }
#cancel  { color: #900; }

<a href="...">Link</a>
<a href="..." class="subdued">Link</a>
<a href="..." id="cancel">Link</a>
<a href="..." id="cancel"
   class="subdued">Link</a>
```

| | |
|---|---|
| Tricky CSS inheritance issue on Monday | |
| Tricky CSS inheritance issue on Friday | |

```
a        { color: #039; }
.subdued { color: #666 !important; }
#cancel  { color: #900; }

<a href="...">Link</a>
<a href="..." class="subdued">Link</a>
<a href="..." id="cancel">Link</a>
<a href="..." id="cancel"
   class="subdued">Link</a>
```

Specificity Buster!

# !important

Specificity Buster!
!important

```
a         { color: #039; }
.subdued,
#cancel.subdued { color: #666; }
#cancel  { color: #900; }

<a href="...">Link</a>
<a href="..." class="subdued">Link</a>
<a href="..." id="cancel">Link</a>
<a href="..." id="cancel"
   class="subdued">Link</a>
```

```
a        { color: #039; }
.subdued { color: #666; }
.cancel  { color: #900; }

<a href="...">Link</a>
<a href="..." class="subdued">Link</a>
<a href="..." id="cancel"
   class="cancel">Link</a>
<a href="..." id="cancel"
   class="subdued">Link</a>
```

```
.btn {}
.btn-large {}
.btn-small {}
.btn-default {}
.btn-search {}
```

```
.modal {}
.modal-large
.modal-header {}
.modal-body {}
.modal-footer {}
```

.btn.large?

```
.btn.large
.field.large
.modal.large
```

```
class=”btn large”
class=”large btn”
class=”btn default large”
```

# LEAST GREPPABLE CLASS NAMES EVER

grep "alert" * -R

80

grep "label" * -R

329

grep "success" * -R

364

grep "info" * -R

1153

http://snk.ms/20

```
.btn {
   padding:5px 10px;
   font-size: 1em;

   &.large {
      padding: 10px 20px;
      font-size: 2em;
   }
}
```

```
...
   padding:5px 10px;
   font-size: 1em;

   .large {
      padding: 10px 20px;
      font-size: 2em;
   }
...
```

.btn-large

```
.btn {
   padding:5px 10px;
   font-size: 1em;
}

.btn-large {
   padding: 10px 20px;
   font-size: 2em;
}
```

[No Name] + - VIM1

```
1
2  <div class="modal modal-large">
3    <form>
4    <div class="modal-header">
5      <h2>Heading</h2>
6      <button class="btn btn-clean">Close</button>
7    </div>
8    <div class="modal-body">
9        ...
10   </div>
11   <div class="modal-footer">
12     <button class="btn">Cancel</button>
13     <button class="btn btn-go">Save</button>
14   </div>
15   </form>
16 </div>
~
~
~
~
~
~
[No Name]                                  [+]  B:1 56%      9,9
:set syntax=html
```

```
.btn {}

.is-btn-active {}
.is-btn-disabled {}
```

I'm Ron Burgundy?

```
.btn {}

.btn-is-active {}
.btn-is-disabled {}
```

# Prefix for versioning

```
.next-btn {}

.next-btn-is-active {}
.next-btn-is-disabled {}
```

```
.modulename
```

No hyphens
Always a root node

```
.modulename-submodule
```

No hyphens

```
.modulename-subcomponent
```

No difference from submodule

# Alternatives

```
.module-name
```

allows for hyphens
Always a root node

```
.module-name--submodule
```

hyphens

```
.module-name__subcomponent
```

underscores

# Alternatives

```
.ModuleName
```

camelCase

```
.ModuleName-subModule
```

single hyphen

```
.ModuleName--subComponent
```

double hyphen

# Naming Convention

- Pick a system that works for you and your team
- Be consistent
- Consider:
  - Root node
  - Child nodes (sub-components)
  - Style variations (sub-modules)

# At Shopify, we chose BEM naming

Have your CSS (and HTML)...

# Do one thing and one thing only

# The Single Responsibility Theory

http://snk.ms/1r

```
<div class="grid">
   <div class="grid-col module">...</div>
</div>
```

```
.grid {}
.grid-col { float:left; }
.grid-col:nth-child(2n) { clear:left; }

.module { display:inline-block; }
```

```
<div class="grid">
   <div class="grid-col">
      <div class="module">...</div>
   </div>
</div>
```

```
<ul class="grid">
   <li class="module">...</li>
</ul>
```

```
.grid {}
.grid > li { float:left; }
.grid > li:nth-child(2n) { clear:left; }

.module { display:inline-block; }
```

```
<ul class="grid">
   <li>
      <div class="module">...</div>
   </li>
</ul>
```

```
<ul class="grid">
   <li>
      {{item}}
   </li>
</ul>
```

```
<li class="module">...</li>

<div class="module">...</div>
```

# Modularization is Isolation

```
.nav {
   margin: 0;
   padding: 0;
   list-style: none;
}

.nav li {
   float: left;
}

.nav li a {
   display: block;
   padding: 5px 10px;
   background-color: blue;
}
```

```
<ul class="nav">
   <li><a href="/">Home</a></li>
   <li><a href="/products">Products</a></li>
   <li><a href="/contact">Contact Us</a></li>
</ul>
```

```
<ul class="nav">
   <li><a href="/">Home</a></li>
   <li><a href="/products">Products</a>
      <ul>
         <li><a href="/products/shoes">Shoes</a></li>
         <li><a href="/products/jackets">Jackets</a></li>
      </ul>
   </li>
   <li><a href="/contact">Contact Us</a></li>
</ul>
```

```
.nav ul {
   margin: 0;
   padding:0;
   list-style:none;
}

.nav li li {
   float: none;
}

.nav li li a {
   padding: 2px;
   background-color: red;
}
```

```
.nav {
   margin: 0;
   padding: 0;
   list-style: none;
}

.nav > li {
   float: left;
}

.nav > li > a {
   display: block;
   padding: 5px 10px;
   background-color: blue;
}
```

```
.menu {
   margin: 0;
   padding: 0;
   list-style: none
}

.menu > li > a {
   display: block;
   padding: 2px;
   background-color: red;
}
```

```
.nav > li:hover > .menu { display:block; }
```



```
.nav > li:  ver > .me  { display:  ock; }
```

```
<ul class="nav">
   <li><a href="/">Home</a></li>
   <li><a href="/products">Products</a>
      <ul class="menu">
         <li><a href="/products/shoes">Shoes</a></li>
         <li><a href="/products/jackets">Jackets</a></li>
      </ul>
   </li>
   <li><a href="/contact">Contact Us</a></li>
</ul>
```

```
<ul class="nav">
   <li><a href="/">Home</a></li>
   <li><a href="/products">Products</a>

   </li>
   <li><a href="/contact">Contact Us</a></li>
</ul>
```

```
<ul class="nav">
   <li><a href="/">Home</a></li>
   <li><a href="/products">Products</a>
      <div class="nav-dropdown">


      </div>
   </li>
   <li><a href="/contact">Contact Us</a></li>
</ul>
```

```
<ul class="nav">
   <li><a href="/">Home</a></li>
   <li><a href="/products">Products</a>
      <div class="nav-dropdown">
         /* I can put anything in here! */

      </div>
   </li>
   <li><a href="/contact">Contact Us</a></li>
</ul>
```

```
.nav > li:hover > .nav-dropdown { display:block; }

.nav-dropdown { display:none; }
```

NEU für Ihn
Anti-Haarverlust Kolle
reduziert Haarverlust*
* durch Haarbruch
head & shoulders

Watch Michael Jackson's holographic return
BY MAT SMITH

AT&T to buy DirecTV for $48.5 billion
BY JON FINGAS

Pioneer brings Apple CarPlay to your existing ride

Pioneer brings Apple CarPlay to your existing ride

A ruggedized camera that doesn't suck

## FEATURED STORIES

engadget NEWS REVIEWS FEATURES VIDEOS FORUMS EVENTS MORE search products & articles

**Top categories**

- cellphones
- laptops / portables
- tablets
- headphones
- cameras
- routers
- hdtvs / televisions
- portable media players
- fitness devices
- e-book readers
- digital media players

**MOBILE**

Cellphones
Tablets
Bluetooth Headsets
GPS

**PHOTOGRAPHY**

Cameras
Camera Lenses
Camcorders
Digital Photo Frames

**GAMING**

Consoles (home)
Consoles (portable)
Controllers / Gamepads
Joysticks / Flight / Racing

**COMPUTERS**

Laptops/Portables
Desktops
Operating Systems

**PERIPHERALS**

Keyboards
Mice
Monitors
Computer Speakers
Headsets
Printers
Scanners
Pen Tablets
USB / Firewire Hubs
Webcams

**PERSONAL TECH**

Headphones
Portable Media Players
E-book Readers
Fitness
Miscellaneous Devices

**NETWORKING**

Routers
Switches / Hubs

**STORAGE**

External Hard Drives
Flash Drives
Memory Cards
Network Storage
RAID / Drive Arrays

**HOME THEATER**

HDTVs / Televisions
Speaker Docks
Digital Media Players
Remotes / Controllers
A/V Receivers
DVRs
Speakers
Video Disc Players

Pioneer brings Apple CarPlay to your existing ride

Pioneer brings Apple CarPlay to your existing ride

A ruggedized camera that doesn't suck

views /

# Don’t style based on context

ucts / SMACSS

## Add a variant

Title

Price

25.00

Compare at price

SKU (Stock Keeping Unit)

Weight (kg)

0.3

- [x] Charge taxes on this product
- [x] Require a shipping address (not required for services or digital goods)

Inventory policy

Don't track stock level

Cancel | Add variant

ory & v

e the opt

luct. You

and edit options.

Print + e-book smacss3 $ 2

site de

Apple,

Web D

```
<div class="modal modal-large">
  <form>
  <header class="modal-header">
    <h2>Edit Form</h2>
  </header>
  <div class="modal-body">
    {{ modalContent }}
  </div>
  <footer class="modal-footer">
     <button class="btn btn-default">Okay</button>
     <button class="btn">Cancel</button>
  </footer>
  </form>
</div>
```

```
.modal input { ... }
.modal label { ... }
```



pinsio
Jonathan Snook

View your user account

Terms of Service
Shopify Payments Terms
Privacy Policy

Are you keeping Shopify a secret?
Log out

Discounts
Gift Cards
Reports

Blog Posts
Pages
Navigation
Themes

Apps
Build a Business
Settings

# Dashboard

May 19, 2014

**Checkout disabled:**
Your store is currently paused which automatically disables checkout. You can change your plan at any time to enable checkout.

We'd love to hear your feedback. How likely are you to recommend Shopify to a friend?

Not likely 1 2 3 4 5 6 7 8 9 10 Very likely

Submit feedback

| TODAY | YESTERDAY | LAST 7 DAYS | LAST 30 DAYS | LAST 90 DAYS |
|---|---|---|---|---|
| $0 | $0 | $0 | $0 | $0 |
| 0 orders | 0 orders | 0 orders | 0 orders | 0 orders |

**Visitors** 0 Visitors (0 unique)




**Traffic Source** View Stats

Direct
0% 0

Referrals
0% 0

Search Engines
0% 0

**Top Referrals**

No data available for Top Referrals

```
<div class="dropdown">
   <ul>
     <li><a href="...">View your user account</a></li>
     <li><a href="...">Terms of Service</a></li>
   </ul>
</div>
```

```
.dropdown { }
.dropdown > ul { }
.dropdown > ul > li { }
```

pinsio
Jonathan Snook

Search

- Dashboard
- Orders
- Customers
- Products
- Collections
- Discounts
- Gift Cards
- Reports
- Blog Posts
- Pages
- Navigation
- Themes
- Apps
- Build a Business
- Settings

# Dashboard

May 19, 2014

Today · Yesterday · Last 7 days · Last 30 days · Last 90 days

| May 2014 | | | | | | |
|---|---|---|---|---|---|---|
| Su | Mo | Tu | We | Th | Fr | Sa |
| | | | | 1 | 2 | 3 |
| 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| 11 | 12 | 13 | 14 | 15 | 16 | 17 |
| 18 | 19 | 20 | 21 | 22 | 23 | 24 |
| 25 | 26 | 27 | 28 | 29 | 30 | 31 |

| May 2014 | | | | | | |
|---|---|---|---|---|---|---|
| Su | Mo | Tu | We | Th | Fr | Sa |
| | | | | 1 | 2 | 3 |
| 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| 11 | 12 | 13 | 14 | 15 | 16 | 17 |
| 18 | 19 | 20 | 21 | 22 | 23 | 24 |
| 25 | 26 | 27 | 28 | 29 | 30 | 31 |

**Checkout disabled:**
Your store is currently paused which automatically disables checkout. You can change your plan at any time to e

We'd love to hear your feedback. How likely are you to rec

Not likely 1 2 3 4 5 6 7 8

Submit feedback

| TODAY | YESTERDAY | LAST 7 DAYS | LAST 30 DAYS | LAST 90 DAYS |
|---|---|---|---|---|
| $0 | $0 | $0 | $0 | $0 |
| 0 orders | 0 orders | 0 orders | 0 orders | 0 orders |

**Visitors** 0 Visitors (0 unique)

4
2
12pm 4pm 8pm

**Traffic Source** View Stats

Direct
0% 0

Referrals
0% 0

Search Engines
0% 0

**Top Referrals**

No data available for Top Referrals

https://pinsio.myshopify.com/admin#

pinsio
Jonathan Snook

Search

Dashboard
Orders
Customers
Products
Collections
Discounts
Gift Cards
Reports

Blog Posts
Pages
Navigation
Themes

Apps
Build a Business
Settings

# Products

Export | Import | Manage inventory | Add a product

All Products

Filter products | Start typing a product's name...

**Show all products where:**
Product type is notebook | Add filter

| | | Inventory | Type | Vendor |
|---|---|---|---|---|
| | | 3 in stock for 1 variant | notebook | pinsio |
| | Yuzen Blue Circle Moleskine Notebook | 3 in stock for 1 variant | notebook | pinsio |
| | Yuzen Cherry Blossom Moleskine Notebook | 3 in stock for 1 variant | notebook | pinsio |
| | Yuzen Grey Blossom Moleskine Notebook | 2 in stock for 1 variant | notebook | pinsio |
| | Yuzen Pink Bunnies Moleskine Notebook | 3 in stock for 1 variant | notebook | pinsio |
| | Yuzen Red Swirl Moleskine Notebook | 3 in stock for 1 variant | notebook | pinsio |

pinsio
Jonathan Snook

Search

Dashboard
Orders
Customers
Products
Collections
Discounts
Gift Cards
Reports

Blog Posts
Pages
Navigation
Themes

Apps
Build a Business
Settings

# Customers

Export | Import | Add a customer

All Cust... | ...ospects | Repeat Customers

Filter cu...

John Smith
john.smith@example.com
**Does not** accept marketing
Edit Customer

| Na... | Orders | Last Order | Total Spent |
|---|---|---|---|
| John Smith | 0 | | $0.00 |

Customer accounts are disabled. Configure these settings.

## What's next?

Search & filter customers ›
Import customers ›
Customer accounts ›

https://pinsio.myshopify.com/admin/customers/254732653

# Depth of Applicability

```
#comments .comment .meta .authorname {}
#comments .comment .meta .commentnumber a {}
```

```
#comments .comment .meta .authorname {}
#comments a {}
```

```
<div id="comments">
   <div class="comment" id="c70293">
      <div class="meta">
         <div class="commentnumber"><a href="#c70293">1</a></div>
         <span class="authorname">Spide</span> said on March 07, 2014
      </div>
      <div class="quote"><p>nice :)</p></div>
 ...
</div>
```

```
.comment-authorname {}
.comment-number > a {}
```

```
<div class="dropdown">

   <!-- something else goes here -->

</div>
```

```
.dropdown { }
```

# Preprocessors do not solve architecture problems

# Developer Efficiency Chart

Parameters:

- DRY and file size
- Features
- Community




someone who actually
knows how to use CSS.
Developer Efficiency Chart
Parameters:
• DRY and file size
• Features
• Community
Naive CSS
Less
Stylus
Sass
OOCSS
Less OOCSS
Stylus OOCSS
Sass OOCSS

```
/* Nesting */
.nav {
  margin: 0;
  padding: 0;
  li {
    float: left;
  }
}
```

```
/* Nesting */
.nav {
  margin: 0;
  padding: 0;
}
.nav li {
  float: left;
}
```

```
// beware of deep nesting

#content {
  .nav {
    width: 500px;
    li {
      float:left; width: 100px;
      a {
        display:block;
      }
    }
  }
}
```

```
// beware of deep nesting

#content { }
  #content .nav {
    width: 500px;
  }
  #content .nav li {
    float:left; width:100px;
  }
  #content .nav li a {
    display:block;
  }
```

```
/* Nested Media Queries */
.nav > li {
 width: 100%;

 @media screen and (min-width: 320px) {
   width: 100px;
   float: left;
 }

 @media screen and (min-width: 1200px) {
   width: 250px;
 }
}
```

```
.nav > li {
   width: 100%; }

@media screen and (min-width: 320px) {
  .nav > li {
    width: 100px;
    float: left; } }

@media screen and (min-width: 1200px) {
  .nav > li {
    width: 250px; } }
```

```
/* Extending Classes */

.module {
  &:hover { color:#333; }
  .module--subcomponent { border: ...; }
}

.module-submodule {
  @extend .module;
  color: #444;
}
```

```
/* Extending Classes */

.module:hover,
.module-submodule:hover {
  color: #333;
}
.module .module--subcomponent,
.module-submodule .module--subcomponent
{ border: ...;
}

.module-submodule {
  color: #444;
}
```

```
/* Extending Classes */

.module:hover { color:#333; }
.module-submodule { color: #444; }
.module--subcomponent { border: ...; }

<div class="module module-submodule">
  <div class="module--subcomponent">
  </div>
</div>
```

# Documentation

pattern lab

documentation | about | resources | demo | on github

# pattern lab

create atomic design systems

download | view on github | view demo

lonely planet STYLE GUIDE DOCUMENTATION PERFORMANCE MONITORING ABOUT RIZZO

Design Elements

DESIGN ELEMENTS UI COMPONENTS JS COMPONENTS WIDGETS CSS UTILITIES

DESIGN

- Design palette
- UI Colours
- Typography

ICONS

- Interface
- Destination
- Interests
- Need to know

# Colour Palette

Find closest color

This is the primary and secondary colour palettes as described in the PSD styleguide and in colour_palette.sass

## GRAY PALETTE

| #2C3643 | #3B444F | #67747C |
|---|---|---|
| $darkgray | $titlegray | $bodygray |
| #99A9B3 | #DBE6EC | |
| $lightgray | $subduedgray | |

## PRIMARY PALETTE

# Pattern Library / Colors

## UI Colors

| | | | | | |
|---|---|---|---|---|---|
| $next-white | #ffffff | $next-slate-lightest | #95a7b7 | $next-blue-lightest | #eff9fd |
| $next-sky-lighter | #fafbfc | $next-slate-lighter | #798c9c | $next-blue-lighter | #cae9f7 |
| $next-sky-light | #f5f6f7 | $next-slate-light | #454e57 | $next-blue-light | #4fb0e8 |
| **$next-sky** | #ebeef0 | **$next-slate** | #31373d | **$next-blue** | #479ccf |
| Sky is used for backgrounds, borders, and dividers. | | Slate is used primarily for text and the background color for the sidebar.<br><br>Use darker variations for hover or active states, and lighter versions for subdued or disabled text. | | Blue is used to indicate action. Use it for links/ buttons/ icons that require user interaction.<br><br>Use lighter or darker variations for hover and active states. | |
| $next-sky-dark | #d3dbe2 | $next-slate-dark | #272c30 | $next-blue-dark | #4293c2 |
| $next-sky-darker | #c3cfd8 | $next-slate-darker | #212529 | $next-blue-darker | #3e89b5 |

## Pallete Colors

| | | | | | |
|---|---|---|---|---|---|
| $next-green-lightest | #f8ffec | $next-yellow-lightest | #fffbe9 | $next-orange-lightest | #fff9ec |
| $next-green-lighter | #e5fabc | $next-yellow-lighter | #fff7b2 | $next-orange-lighter | #ffebcc |

**Make the right things easy and the wrong things hard.**

# Are we done yet?

**Ummmmmmmm...**

# No.

# Designs continue to evolve.

# 1. Modularize

Use naming convention to establish identity

# 2. Iterate

Refactor one piece at a time

# 3. Document

Empower anybody to use your code

# Thanks!

# smacss.com