CSSE6400

Brae Webb


March 21, 2022

- Do a quick poll.
- Who has heard the term IaC before this course?
- Who has used IaC before this course?


How did we get here?

The *Iron Age*

Iron Age




Iron Age



Developer only had a few machines — so few the machines often got fun names.

Introducing... The Cloud Age

The Cloud Age



- Summarise: things got complicated quickly, we need more hardware and it's easier to provision.
- Largely thanks to virtualization no physical activity for a new machine.

When faced with complexity

Automate it!

- We have too much to manage to do it manually.
- We're about to start enumerating automation techniques.

Server Config Config Management

Server Config Config Management
Application Config Config Files

Server Config Config Management
Application Config Config Files
Provisioning Infrastructure Code

Server Config Config Management

Application Config Config Files

Provisioning Infrastructure Code

Building Continuous Integration

Server Config Config Management
Application Config Config Files
Provisioning Infrastructure Code
Building Continuous Integration
Deployment Continuous Deployment

Server Config Config Management
Application Config Config Files
Provisioning Infrastructure Code
Building Continuous Integration
Deployment Continuous Deployment
Testing Automated Tests

Server Config Config Management
Application Config Config Files
Provisioning Infrastructure Code
Building Continuous Integration
Deployment Continuous Deployment
Testing Automated Tests
Database Administration Schema Migration

Server Config Config Management **Application Config Config Files Provisioning Infrastructure Code Building Continuous Integration** Deployment Continuous Deployment **Testing Automated Tests** Database Administration Schema Migration Specifications Behaviour Driven Development

Definition 1. Infrastructure Code


Code that provisions and manages infrastructure resources.

Definition 2. Infrastructure Code

Code that provisions and manages *infrastructure resources*.

Definition 3. Infrastructure Resources

Compute resources, networking resources, and storage resources.



IC often thought of as the right-hand side but includes all.

```
#!/bin/bash

SG=$(aws ec2 create-security-group ...)

aws ec2 authorize-security-group-ingress --group-id "$SG"

Using aws CLI to create EC2 access like the practical.

INST=$(aws ec2 run-instances --security-group-ids "$SG" \

--instance-type t2.micro)
```

```
import boto3
def create_instance():
      ec2_client = boto3.client("ec2", region_name="us-east-1")
      response = ec2.create_security_group(...)
      security_group_id = response['GroupId']
                                                                                   Using aws python library (boto3).
      data = ec2.authorize_security_group_ingress(...)
      instance = ec2_client.run_instances(
          SecurityGroups=[security_group_id],
          InstanceType="t2.micro",
          . . .
```

```
resource "aws_instance" "hextris-server" {
      instance_type = "t2.micro"
      security_groups = [aws_security_group.hextris-server.name]
      . . .
resource "aws_security_group" "hextris-server" {
                                                                                   Finally, terraform.
      ingress {
         from_port = 80
         to_port = 80
          . . .
      . . .
```

Question

Notice anything different?

- Prompting for declarative.
- Might notice verbosity.

The *main* difference

Imperative vs. declarative

IC is heading towards a more declarative paradigm.

Provisions and manages infrastructure resources.

- Provisions and manages infrastructure resources.
- Only one part of the movement to *automate* the complexities of development.

- Provisions and manages *infrastructure resources*.
- Only one part of the movement to *automate* the complexities of development.
- Ranges from simple shell scripts up to...?

- Provisions and manages *infrastructure resources*.
- Only one part of the movement to *automate* the complexities of development.
- Ranges from simple shell scripts up to...?
- Tendancy to be *declarative*.

Summarising what we've already covered.

Infrastructure Code \neq Infrastructure αs Code

- Mention that this distinction is ours.
- Real world unfortunately mixes the two.

Definition 4. Infrastructure as Code

Following the same *good coding practices* to manage Infrastructure Code as standard code.

Warning!

Infrastructure as Code still *early* and quite *bad*.

- Code reuse is low.
- Importing existing resources is non-trivial.
- Refactoring is painful.
- State management can be tricky.

Question

What are *good coding practices*?

Ask the class.

Good Coding Practice #1

Everything as code

A practice we do but barely discuss in 'regular' programming because it doesn't make sense not to do it.

```
#!/bin/bash

/download-dependencies
/build-resources
/property artifacts/
```

```
#!/bin/bash
   ./download-dependencies
   ./build-resources
5 cp -r output/* artifacts/
     $ cp: directory artifacts does not exist
```

An example of relying on external state in 'regular' programming.

```
resource "aws_instance" "hextris-server" {
   instance_type = "t2.micro"
   security_groups = ["sg-6400"]
   ...
```

Draw a parallel to the bash example and this, which relies on 'sg-6400' existing.

```
resource "aws_instance" "hextris-server" {
      instance_type = "t2.micro"
      security_groups = [aws_security_group.hextris-server.name]
      . . .
resource "aws_security_group" "hextris-server" {
                                                                                  The better approach.
      ingress {
         from_port = 80
         to_port = 80
          . . .
      . . .
```

Everything as code avoids

Configuration drift

Configuration drift creates

Snowflakes

- Snowflakes: magical machines that 'just work' and everyone is afraid to touch.
- Snowflake because they're unique and easy to break because no one knows how it works.

1. Reproducible.

Good Coding Practice #2

Version control

- 1. Restorable.
- 2. Accountable.

Good Coding Practice #3 Automation

1. Consistent.


Automatically applying or checking IC is in sync means the main branch is consistent with reality.

Good Coding Practice #4 Code Reuse

- 1. Better¹ code.
- 2. Less work.
- 3. Only one place to update (or verify).


Good Coding Practice #5 Testing

Test Pyramid



- Traditional test pyramid.
- Unit testing relies of isolated testing.
- But...isolated testing doesn't make *much* sense for IaC.

IaC Test Pyramid



```
func TestTerraformAwsInstance(t *testing.T) {
    terraformOptions := terraform.WithDefault(t, &terraform.Options{
       TerraformDir: "../week03/",
    })
    defer terraform.Destroy(t, terraformOptions)
    terraform.InitAndApply(t, terraformOptions)
    publicIp := terraform.Output(t, terraformOptions, "public_ip")
    url := fmt.Sprintf("http://%s:8080", publicIp)
    http_helper.HttpGetWithCustomValidation(t, url, nil, 200,
       func(code, resp) { code == 200 &&
                          strings.Contains(resp, "hextris")})
```

Feature: Define AWS Security Groups

Scenario: Only selected ports should be publicly open

Given I have AWS Security Group defined

Approximately and selected ports should be publicly open

Approximately and selected ports should be publicly open.

When it contains ingress

An example of compliance testing.

Then it must only have tcp protocol and port 22,443 for 0.0.0.0/0

Benefits 1. Trust.