Name:

1. What this program does? Write down each recursive call, its parameter and return for number = 3.

```
import java.util.Scanner;
public class Recursion {
    public static void recursiveCall(int number, int lowVal, int highVal) {
        int midVal;
        midVal = (highVal + lowVal) / 2;
        System.out.print(number);
        System.out.print(" ");
        System.out.print(midVal);
        if (number == midVal) {
            System.out.println(" f");
        else {
            if (number < midVal) {</pre>
                System.out.println(" 1");
                recursiveCall(number, lowVal, midVal);
            else {
                System.out.println(" h");
                recursiveCall(number, midVal + 1, highVal);
            }
        }
    public static void main(String[] args) {
        Scanner scnr = new Scanner(System.in);
        int number;
        number = scnr.nextInt();
        recursiveCall(number, 0, 10);
    }
}
3 5 1
3 2 h
3 4 1
3 3 f
```

2. Write a method that calculates the Fibonacci of n. Knowing that Fibonacci of 0 or negative number returns 0, Fibonacci of 2 or 1 returns 1, and Fibonacci of a number greater than 2 is the sum of the two previous Fibonacci values.

```
public static int fibonacci(int n) {
   if(n <= 0) return 0;
   if(n == 1 || n == 2) return 1;
   return fibonacci(n-1) + fibonacci(n-2);
}</pre>
```

3. How can we change the stringManipulator method to reverse the string backwards, meaning that we start from the end instead of the begin?

```
public static String stringManipulator(String str) {
   if (str.isEmpty()) return str;
   return stringManipulator(str.substring(1)) + str.charAt(0);
}

public static String stringManipulatorBackwards(String str) {
   if (str.isEmpty()) return str;
   return str.charAt(str.length()-1) +
   stringManipulatorBackwards(str.substring(0, str.length()-1));
}
```

4. Write a recursive method that verifies if a String is a palindrome or not. A word is a <u>palindrome</u> if the letters in the word are symmetric.

```
public static boolean palindrome(String str) {
   if(str.isEmpty() || str.length() == 1) return true;
   if(str.charAt(0) != str.charAt(str.length()-1)) return false;
   return palindrome(str.substring(1, str.length()-1));
}
```

5. Write exactly what is going to be printed in the program below. Draw the recursive calls to make sure that your answer is correct.

```
public class Recursion {
    public static void function1(int n)
    {
        if (n > 0) {
            function1(n - 1);
            System.out.print(" "+ n);
        }
    }
    public static void function2(int n)
        if (n > 0)
            System.out.print(n + " ");
            function2(n - 1);
    }
   public static void main(String[] args)
    {
        int x = 3;
        function1(x);
        System.out.println();
        function2(x);
    }
}
1 2 3
3 2 1
```