

Tensor-FLAMINGO simulations 500x500

Method	Hardware	n	Median	Range	Mean/dataset	x vs slowest
scHiCluster	CPU x20	7	2.0 min	1.6 min-2.5 min	2.0 min	1404.6x
Higashi-nbr0	V100	7	37.1 min	34.8 min-39.6 min	37.1 min	75.6x
Higashi-nbr5	V100	7	42.3 min	37.4 min-45.0 min	42.2 min	66.4x
scHiC-Diff	V100	7	4.4 h	4.4 h-4.8 h	4.5 h	10.6x
scVI-3D	V100	7	5.2 h	5.2 h-5.4 h	5.3 h	8.9x
Tensor-FLAMINGO	CPU x20	7	12.0 h	10.6 h-15.6 h	12.5 h	3.9x
HiCImpute	CPU x20	7	2.0 d	1.9 d-2.1 d	2.0 d	1.0x

HiCImpute simulations 61x61

Method	Hardware	n	Median	Range	Mean/dataset	x vs slowest
Tensor-FLAMINGO	CPU x20	15	42 s	35 s-2.0 min	56 s	160.5x
scHiCluster	CPU x20	12	1.9 min	5 s-2.0 min	1.6 min	58.4x
HiCImpute	CPU x20	12	2.6 min	2.5 min-3.1 min	2.7 min	43.2x
scVI-3D	V100	12	4.8 min	4.2 min-15.2 min	5.6 min	23.5x
scHiC-Diff	V100	12	28.8 min	28.8 min-28.8 min	2.4 min*	3.9x
Higashi-nbr0	V100	12	40.3 min	22.3 min-4.8 h	76.8 min	2.8x
Higashi-nbr5	V100	12	1.9 h	24.7 min-4.6 h	1.9 h	1.0x

* Batch wall time amortized by the number of datasets.