

















Title			
PERIPHERALS			
Size	Number	Revision	
A3		2.0	
Date	5/02/2026	Sheet of	
File:	C:\Users\Control_Schem\SchDoc	Drawn By: DV	



Title		
Size A4	Number	Revision
Date: File:	5/02/2026 C:\Users\...\PowerSchem.SchDoc	Sheet of Drawn By:





Design Rules Verification Report

Filename : C:\Users\Public\Documents\Altium\2026MM\XuperMousePCB.PcbDoc

Warnings 0
Rule Violations 0

Warnings	
Total	0

Rule Violations	
Clearance Constraint (Gap=0.102mm) (All),(All)	0
Short-Circuit Constraint (Allowed=No) (All),(All)	0
Un-Routed Net Constraint (All)	0
Modified Polygon (Allow modified: No), (Allow shelved: No)	0
Width Constraint (Min=0.102mm) (Max=1816.048mm) (Preferred=0.102mm) (All)	0
Routing Topology Rule(Topology=Shortest) (All)	0
Power Plane Connect Rule(Direct Connect)(Expansion=0.508mm) (Conductor Width=0.254mm) (Air Gap=0.254mm)	0
Power Plane Connect Rule(Relief Connect)(Expansion=0.3mm) (Conductor Width=0.102mm) (Air Gap=0.102mm)	0
Minimum Annular Ring (Minimum=0.076mm) (All)	0
Hole Size Constraint (Min=0.2mm) (Max=6.3mm) (All)	0
Hole To Hole Clearance (Gap=0.25mm) (All),(All)	0
Minimum Solder Mask Sliver (Gap=0mm) (All),(All)	0
Silk To Solder Mask (Clearance=0.102mm) (IsPad),(All)	0
Silk to Silk (Clearance=0mm) (All),(All)	0
Net Antennae (Tolerance=0mm) (All)	0
Board Clearance Constraint (Gap=0mm) (InComponent('M1','M2','SW3'))	0
Board Clearance Constraint (Gap=0mm) (All)	0
Height Constraint (Min=0mm) (Max=1816.048mm) (Preferred=12.7mm) (All)	0
Total	0