

Authentication

Sam Ogden

Updated 2026-04-28

DRAFT

This slide deck is still under active development. Expect changes before it is finalized.

Lecture Objectives

- After this lecture, you should be able to:
- Explain three main authentication methods
- Consider the challenges of each method

Some definitions before we begin

- **Principal:** who or what is asking for permission
- **Object:** the resource being asked for
- **Credential:** tracking of permissions granted

How to assign credentials?

- We need to figure out who to let run
- And what permissions they should have
- Authentication only matters if the OS can tie identity to access



Main ways to check

Authentication usually comes from one of three kinds of evidence

- 1. What you know**
- 2. What you have**
- 3. What you are**

What do you know?


Passwords

What do you know?


Before we trust passwords, we need to ask:

- What makes a good secret?
- How do we store secrets?
- How do we check secrets?
- How do we protect secrets?

Password entropy



How do we store them?



How do we check them?

Input		Digest
As	Transform with hash no extra	0070 0a04 7676 7708 7276 7276 7276 7276
Transform input with no extra	Transform with no extra	0000 0000 0000 0000 0000 0000 0000 0000
As with no extra	Transform with no extra	0000 0000 0000 0000 0000 0000 0000 0000
Transform input with no extra	Transform with no extra	0000 0000 0000 0000 0000 0000 0000 0000
As with no extra	Transform with no extra	0000 0000 0000 0000 0000 0000 0000 0000
Transform input with no extra	Transform with no extra	0000 0000 0000 0000 0000 0000 0000 0000


How do we protect secrets?

Say somebody manages to get our password file....


If it's hashed, do we have a problem?

YES! They can try all the hashes!

So how do we fix this?



Time to crack a password of a given length




Rainbow Table illustration presented at Crypto 2003

We add a salt



- A **salt** is a little extra information added to every password
 - Effectively makes it longer
- Each user has their own **salt**
 - It doesn't need to be private
- They effectively remove the benefits of precomputation (aka rainbow tables)

How does *salting* work?



What do you know? Key Takeaways

- Use an expertly designed hashing function
- Protect your password file
- Always add salt to the hash
- Passwords that people can remember are better than ones they write down

What do you have?

Cards and Keys

What you have: What is it?

- Authentication based on having a specific thing
 - A concert ticket
 - A lanyard
 - Your physical ATM card
 - Your cell phone
 - A security dongle

What problems are there?

- What happens if you lose your device?
- What happens if somebody steals your device?
- How do you prove you're still you?
- Can somebody else use it?
- How often does it update?
- Will people use it?

What you are Biometrics

What are biometrics?

- Measurements of what makes you you
- Retinal scan (Mission Impossible)
- Palm print (Whole Foods)
- Thumb print (iPhone SE)


Biometrics Challenges

Are these the same cat?



Sensitivity


- We need to strike a balance between being too relaxed and too stringent
- Context matters!
 - How mission-critical is this?
 - What is our mission?



How can we make it better?


Authentication is stronger when we combine things that fail in different ways.

- Password + phone
- Multi-Factor Authentication




How to design a system

- The swiss cheese model says add lots of layers to help protect yourself
- If something makes it through one layer, stop it before the next



How to authenticate the system?

- Sometimes you want to run tasks not as yourself
- And you don't want to sign in
- How do we do this?



Summary

- Three main authentication methods:
 - what you know
 - what you have
 - what you are
- These work best when combined
- Need to balance strictness and usability