

Authentication

Sam Ogden

DRAFT

This slide deck is still under active development. Expect changes before it is finalized.

Lecture Objectives

- **After this lecture, you should be able to:**
- **Explain three main authentication methods**
- **Consider the challenges of each method**
- **Threat Models**

Some definitions before we begin

- **Principal:** who or what is asking for permission
- **Object:** the resource being asked for
- **Credential:** tracking of permissions granted

How to assign credentials?

- **We need to figure out who to let run**
- **And what permissions they should have**
- **Authentication only matters if the OS can tie identity to access**



Main ways to check

- **Authentication usually comes from one of three kinds of evidence**
- **What you know**
- **What you have**
- **What you are**

What do you know?

Passwords are the most familiar form of authentication, but they are not the easiest to get right.

What do you know?

- **Before we trust passwords, we need to ask:**
 - What makes a good secret?
 - How do we store secrets?
 - How do we check secrets?
 - How do we protect secrets?

Password entropy

UNCOMMON
(NON-GIBBERISH)
BASE WORD

ORDER
UNKNOWN

Tr0ub4dor &3

CAPS?

COMMON
SUBSTITUTIONS

NUMERAL

PUNCTUATION

(YOU CAN ADD A FEW MORE BITS TO
ACCOUNT FOR THE FACT THAT THIS
IS ONLY ONE OF A FEW COMMON FORMATS.)

~28 BITS OF ENTROPY

$2^{28} = 3 \text{ DAYS AT } 1000 \text{ GUESSES/SEC}$
(PLAUSIBLE ATTACK ON A WEAK REMOTE
WEB SERVICE: YES, CRACKING A STOLEN
PASSWORD IS FASTER, BUT IT'S NOT WHAT THE
AVERAGE USER SHOULD WORRY ABOUT.)

DIFFICULTY TO GUESS:
EASY

WAS IT TROMBONE? NO,
TROUBADOR. AND ONE OF
THE 0s WAS A ZERO?
AND THERE WAS
SOME SYMBOL...

DIFFICULTY TO REMEMBER:
HARD

correct horse battery staple

FOUR RANDOM
COMMON WORDS

~44 BITS OF ENTROPY

$2^{44} = 580 \text{ YEARS AT } 1000 \text{ GUESSES/SEC}$


DIFFICULTY TO GUESS:
HARD

THAT'S A
BATTERY
STAPLE.
CORRECT!


DIFFICULTY TO REMEMBER:
YOU'VE ALREADY
MEMORIZED IT

THROUGH 20 YEARS OF EFFORT, WE'VE SUCCESSFULLY TRAINED EVERYONE TO USE PASSWORDS THAT ARE HARD FOR HUMANS TO REMEMBER, BUT EASY FOR COMPUTERS TO GUESS.

How do we store them?



How do we check them?



How do we protect secrets?

Say somebody manages to get our password file....

If it's hashed, do we have a problem?

YES! They can try all the hashes!


So how do we fix this?

We add a salt



What is a salt?

Password Hash Salting



What do you know? Key Takeaways

- **Use an expertly designed hashing function**
- **Protect your password file**
- **Always add salt to the hash**
- **Passwords that people can remember are better than ones they write down**

What do you have?

Cards and Keys

What you have: What is it?

- **Authentication based on having a specific thing**
 - A concert ticket
 - A lanyard
 - Your physical ATM card
 - Your cell phone
 - A security dongle

What problems are there?

- **What happens if you lose your device?**
- **What happens if somebody steals your device?**
- **How do you prove you're still you?**
- **Can somebody else use it?**
- **How often does it update?**
- **Will people use it?**

What you are

Biometrics


What are biometrics?

- **Measurements of what makes you you**
- **Retinal scan (Mission Impossible)**
- **Palm print (Whole Foods)**
- **Thumb print (iPhone SE)**

Biometrics Challenges

Sensitivity


- **We need to strike a balance between being too relaxed and too stringent**
- **Context matters!**
 - How mission-critical is this?
 - What is our mission?



How can we make it better?


Authentication is stronger when we combine things that fail in different ways.

- **Password + phone**
- **Multi-Factor Authentication**




How to design a system

- The swiss cheese model says add lots of layers to help protect yourself
- If something makes it through one layer, stop it before the next



How to authenticate the system?

- Sometimes you want to run tasks not as yourself
- And you don't want to sign in
- How do we do this?



Summary

- **Three main authentication methods: what you know, what you have, and what you are**
- **These work best when combined**
- **Need to balance strictness and usability**
- **Think back to our goals from earlier**