Search for the rare decays $B \to K\nu\bar{\nu}$ at Belle II
Group Meeting - B2Knunu

Merna AbuMusabh, Giulio Dujany, Corentin Santos

Institut Pluridisciplinaire Hubert Curien
University of Strasbourg

29 November 2024

Université
de Strasbourg

Belle II

# Table of Contents

State of the art

State of the art:

- Analyses carried at Belle II for Hadronic Tagged Analysis (HTA), Inclusive Tagged Analysis (ITA) and combined

- Decay channel: $B^+ \to K^+ \nu \bar{\nu}$

- Results: evidence for 2.7σ above the SM expectation from combined analysis

$$10^5 \times \mathrm{Br}(B^+ \to K^+ \nu \bar{\nu})$$

Tagged analysis strategies

Hadronic Tagged Analysis (HTA)   Semileptonic Tagged Analysis (STA)   Inclusive Tagged Analysis (ITA)

Tagging efficiency

$\mathcal{O}\,(0.1\%)$ $\mathcal{O}\,(10\%)$

Tagging purity

$80\% - 20\%$ $\mathcal{O}\,(1\%)$

- Carry the same analysis for the Semileptonic Tagged Analysis (STA)
- Compare the results on $B^+ \to K^+ \nu\bar{\nu}$ with STA for consistency check
- Will also do the analysis for one of the $B \to K^* \nu\bar{\nu}$ channel

First approach

- Very similar to HTA since exclusive analysis
- Will use *semileptonic* FEI instead of hadronic
- Important variables for HTA: ΔE and M_{bc}
- $\rightarrow$ Important variable for STA: $\cos(\theta_{BY})$

Quests

Main quests:

1. Take the previous workflow, understand it and automatize it using B2LUIGI (95% done)
2. Adapt the workflow to the STA (partly done by Jacopo)
3. Test the new workflow with and without the Tree Fitter

Side quests:

1. Switch the plots from homemade functions to PLOTHIST
2. Change computation of uncertainties to more standardized way → will use SYSVAR or PYHFCORR
3. Check CABINETRY for management of PYHF fits

Current tasks

Active quests:

1. Take the previous workflow, understand it and automatize it using B2LUIGI (95% done)

2. Adapt the workflow to the STA (partly done by Jacopo)
   - Change the FEI corrections to semileptonic (for cross-check with respect to embedded)
   - Change the corrections to run dependent

3. Test the new workflow with and without the Tree Fitter
   - Try $\Upsilon(4S)$ vertex fitting with TWINB

Git repositories

Gitlab repository: