NOTES:

REV.	DESCRIPTION	DATE	APPROVED
B	Initial Release	2026-03-03	
C.1	Table Matrix	3/3/2026	
C	Added Pinout To Wire Matrix Table	2026-03-03	



TOP VIEW
SCALE 1:3



BREAKOUT ISOMETRIC VIEW AA
SCALE 1:3

PINOUT TO WIRE MATRIX	
PINOUT	**WIRE**
A1	L1 Brown
A2	L2 Yellow
B*	N Gray
B2	PE Green
C1	L3 Orange
C2	-



BREAKOUT ISOMETRIC VIEW BB
SCALE 1:3

ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	182-H606-0A	Connector, HTNG6PT, Receptacle, 6 pin+E, Mixed terminal, 60A, Listed	1
2	VARIABLE BASED ON ORDER NUMBER	Connector, Conduit, Fitting, Straight, LFMC	2
3	VARIABLE BASED ON ORDER NUMBER	Wire, Conduit, Flex, UL DXHR	1
4	UL Label	UL Label (See Sheet 2 for Details)	1
5	Additional Labels	Optional Addtional Label (See Sheet 3 for Details)	2
6	VARIABLE BASED ON ORDER NUMBER	Wire, 6AWG, Grn,Brn,Ylw,Gry, THHN, UL	1

PROPRIETARY AND CONFIDENTIAL

This drawing and its specifications are the property of ENCONNEX and shall not be copied, reproduced, or used in whole or in part, as the basis for the manufacture or sale of items without written permission from ENCONNEX. This drawing is based upon the latest available information and is subject to change without notice.

UNITS: ft [in]

UNLESS OTHERWISE SPECIFIED
X = ± 1
X.X = ± 0.5
X.XX = ± 0.30
X.XXX = ± 0.130
ANGULAR
X = 1°
.X = 0.5°
.XX = 0.25°

COMMENTS:

	NAME	DATE
DRAWN BY	CAS	2024-09-27
APP. BY	BL	2026-03-03

INTERPRET TO ASME Y14.100

ENCONNEX
4670 AIRCENTER CIRCLE
RENO, NV 89502

MATERIAL: N/A

FINISH: N/A

CLASS:

ECO NUMBER:

DEBURR AND BREAK SHARP EDGES/CONTOURS AT 0.2mm MAX

DESCRIPTION:
CUSTOM WHIP ASSEMBLY, HTNG6P, LFMC

SIZE: B

DRAWING NO: **PWXX-HTNG6PT-XXSALX(000)**

REV NO: **C**

SCALE: 1:5

WEIGHT:

SHEET: 1 OF 3

NOTES:





TEXT VARIES WITH SKU
PLACEHOLDER VALUES SHOWN
SCALE 3:1

PROPRIETARY AND CONFIDENTIAL

This drawing and its specifications are the property of ENCONNEX and shall not be copied, reproduced, or used in whole or in part, as the basis for the manufacture or sale of items without written permission from ENCONNEX. This drawing is based upon the latest available information and is subject to change without notice.

UNITS: in

UNLESS OTHERWISE SPECIFIED
X = ± 1
X.X = ± 0.5
X.XX = ± 0.30
X.XXX = ± 0.130
ANGULAR
X = 1°
.X = 0.5°
.XX = 0.25°

COMMENTS:

	NAME	DATE
DRAWN BY	CAS	2024-09-27
APP. BY	BL	2026-03-03

INTERPRET TO ASME Y14.100

ENCONNEX
4670 AIRCENTER CIRCLE
RENO, NV 89502

MATERIAL: N/A

FINISH: N/A

CLASS:

DEBURR AND BREAK SHARP EDGES/CONTOURS AT 0.2mm MAX

DESCRIPTION:
CUSTOM WHIP ASSEMBLY, HTNG6P, LFMC

SIZE: B

DRAWING NO: PWXX-HTNG6PT-XXSALX(000)

REV NO: C

SCALE: 1:5

WEIGHT:

SHEET: 2 OF 3

NOTES:



ENLARGED FOR CLARITY, ACTUAL TEXT IS ARIAL 9PT

OPTIONAL ADDITIONAL LABEL
TEXT VARIES WITH SKU
PLACEHOLDER VALUES SHOWN
LABEL/TEXT COLOR VARIES WITH SKU
CLEAR LAMINATION APPLIED OVER LABEL

PROPRIETARY AND CONFIDENTIAL

This drawing and its specifications are the property of ENCONNEX and shall not be copied, reproduced, or used in whole or in part, as the basis for the manufacture or sale of items without written permission from ENCONNEX. This drawing is based upon the latest available information and is subject to change without notice.

UNLESS OTHERWISE SPECIFIED
X = ± 1
X.X = ± 0.5
X.XX = ± 0.30
X.XXX = ± 0.130
ANGULAR
X = 1°
.X = 0.5°
.XX = 0.25°

COMMENTS:

	NAME	DATE
DRAWN BY	CAS	2024-09-27
APP. BY	BL	2026-03-03

UNITS: mm [in]

INTERPRET TO ASME Y14.100

ENCONNEX

4670 AIRCENTER CIRCLE
RENO, NV 89502

MATERIAL: N/A

FINISH: N/A

CLASS:

DEBURR AND BREAK SHARP EDGES/CONTOURS AT 0.2mm MAX

DESCRIPTION:
CUSTOM WHIP ASSEMBLY, HTNG6P, LFMC

SIZE: B

DRAWING NO: PWXX-HTNG6PT-XXSALX(000)

REV NO: C

SCALE: 1:5

WEIGHT:

SHEET: 3 OF 3