




A	ITEM NO.	PART NUMBER	DESCRIPTION			QTY.	PROPRIETARY AND CONFIDENTIAL This drawing and its specifications are the property of ENCONNEX and shall not be copied, reproduced, or used in whole or in part, as the basis for the manufacture or sale of items without written permission from ENCONNEX. This drawing is based upon the latest available information and is subject to change without notice.	UNLESS OTHERWISE SPECIFIED			ENCONNEX 4670 AIRCENTER CIRCLE RENO, NV 89502	DESCRIPTION: CUSTOM WHIP ASSEMBLY, 560C6WT LFMC			
	X = ± 1 X.X = ± 0.5 X.XX = ± 0.30 X.XXX = ± 0.130 ANGULAR X = 1° .X = 0.5° .XX = 0.25°														
	COMMENTS:														
	MATERIAL: N/A			FINISH: N/A		CLASS:		SIZE: B	DRAWING NO: PWXX-560C6WT- XXSALX(000)		REV NO: D				
	ECO NUMBER:			DEBURR AND BREAK SHARP EDGES/CONTOURS AT 0.2mm MAX		SCALE:		1:5	WEIGHT:	SHEET: 1 OF 3					
	INTERPRET TO ASME Y14.100														
	UNITS: ft [in]														
	8		7		6		5		4		3		2		1

2.00in


1.50in

5.50in

PRINTABLE AREA


SELF LAMINATING

The diagram shows a rectangular label with a total width of 2.00 inches and a total height of 7.00 inches. The top portion of the label, measuring 1.50 inches in height, is designated as the 'PRINTABLE AREA'. The bottom portion, measuring 5.50 inches in height, is designated as the 'SELF LAMINATING' section. The labels are centered within their respective sections.



TEXT VARIES WITH SKU
PLACEHOLDER VALUES SHOWN
SCALE 3:1

PROPRIETARY AND CONFIDENTIAL		UNLESS OTHERWISE SPECIFIED		 4670 AIRCENTER CIRCLE RENO, NV 89502		DESCRIPTION: CUSTOM WHIP ASSEMBLY, 560C6WT LFMC		
This drawing and its specifications are the property of ENCONNEX and shall not be copied, reproduced, or used in whole or in part, as the basis for the manufacture or sale of items without written permission from ENCONNEX. This drawing is based upon the latest available information and is subject to change without notice.		$X = \pm 1$ $X.X = \pm 0.5$ $X.XX = \pm 0.30$ $X.XXX = \pm 0.130$ ANGULAR $X = 1^\circ$ $.X = 0.5^\circ$ $.XX = 0.25^\circ$						
		COMMENTS:						
		NAME	DATE	FINISH: N/A	CLASS:	SIZE:	DRAWING NO:	REV NO:
		DRAWN BY CAS	2024-09-27	DEBURR AND BREAK SHARP EDGES/CONTOURS AT 0.2mm MAX		B	PWXX-560C6WT- XXSALX(000)	D
UNITS: in		APP. BY BL	2025-10-28					
		INTERPRET TO ASME Y14.100						



NOTES:

Source1 RPP3 B/A-20 B1
Circuit:1,3,5
Row:3 Rack: 2
460C9W 3Ø 250V, 60A
13 Feet

ENLARGED FOR CLARITY, ACTUAL TEXT IS ARIAL 9PT

OPTIONAL ADDITIONAL LABEL
TEXT VARIES WITH SKU
PLACEHOLDER VALUES SHOWN
LABEL/TEXT COLOR VARIES WITH SKU
CLEAR LAMINATION APPLIED OVER LABEL

PROPRIETARY AND CONFIDENTIAL			UNLESS OTHERWISE SPECIFIED			 4670 AIRCENTER CIRCLE RENO, NV 89502		DESCRIPTION: CUSTOM WHIP ASSEMBLY, 560C6WT LFMC		
This drawing and its specifications are the property of ENCONNEX and shall not be copied, reproduced, or used in whole or in part, as the basis for the manufacture or sale of items without written permission from ENCONNEX. This drawing is based upon the latest available information and is subject to change without notice. 			$X = \pm 1$ $X.X = \pm 0.5$ $X.XX = \pm 0.30$ $X.XXX = \pm 0.130$ ANGULAR $X = 1^\circ$ $.X = 0.5^\circ$ $.XX = 0.25^\circ$							
			COMMENTS:			MATERIAL: N/A				
						FINISH: N/A		CLASS:		
						DEBURR AND BREAK SHARP EDGES/CONTOURS AT 0.2mm MAX				
			DRAWN BY			CAS	2024-09-27		SIZE: B	DRAWING NO: PWXX-560C6WT- XXSALX(000)
APP. BY			BL	2025-10-28		SCALE: 1:5		WEIGHT:		SHEET: 3 OF 3
UNITS: mm [in]			INTERPRET TO ASME Y14.100							