



The diagram shows a rectangular label with a total width of 2.00in and a total height of 7.00in. The label is divided into two horizontal sections. The top section is labeled "PRINTABLE AREA" and has a height of 1.50in. The bottom section is labeled "SELF LAMINATING" and has a height of 5.50in. The text "PRINTABLE AREA" is centered in the top section, and "SELF LAMINATING" is centered in the bottom section. The dimensions are indicated by arrows and text labels: "2.00in" for the width, "1.50in" for the printable area height, and "5.50in" for the self-laminating area height.




TEXT VARIES WITH SKU
PLACEHOLDER VALUES SHOWN
SCALE 3:1

PROPRIETARY AND CONFIDENTIAL		UNLESS OTHERWISE SPECIFIED		 ENCONNEX 4670 AIRCENTER CIRCLE RENO, NV 89502		DESCRIPTION: WHIP, 4100R9W, LFMC, BACKSHELL, 90DEG				
This drawing and its specifications are the property of ENCONNEX and shall not be copied, reproduced, or used in whole or in part, as the basis for the manufacture or sale of items without written permission from ENCONNEX. This drawing is based upon the latest available information and is subject to change without notice.		$X = \pm 1$ $X.X = \pm 0.5$ $X.XX = \pm 0.30$ $X.XXX = \pm 0.130$ ANGULAR $X = 1^\circ$ $.X = 0.5^\circ$ $.XX = 0.25^\circ$							MATERIAL: N/A	
		COMMENTS:								
		NAME	DATE	FINISH: N/A	CLASS:	SIZE: B	DRAWING NO: PWXX-4100R9WT- XXSALX(003R)	REV NO:		
		DRAWN BY CAS	2024-09-27	DEBURR AND BREAK SHARP EDGES/CONTOURS AT 0.2mm MAX						
		APP. BY BL								
UNITS: in		INTERPRET TO ASME Y14.100				SCALE: 1:5	WEIGHT:	SHEET: 2 OF 2		



NOTES:



ENLARGED FOR CLARITY, ACTUAL TEXT IS ARIAL 9PT

OPTIONAL ADDITIONAL LABEL
TEXT VARIES WITH SKU
PLACEHOLDER VALUES SHOWN
LABEL/TEXT COLOR VARIES WITH SKU
CLEAR LAMINATION APPLIED OVER LABEL

PROPRIETARY AND CONFIDENTIAL This drawing and its specifications are the property of ENCONNEX and shall not be copied, reproduced, or used in whole or in part, as the basis for the manufacture or sale of items without written permission from ENCONNEX. This drawing is based upon the latest available information and is subject to change without notice.	UNLESS OTHERWISE SPECIFIED			 ENCONNEX		DESCRIPTION: WHIP, 4100R9W, LFMC, BACKSHELL, 90DEG			
	X = ± 1 X.X = ± 0.5 X.XX = ± 0.30 X.XXX = ± 0.130 ANGULAR X = 1° .X = 0.5° .XX = 0.25°								
	COMMENTS:			4670 AIRCENTER CIRCLE RENO, NV 89502					
				MATERIAL: N/A					
	NAME	DATE	FINISH: N/A		CLASS:	SIZE: B	DRAWING NO: PWXX-4100R9WT- XXSALX(003R)		REV NO:
	DRAWN BY CAS	2024-09-27							
	APP. BY BL		DEBURR AND BREAK SHARP EDGES/CONTOURS AT 0.2mm MAX						
UNITS: mm [in]		INTERPRET TO ASME Y14.100			SCALE: 1:5		WEIGHT:		SHEET: 3 OF 3