




E
D
C
B
A

E
D
C
B
A

8 7 6 5 4 3 2 1

NOTES:

E

D

C

B


A

8 7 6 5 4 3 2 1

The figure is a technical drawing of a rectangular plate. The main drawing is a rectangle with a width of 2.00in and a height of 5.50in. It is divided into two horizontal sections: the top section is labeled 'PRINTABLE AREA' and has a height of 1.50in; the bottom section is labeled 'SELF LAMINATING'. To the right of the main drawing is a detailed view of the 'PRINTABLE AREA' section, showing the ENCONNEX logo, a UL LISTED logo, a QR code, and text indicating 'Reno Nevada', 'P/N: PART NUMBER', 'Rating: CONNECTOR RATING', and a large empty box for a label. Below the detailed view is the text 'TEXT VARIES WITH SKU', 'PLACEHOLDER VALUES SHOWN', and 'SCALE 3:1'. At the bottom right is a table with technical specifications and a description.

PROPRIETARY AND CONFIDENTIAL			UNLESS OTHERWISE SPECIFIED		DESCRIPTION:							
This drawing and its specifications are the property of ENCONNEX and shall not be copied, reproduced, or used in whole or in part, as the basis for the manufacture or sale of items without written permission from ENCONNEX. This drawing is based upon the latest available information and is subject to change without notice.			X = ± 1 X.X = ± 0.5 X.XX = ± 0.30 X.XXX = ± 0.130 ANGULAR X = 1° .X = 0.5° .XX = 0.25°				4670 AIRCENTER CIRCLE RENO, NV 89502					
			COMMENTS:		MATERIAL: N/A							
					DRAWN BY	CAS	DATE	FINISH: N/A	CLASS: N/A	SIZE: B	DRAWING NO: PWxx-L630RT-xxSALx(002)	REV NO:2 A
					APP. BY	B.LUKE		ECO NUMBER:		SCALE: 1:5	WEIGHT:	SHEET: 2 OF 3
UNITS: FEET [in]			INTERPRET TO ASME Y14.100		DEBURR AND BREAK SHARP EDGES/CONTOURS AT 0.2mm MAX							

WHIP,L6-30, 4X4 BOX, CRUSHED CORNER, SINGLE 1.6IN HOLE, GALVANIZED



8 7 6 5 4 3 2 1

NOTES:

E

D

C

B

A

8 7 6 5 4 3 2 1

The drawing shows a rectangular plate with a width of 2.00in and a height of 5.50in. The top portion is labeled 'PRINTABLE AREA' and has a height of 1.50in. The bottom portion is labeled 'SELF LAMINATING'. A detailed view of the top right corner shows the ENCONNEX logo, a UL LISTED logo for a wiring assembly kit (E534895), and a QR code. Below the logos, the text 'Reno Nevada', 'P/N: PART NUMBER', and 'Rating: CONNECTOR RATING' is shown, followed by a large rounded rectangle placeholder. Below this, the text 'TEXT VARIES WITH SKU', 'PLACEHOLDER VALUES SHOWN', and 'SCALE 3:1' is displayed. A title block at the bottom right contains manufacturing information, and a table at the bottom left lists dimensions and tolerances.

2.00in

1.50in

5.50in

PRINTABLE AREA

SELF LAMINATING

ENCONNEX®

UL LISTED

WIRING ASSEMBLY KIT
E534895

QR Code

Reno Nevada
P/N: PART NUMBER
Rating: CONNECTOR RATING

TEXT VARIES WITH SKU
PLACEHOLDER VALUES SHOWN
SCALE 3:1

UNITS: FEET [in]		INTERPRET TO ASME Y14.100	
8	7	6	5
4	3	2	1

PROPRIETARY AND CONFIDENTIAL			UNLESS OTHERWISE SPECIFIED		DESCRIPTION:			
This drawing and its specifications are the property of ENCONNEX and shall not be copied, reproduced, or used in whole or in part, as the basis for the manufacture or sale of items without written permission from ENCONNEX. This drawing is based upon the latest available information and is subject to change without notice.			X = ± 1 X.X = ± 0.5 X.XX = ± 0.30 X.XXX = ± 0.130 ANGULAR X = 1° .X = 0.5° .XX = 0.25°		4670 AIRCENTER CIRCLE RENO, NV 89502			
							MATERIAL: N/A	
			COMMENTS:		FINISH: N/A		CLASS: N/A	
			DRAWN BY CAS		DATE		ECO NUMBER:	
APP. BY B.LUKE				DEBURR AND BREAK SHARP EDGES/CONTOURS AT 0.2mm MAX				

SIZE:	DRAWING NO:	REV NO:
B	PWxx-L630RT-xxSALx(002)	A

SCALE:	1:5	WEIGHT:	SHEET:
2 OF 3			

8

7

6

5

4

3

2

1

NOTES:

<

