




ITEM NO.	PART NUMBER	DESCRIPTION	QTY.	PROPRIETARY AND CONFIDENTIAL This drawing and its specifications are the property of ENCONNEX and shall not be copied, reproduced, or used in whole or in part, as the basis for the manufacture or sale of items without written permission from ENCONNEX. This drawing is based upon the latest available information and is subject to change without notice. UNITS: ft [in]	UNLESS OTHERWISE SPECIFIED			4670 AIRCENTER CIRCLE RENO, NV 89502		DESCRIPTION: CUSTOM WHIP ASSEMBLY, 460C6WT LFMC			
1	180-46C9-H7	Coupler, 3 Pin+E, 9h, Female, Harness, 60A, 4Pin, w NPT Adapt, Listed	1		X = ± 1 X.X = ± 0.5 X.XX = ± 0.30 X.XXX = ± 0.130 ANGULAR X = 1° .X = 0.5° .XX = 0.25°								
2	VARIABLE BASED ON ORDER NUMBER	Connector, Adaper,Coupler-Fitting adapter, IEC, 60A body, NPT	1		COMMENTS:								
3	VARIABLE BASED ON ORDER NUMBER	Connector, Fitting, Straight, Conduit Adapter	2		MATERIAL: N/A								
4	VARIABLE BASED ON ORDER NUMBER	Wire, Conduit, Flex, UL DXHR	1			NAME	DATE	FINISH: N/A	CLASS:	SIZE: B	DRAWING NO: PWXX-460C6WT-XXSALX(000)	REV NO: A	
5	UL Label	UL Label (See Sheet 2 for Details)	1		DRAWN BY	CAS	2024-09-27	ECO NUMBER:					
6	Sup Label	Optional Additional Label (See Sheet 3 for Details)	2	APP. BY	BL	2025-11-21			SCALE: 1:5	WEIGHT:	SHEET: 1 OF 3		
					INTERPRET TO ASME Y14.100			DEBURR AND BREAK SHARP EDGES/CONTOURS AT 0.2mm MAX					

A

SELF LAMINATING

5.50in



PROPRIETARY AND CONFIDENTIAL This drawing and its specifications are the property of ENCONNEX and shall not be copied, reproduced, or used in whole or in part, as the basis for the manufacture or sale of items without written permission from ENCONNEX. This drawing is based upon the latest available information and is subject to change without notice.		UNLESS OTHERWISE SPECIFIED $X = \pm 1$ $X.X = \pm 0.5$ $X.XX = \pm 0.30$ $X.XXX = \pm 0.130$ ANGULAR $X = 1^\circ$ $.X = 0.5^\circ$ $.XX = 0.25^\circ$		 4670 AIRCENTER CIRCLE RENO, NV 89502		DESCRIPTION: CUSTOM WHIP ASSEMBLY, 460C6WT LFMC			
		COMMENTS:							
		NAME	DATE	FINISH: N/A	CLASS:	SIZE: B	DRAWING NO: PWXX-460C6WT- XXSALX(000)		REV NO: A
		DRAWN BY CAS	2024-09-27	DEBURR AND BREAK SHARP EDGES/CONTOURS AT 0.2mm MAX		SCALE: 1:5		WEIGHT:	
APP. BY BL		2025-11-21							
UNITS: in		INTERPRET TO ASME Y14.100				SHEET: 2 OF 3			

1

