

Markdown Feature Showcase

This document exercises every standard Markdown feature to validate rendering consistency across all docu-craft output formats. 🚀

1. HEADINGS

Heading Level 1

HEADING LEVEL 2

Heading Level 3

Heading Level 4

Heading Level 5

◆ Heading Level 6

2. PARAGRAPHS AND LINE BREAKS

This is a regular paragraph. It wraps across multiple lines in the source but renders as a single block of text. Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. 🖊️

This is a second paragraph, separated by a blank line. Ut enim ad minim veniam, quis nostrud exercitation ullamco laboris nisi ut aliquip ex ea commodo consequat. 💬

3. ✨ INLINE FORMATTING

- **Bold text** using double asterisks 💪
- *Italic text* using single asterisks 🎨
- ***Bold and italic*** combined 🔥

- `Inline code` using backticks 🖥️
 - Plain text mixed with **bold**, italic, and `code` in a single sentence. 🧩
-

4. 💬 BLOCKQUOTES

💡 A single-line blockquote.

📖 A longer blockquote that spans more content. Duis aute irure dolor in reprehenderit in voluptate velit esse cillum dolore eu fugiat nulla pariatur. Excepteur sint occaecat cupidatat non proident.

5. 📋 UNORDERED LISTS

- 🟢 First item
 - 🔵 Second item
 - 🟡 Third item
 - 🟠 Fourth item with **bold** and italic inside
 - 🔴 Fifth item with `inline code` inside
 - 🌐 Sixth item with a globe emoji in text
-

6. 📅 ORDERED LISTS

1. 🏆 First step
 2. 🏆 Second step
 3. 🏆 Third step
 4. 🏆 Fourth step with **emphasis**
 5. 🎯 Fifth step
-

7. — HORIZONTAL RULES

Three dashes:

Three asterisks:

Three underscores:

8. FENCED CODE BLOCKS

Python 🐍:

```
def fibonacci(n: int) -> list[int]:
    seq = [0, 1]
    while len(seq) < n:
        seq.append(seq[-1] + seq[-2])
    return seq[:n]

print(fibonacci(10))
```

JavaScript 🌐:

```
const greet = (name) => `Hello, ${name}!`;
console.log(greet("world"));
```

Bash 🖥️:

```
#!/usr/bin/env bash
set -euo pipefail

for file in *.md; do
    echo "Processing: $file"
done
```

Plain (no language tag):

```
This is a plain preformatted block.
  Indentation is preserved.
    Deeper indentation too.
```

9. TABLES

Simple Table

Name	Role	Status
 Alice	Engineer	 Active
 Bob	Designer	 Active
 Carol	Manager	 On leave
 Dave	QA	 Active

Wide Table

ID	First Name	Last Name	Department	Location	Start Date	Salary
001	Alice	Smith	Engineering	 Remote	2021-03-15	95,000
002	Bob	Jones	Design	 New York	2020-07-01	88,000
003	Carol	Williams	Management	 Chicago	2019-01-10	112,000
004	Dave	Brown	QA	 Remote	2022-05-22	78,000

Table with Inline Formatting

Feature	Status	Notes
Bold in cells	Supported	Uses character style
Italic in cells	Supported	Uses character style
Code in cells	Supported	Uses monospace font
Plain text	Supported	Default body style

10. LINKS

A [link to the docu-craft repository](#) inline.

11. 🧪 MIXED CONTENT

📊 Research Summary

This section demonstrates a realistic mix of formatting elements as they would appear in an academic or technical document.

The study involved **three experimental conditions** 🧪:

1. Baseline — standard configuration with no modifications
2. Treatment A — applied the `--fast` flag with `batch_size=64` ⚡
3. Treatment B — applied the `--fast` flag with `batch_size=128` 🚀

Results are summarized below:

Condition	Accuracy	Loss	Duration
Baseline	87.3%	0.412	42 min 🕒
Treatment A	91.1%	0.301	28 min ⚡
Treatment B	93.4%	0.247	31 min 🏆

🏆 Treatment B achieved the best accuracy with only a marginal increase in training time compared to Treatment A.

Key findings from the `results.json` output file:

```
{
  "best_condition": "treatment_b",
  "accuracy": 0.934,
  "loss": 0.247,
  "epochs": 50
}
```

Follow-up steps 📋:

- ✅ Validate results on the held-out test set
- 🔍 Run **ablation study** to isolate the effect of `batch_size`
- 📝 Document findings in the final project report

12. EDGE CASES

Empty table cells

A	B	C
1		3
	2	

Long unbroken words in a cell

Column	Value
Hash 	a3f8b2c1d9e4f7a0b5c2d8e1f6a3b9c0d7e4f1a8b2c5d9e0f3a6b1c4d8e2f5

Code block immediately after a heading

```
x = 42
```

Consecutive list types

-  Bullet one
-  Bullet two
-  1 Numbered one
-  2 Numbered two
-  Back to bullets

Nested Unordered Lists

-  Continents
-  Americas
 -  Mexico
 -  United States
 -  Brazil
-  Europe
 -  Germany
 -  France
 -  Spain

- 🌐 Asia
 - 🇯🇵 Japan
 - 🇨🇳 China
 - 🇮🇳 India
- 🌊 Oceans
- Pacific
- Atlantic
- Indian

Nested Ordered Lists 📋

1. 🧠 Machine Learning Pipeline
2. Data Collection
 1. Raw data sources
 2. Scraping and APIs
3. Preprocessing
 1. Cleaning
 2. Normalization
 3. Feature engineering
4. Training
 1. Model selection
 2. Hyperparameter tuning
5. Evaluation
6. 🚀 Deployment
7. Containerization
8. CI/CD pipeline
9. Monitoring

Mixed Nested Lists ✂️

- 📦 Project Structure
- Define requirements
- Set up repository
- Configure CI

- 🛠️ Development
- Implement core features
 - Unit tests
 - Integration tests
- Code review
- Merge to main
- 🎉 Release
- Tag version
- Publish to PyPI

Emoji variety 🧑🏻

Faces: 😊 😄 😐 😎 🥳 😴 🤪 😇 😬 😡 Nature: 🌲 🌊 🔥 🌤️ 🌙 ⭐️ 🌈 🌸 🍀 🦋
 Objects: 📱 💻 🖥️ ⌨️ 🖱️ 📡 🔬 🔌 💡 📶 Symbols: ✅ ❌ ⚠️ ⓘ 🔒 🔓 ♻️ 🏷️ 🚫
 Transport: 🚀 ✈️ 🚂 🚗 🚀 🚢 🚁 🚚 🚛 🚢 Food: 🍕 🍔 🌮 🍜 🍣 🍲 🍛 🍏 🥑
 ☕