xxx Meeting on Apr. 28th

How to Use Beamer

---how to ...

Shiki 1

 $^{1}xxxx$

Reporter: Shiki

E-mail: <xxxx.xx@outlook.com>

May 1, 2022

CONTENTS

- **Items Env**
- **Block Env**
- **Code Env**
- reference

- **Items Env**
- Block Env
- **Code Env**
- reference

Items Env

The itemize and enumerate style of nesc theme.

The itemize style

- - ▶ item level 2
 - item level 3 normal

The enumerate style

- 1. enum level 1
 - 1.1 enum level 2
 - 1.1.1 enum level 3

- **Items Env**
- **Block Env**
- **Code Env**
- reference

Block Env

standard block

Content

alert block

Content

example block

Content [1]

Block Env

Theorem Content Definition Content Proof. Content Lemma Content Corollary Content Example Content

- **Items Env**
- Block Env
- **Code Env**
- reference

Code Env

```
Comment 1: My first comment
 My first comment here!
                       Program 1 : test.py
                                                                </>>
  </>>
 import numpy as np
 a = 1
 b = 2
 print("{}".format{a+b})
5
                       Program 2 : test.py
  </>>
                                                                </>>
 a = 1
 if a > 0:
     a += 1
 b = 2
```

Code Env

See comment 1 for details. Two programs are listed: Program 1, program 2

- **Items Env**
- Block Env
- **Code Env**
- reference

reference

- [1] T. Scharnowski, N. Bars, M. Schloegel, E. Gustafson, M. Muench, G. Vigna, C. Kruegel, T. Holz, and A. Abbasi, "Fuzzware: Using precise mmio modeling for effective firmware fuzzing,"
- [2] O. Shamir, S. Sabato, and N. Tishby, "Learning and generalization with the information bottleneck," *Theoretical Computer Science*, vol. 411, no. 29-30, pp. 2696–2711, 2010.