


Summary

- Basic Statistics
- Per base sequence quality
- Per sequence quality scores
- Per base sequence content
- Per sequence GC content
- Per base N content
- Sequence Length Distribution
- Sequence Duplication Levels
- Overrepresented sequences
- Adapter Content

Basic Statistics

Measure	Value
Filename	hw8_1.txt
File type	Conventional base calls
Encoding	Sanger / Illumina 1.9
Total Sequences	90
Total Bases	17.5 kbp
Sequences flagged as poor quality	0
Sequence length	195
%GC	49

Per base sequence quality



Per sequence quality scores



Galaxy

Grid

Hexagon

Graduation Cap

Question Mark

Using 0% of 250.0 GB

ctl342

Upload

Tools

Workflows

Workflow Invocations

Interactive Tools

Visualization

Histories

History Multiview

Datasets

Pages

Libraries

Recent Exports

ChatGXY

Notifications

More

All Tools

Discover Tools

trim

Show Sections

Trim leading or trailing characters

trimest Trim poly-A tails off EST sequences

trimseq Trim ambiguous bits off the ends of sequences

Trimmomatic flexible read trimming tool for Illumina NGS data

Trim sequences

Trim Galore! Quality and adapter trimmer of reads

Trim.flows partition by barcode, trim to length, cull by length and mismatches

Trim.seqs Trim sequences - primers, barcodes, quality

FASTQ Trimmer by column

dada2: filterAndTrim Filter and trim short read data

Sequence Content Trimmer trim reads based on certain bases

seqtk_trimfq trim FASTQ using the Phred algorithm

FASTQ Quality Trimmer by sliding window

ivar trim Trim reads in aligned BAM

qiime2 cutadapt trim-paired Find and remove adapters in demultiplexed paired-end sequences.

qiime2 cutadapt trim-single Find and remove adapters in demultiplexed single-end sequences.

Porechop adapter trimmer for Oxford Nanopore reads

compseq Count composition of dimer/trimer/etc words in a sequence

Sickle Windowed adaptive trimming of FASTQ data

Merging paired-end Illumina reads (SeqPrep, modified for use with MGnify pipelines) Merge and Trim Adapter Sequences from Paired-End Illumina Reads

Chop.seqs Trim sequences to a specified length

Pcr.seqs Trim sequences

ivar removereads Remove reads from trimmed BAM file

Job Information

Galaxy Tool ID	toolshed.g2.bx.psu.edu/repos/pjbriggs/trimmomatic/trimmomatic/0.39+galaxy2
Job State	OK
Created	Sunday Mar 29th 22:59:38 2026 GMT-4
Updated	Sunday Mar 29th 22:59:54 2026 GMT-4
Time To Finish	16 seconds
Command Line	if [-z "\$TRIMMOMATIC_JAR_PATH"]; then export TRIMMOMATIC_JAR_PATH=\$(dirname \$(readlink -e \$(which trimmomatic...))
Tool Standard Output	Picked up _JAVA_OPTIONS: -Djava.io.tmpdir=/corral4/main/jobs/075/729/75729161/tmp -Xmx11059m -Xms256m Trimmoma...
Tool Standard Error	empty
Tool Exit Code	0
Job API ID	bbd44e69cb8906b54e93e7917cf0366e

Job Parameters

Input Parameter	Value
Single-end or paired-end reads?	se
Input FASTQ file	1: hw8_2.fastq
Perform initial ILLUMINACLIP step?	false
Select Trimmomatic operation to perform	LEADING
Minimum quality required to keep a base	20
Select Trimmomatic operation to perform	TRAILING
Minimum quality required to keep a base	20
Quality score encoding	Nothing selected.
Output trimlog file?	false
Output trimmomatic log messages?	false

Job Outputs

Tool Outputs	Dataset
Trimmomatic on hw8_2.fastq	2: Trimmomatic on hw8_2.fastq

Job Metrics

No metrics available for this job.

History

search datasets

Unnamed history

Default Storage

71.3 kB

2

2: Trimmomatic on hw8_2.fastq

1: hw8_2.fastq

Add Tags

89 sequences

format fastqsanger, database ?

uploaded fastqsanger file

@Rosalind_0000

AGTGTATGGAAATCTCCCCGTGATATTCCTGAACTGA

+

FD96:DEGB=FC@@?H@C=ICJ:AGCHB@@<B@<A<G;?>DI

@Rosalind_0001

