

Phase 2B — DB-driven Content / CMS (Batch 2)

A Super-Admin-managed, lightweight CMS for the two public surfaces — the marketing site (/) and the intro / module-selection splash (/modules). Both pages render their sections **from the database**, and a Super Admin can reorder, show/hide, add, duplicate, delete and edit every section — plus upload images — from a single editor at /admin/content . Changes apply **live**; no redeploy is needed.

Surfaces

Page	Route	Rendered from
website	/	ordered visible page_sections rows
splash	/modules	ordered visible page_sections rows

Both pages ship a **baked-in fallback** (app/components/content/defaults.ts) that is rendered during SSR and whenever the API is unreachable, so the pages are **never blank**. The DB content hydrates on mount and replaces the fallback.

Data model

page_sections table (migration b2c3d4e5f6a7_phase2b_content):

column	type	notes
id	int PK	
page	string	website splash (indexed)
type	string	one of the section types below
position	int	ordering within a page
is_visible	bool	hidden sections stay in the editor, drop from public
content	JSON	full per-section content blob
created_at / updated_at	timestampz	

A composite index `ix_page_sections_page_position` backs the ordered public read. The `content` column is free-form JSON, so new section types or fields can be added without a schema change.

Section types

Eleven presentational types, each with a label + description (surfaced in the “Add a section” dropdown) and a typed edit form:

`hero`, `rich_text`, `feature_grid`, `modules_grid`, `image`, `image_text`, `cta_banner`, `steps`, `pricing`, `faq`, `html`.

- **modules_grid** replicates the interactive splash experience — all modules fetched from `GET /api/v1/modules` (with fallback), the Website Builder badged **Free • Included**, card selection revealing a sticky CTA into the signup path. It is used on both `/` and `/modules`.
- **html** is a raw-HTML escape hatch; `<script>` tags and `on*` inline handlers are stripped before render.

Seed (idempotent)

`content_service.seed_content()` seeds the **current live copy** of both pages — 8 website sections and 3 splash sections — mirroring the pre-existing hard-coded markup. Seeding is **per-page idempotent**: a page that already has any section is skipped, so the seed is safe to re-run.

API

Public read (no auth):

- `GET /api/v1/content/{page}` — ordered **visible** sections as `{id, type, content}`.

Super-Admin CRUD (all SA-protected and audit-logged, under `/api/v1/admin`):

- `GET /content/section-types` — type catalog for the Add dropdown.
- `GET /content/{page}` — all sections (incl. hidden) for the editor.
- `POST /content/{page}/sections` — add a section (appended to the end).
- `PUT /content/sections/{id}` — replace a section’s full content blob.
- `PATCH /content/sections/{id}/visibility` — show / hide.
- `POST /content/sections/{id}/duplicate` — clone a section.
- `DELETE /content/sections/{id}` — remove a section.
- `PUT /content/{page}/reorder` — persist a new order (`section_ids`).

Media (SA-protected):

- `POST /media` — multipart image upload, returns a public URL.
- `GET /media` — list uploaded media.
- `DELETE /media/{filename}` — delete an upload.

Media storage

No S3 bucket is attached to this VM, so uploads are stored on local disk at `/home/ubuntu/basecenter_uploads/media/` (outside the repo) and served publicly by nginx at `https://basecenter-api.abacusai.cloud/media/<file>`. Uploads are validated by **magic bytes** (JPEG, PNG, GIF, WEBP, SVG), capped at **5 MB**, and stored under a UUID filename. Deletes are basename-guarded against path traversal.

SA “Content” UI

At `/admin/content` (linked in the Super Admin sidebar). Two tabs — Public Website / Intro-Splash — each a full section manager built on **dnd-kit**:

- **Drag-and-drop reorder** via a drag handle; the new order persists.
- Per-section **show/hide**, **duplicate**, **delete**, and inline **Edit**.
- **Add a section** dropdown listing all eleven types.
- Typed edit forms driven by a per-type schema (text, textarea, image, checkbox, select, repeatable item lists, string lists), including **drag-and-drop image upload** widgets that call `POST /media`.
- An **Open preview** ↗ link to the live page.

Deploy

- Migration `b2c3d4e5f6a7` applied to the production database; seed run (website = 8, splash = 3 sections).
- Backend (`basecenter-api`) gained the content + media routers and a `/media/` nginx alias; restarted.
- Frontend (`basecenter-web`) rebuilt and restarted with the new public pages, the `/admin/content` editor, and `@dnd-kit` dependencies.
- Live: `https://basecenter.abacusai.cloud/` ,
`https://basecenter.abacusai.cloud/modules` ,
`https://basecenter.abacusai.cloud/admin/content` .