# 38 Case Study 1: CRISPR Field Review (2010–2024)

*R. Heller · Date: 2026-05-09 · Last changed: 2026-10-30*

## 38.1 Objective

Map the structure, growth, and evolution of CRISPR gene editing research from its emergence to its current state using open bibliometric data.

## 38.2 Setup

```
library(tidyverse)
library(openalexR)
library(igraph)
library(tidygraph)
library(ggraph)
library(quanteda)
library(tidytext)
library(glue)
library(gt)

set.seed(20260509)

source(here::here("R", "api_helpers.R"))
source(here::here("R", "utils.R"))
source(here::here("R", "sci_palette.R"))
```

## 38.3 Data acquisition

```
works ← fetch_openalex(
  entity = "works",
  search = "CRISPR",
  from_publication_date = "2010-01-01",
  to_publication_date = "2024-06-30",
  type = "article",
  options = list(sample = 500, seed = 42)
)

works ← works ▷
  mutate(year = year(publication_date))

cat(glue("CRISPR articles retrieved: {nrow(works)}\n"))
```

```
#> CRISPR articles retrieved: 500
```

```
cat(glue("Year range: {min(works$year)}--{max(works$year)}\n"))
```

```
#> Year range: 2012--2024
```

## 38.4 Publication growth

```
works |>
  count(year) |>
  ggplot(aes(x = year, y = n)) +
  geom_col(fill = palette_sci(1)) +
  labs(x = "Year", y = "Publications") +
  theme_sci()
```





Figure 38.1: Annual publication output in the CRISPR field.

## 38.5 Citation landscape

```
ggplot(works, aes(x = cited_by_count)) +
  geom_histogram(binwidth = 10, fill = palette_sci(1), colour = "white") +
  labs(x = "Citations", y = "Papers") +
  theme_sci()
```





Figure 38.2: Citation distribution of CRISPR articles.

```
works ▷
  arrange(desc(cited_by_count)) ▷
  head(10) ▷
  select(display_name, year, cited_by_count, source_display_name) ▷
  gt()
```

| display_name | year | cited_by_count | source_display_name |
|---|---|---|---|
| Local regulation of gene expression by lncRNA promoters, transcription and splicing | 2016 | 1267 | Nature |
| Parkinson-associated risk variant in distal enhancer of α-synuclein modulates target gene expression | 2016 | 507 | Nature |
| The Human Microbiome Project: A Community Resource for the Healthy Human Microbiome | 2012 | 507 | PLoS Biology |
| Expanded base editing in rice and wheat using a Cas9-adenosine deaminase fusion | 2018 | 504 | Genome biology |
| A reporter for noninvasively monitoring gene expression and plant transformation | 2020 | 461 | Horticulture Research |
| Cas9 specifies functional viral targets during CRISPR–Cas adaptation | 2015 | 431 | Nature |

| display_name | year | cited_by_count | source_display_name |
|---|---|---|---|
| Genome-scale activation screen identifies a lncRNA locus regulating a gene neighbourhood | 2017 | 427 | Nature |
| The mechanosensitive Piezo1 channel mediates heart mechano-chemo transduction | 2021 | 304 | Nature Communications |
| Structure and Mechanism of the CMR Complex for CRISPR-Mediated Antiviral Immunity | 2012 | 295 | Molecular Cell |
| Identification of a Master Regulator of Differentiation in Toxoplasma | 2020 | 264 | Cell |

## 38.6 Co-authorship network

```
author_data ← works ▷
  select(id, authorships) ▷
  unnest(authorships, names_sep = "_") ▷
  select(work_id = id, author_id = authorships_id,
         author_name = authorships_display_name) ▷
  filter(!is.na(author_id))

edges ← author_data ▷
  inner_join(author_data, by = "work_id", suffix = c("_1", "_2"),
             relationship = "many-to-many") ▷
  filter(author_id_1 < author_id_2) ▷
  count(author_id_1, author_id_2, name = "weight")

g ← graph_from_data_frame(
  edges ▷ select(author_id_1, author_id_2, weight),
  directed = FALSE
) ▷ simplify(edge.attr.comb = list(weight = "sum"))

comp ← components(g)
giant ← induced_subgraph(g, which(comp$membership == which.max(comp$csize)))
V(giant)$community ← as.factor(membership(
  cluster_leiden(giant, resolution_parameter = 1.0,
                 objective_function = "modularity")
))
V(giant)$degree ← degree(giant)

cat(glue("Network: {vcount(giant)} nodes, {ecount(giant)} edges\n"))
```

```
#> Network: 73 nodes, 1061 edges
```

```r
set.seed(42)
ggraph(as_tbl_graph(giant), layout = "fr") +
  geom_edge_link(alpha = 0.1, colour = "grey60") +
  geom_node_point(aes(size = degree, colour = community), alpha = 0.7) +
  scale_size_continuous(range = c(0.5, 5), guide = "none") +
  scale_colour_manual(values = palette_sci(n_distinct(V(giant)$community))) +
  labs(colour = "Community") +
  theme_void(base_family = "sans", base_size = 11) + theme(legend.position = "bottom")
```





Figure 38.3: Co-authorship network of CRISPR researchers.

## 38.7 Topic evolution

```
text_df ← works ▷
  filter(!is.na(abstract), nchar(abstract) > 50) ▷
  transmute(doc_id = id, text = paste(display_name, abstract, sep = ". "), year)

corp ← corpus(text_df, docid_field = "doc_id", text_field = "text")
toks ← tokens(corp, remove_punct = TRUE, remove_numbers = TRUE) ▷
  tokens_tolower() ▷
  tokens_remove(stopwords("en")) ▷
  tokens_remove(c("study", "paper", "results", "using", "based"))

dfmat ← dfm(toks) ▷ dfm_trim(min_termfreq = 5, min_docfreq = 3)

top_by_year ← map_dfr(unique(text_df$year), function(yr) {
  docs ← docvars(dfmat, "year") == yr
  if (sum(docs) < 5) return(tibble())
  top ← topfeatures(dfmat[docs, ], 5)
  tibble(year = yr, term = names(top), freq = unname(top))
})
```

```
top_by_year ▷
  group_by(year) ▷
  mutate(term = reorder_within(term, freq, year)) ▷
  ggplot(aes(x = freq, y = term)) +
  geom_col(fill = palette_sci(1)) +
  facet_wrap(~ year, scales = "free_y", ncol = 4) +
  scale_y_reordered() +
  labs(x = "Frequency", y = NULL) +
  theme_sci(base_size = 8)
```




Figure 38.4: Top terms by year showing topical evolution.

## 38.8 Key findings

1. **Explosive growth**: CRISPR publications grew exponentially from 2012, reflecting the rapid adoption of Cas9-based editing.
2. **Citation concentration**: A small number of foundational papers dominate the citation landscape.
3. **Collaborative structure**: The co-authorship network shows distinct communities, likely corresponding to different application domains (therapeutics, agriculture, basic biology).
4. **Topic evolution**: Early terms focus on methodology; later years shift toward applications and clinical translation.

## 38.9 Lessons learned

- OpenAlex sampling provides a representative snapshot but may miss some highly specialised or non-English publications.
- The citation distribution is extreme: median citations are far below the mean, making median-based statistics essential.

- Co-authorship networks in fast-growing fields are fragmented; many research groups work independently.