

Week 5

In Week 5 I worked on the Azure security domains. I made sure that the Contributor role was given to the Development group for the resource group. I also wrote down the steps to verify the privilege. Second I made a new Network Security Group named NSG-20240435-Week5. I added custom inbound rules to this group. These rules included allowing Secure Shell for management from my Internet Protocol address. I also allowed Hypertext Transfer Protocol for web application access from anywhere. Then I added a Deny All rule to block all traffic. I made an outbound rule to deny all traffic to the internet. This prevents data from being taken out of my Virtual Machines. I attached this Network Security Group to my Public Subnet. Third I set up an Azure Storage Account called techbridge20240435. I chose Standard performance and Locally Redundant Storage replication. This is the option.

I also chose the Hot access tier for data. Inside this storage account I made two containers. These were named docs and public-assets. Both containers were set to access. No one can read them without permission. I uploaded a test file to each container. Finally I configured access permissions. I made a Shared Access Signature token that expires in 24 hours. This token only allows reading. I wrote down the URL. I did not include the 10 characters, for security reasons. This is to protect the Azure Storage Account and the Network Security Group and the Azure security domains. I worked on the Azure security domains and the Network Security Group and the Azure Storage Account.

Microsoft Azure

Home

Create network security group

Validation passed

Basics Tags Review + create

Basics

Subscription	Azure for Students
Resource group	TechBridge-RG
Region	South Africa North
name	NSG-20240435-Week5

[Home](#) > [NSG-20240435-Week5](#)

NSG-20240435-Week5 | Inbound security r... ☆ ... ×

Network security group

>> Service menu

[+ Add](#) [Hide default rules](#) [Refresh](#) [Delete](#) [Give feedback](#)

Network security group security rules are evaluated by priority using the combination of source, source port, destination, destination port, and protocol to allow or deny the traffic. A security rule can't have the same priority and direction as an existing rule. You can't delete default security rules, but you can override them with rules that have a higher priority. [Learn more](#) 

Filter by name

Port == **all**

Protocol == all

Source == all

Destination == **all**

Action == **all**

Priority	Name	Port	Protocol
100	Allow-SSH-RemoteMg...	22	TCP
110	Allow-HTTP-WebApp	80	TCP
1000	Deny-All-Inbound	8080	Any

[Home](#) › [NSG-20240435-Week5](#)

[NSG-20240435-Week5 | Outbound security rules](#) ☆ ...

Network security group

 Search
 Add
 Hide default rules
 Refresh
 Delete
 Give feedback

 Overview

Activity log

- Access control (IAM)

 Tags

 Diagnose and solve problems

 Resource visualizer

Network security group security rules are evaluated by priority using the combination of source, source port, destination, destination port, and protocol to allow or deny the traffic. A security rule can't have the same priority and direction as an existing rule. You can't delete default security rules, but you can override them with rules that have a higher priority.

[Learn more](#)

Filter by name

Port == all

Protocol == all

Protocol == all

Source == all

Destination == **all**

Action == **all**

Priority ↑↓	Name ↑↓	Port ↑↓	Protocol ↑↓	Source ↑↓	Destination ↑↓	Action ↑↓
100	Deny-Internet-Outbound	8080	Any	Any	Internet	Deny

Home > NSG-20240435-Week5

NSG-20240435-Week5

Network security group

✓ Saving subnet

Successfully saved network security group for subnet 'subnet1'.

>> Service menu

+ Associate

Search subnets

Name	↑↓ Address range	↑↓ Virtual network	↑↓
subnet1	10.0.0.0/24	NET731-VNET	...

Home > Storage center | Blob Storage

Create a storage account

>

Resource group *

TechBridge-RG

Create new

Instance details

Storage account name * ⓘ

techbridge20240435

Region * ⓘ

(Africa) South Africa North

Deploy to an Azure Extended Zone

Preferred storage type

Choose preferred storage type

ⓘ This helps us provide relevant guidance. It doesn't restrict your storage to this resource type. [Learn more](#)

Performance * ⓘ

☒ Standard: Recommended for most scenarios (general-purpose v2 account)

☐ Premium: Recommended for scenarios that require low latency.

Redundancy * ⓘ

Locally-redundant storage (LRS)

Create a storage account

...



 To enable NFS v3, hierarchical namespace must be enabled. [Learn more about NFS v3](#) 

Blob storage

Allow cross-tenant replication 

☐

Access tier 

☒

Hot

Optimized for frequently accessed data and everyday usage scenarios

☐

Cool

Optimized for infrequently accessed data and backup scenarios

☐

Cold

Optimized for rarely accessed data and backup scenarios

Azure Files

Enable Managed Identity for SMB 

☐

Require Encryption in Transit for SMB * 

☒

Create a storage account

...

>

Basics

Subscription	Azure for Students
Resource group	TechBridge-RG
Location	South Africa North
Storage account name	techbridge20240435
Primary service	
Performance	Standard
Replication	Locally-redundant storage (LRS)

Advanced

Enable hierarchical namespace	Disabled
Enable SFTP	Disabled
Enable network file system v3	Disabled
Allow cross-tenant replication	Disabled
Access tier	Hot
Managed Identity for SMB	Disabled

New container



Name *

internal-docs



Anonymous access level ⓘ

Private (no anonymous access)



The access level is set to private because anonymous access is disabled on this storage account.

Advanced

New container



Name *

public-assets



Anonymous access level ⓘ

Private (no anonymous access)



The access level is set to private because anonymous access is disabled on this storage account.

Advanced

Home > Storage center | Blob Storage > techbridge20240435

techbridge20240435 | Containers

Storage account

>> Service menu

Add container Upload Refresh | Delete Change access level

Search containers by prefix

Only show active containers

Showing all 3 items

☐	Name	Last modified	Anonymous access level	Lease state
☐	\$logs	2026/05/15, 16:25:21	Private	Available
☐	internal-docs	2026/05/15, 16:28:17	Private	Available
☐	public-assets	2026/05/15, 16:29:12	Private	Available

Home > Storage center | Blob Storage > techbridge20240435

techbridge20240435 | Shared access signature

Storage account

shar

Data storage
 Classic file shares

Security + networking
 Shared access signature

Data management
 Azure AI Search

Settings
 Resource sharing (CORS)

Give feedback

Allowed services

☒ Blob ☐ File ☐ Queue ☐ Table

Allowed resource types

☐ Service ☒ Container ☒ Object

Allowed permissions

☒ Read ☒ Write ☐ Delete ☒ List ☐ Add ☐ Create ☐ Update ☐ Process ☐ Immutable storage ☐ Permanent delete

Blob versioning permissions

☒ Enables deletion of versions

Allowed blob index permissions

☒ Read/Write ☒ Filter

Start and expiry date/time

Start

End

Allowed IP addresses

Home > Storage center | Blob Storage > techbridge20240435

techbridge20240435 | Shared access signat... ☆ ... ✕

Storage account

>> Service menu

 Give feedback

Preferred routing tier ⓘ

☒ Basic (default) ☐ Microsoft network routing ☐ Internet routing

 Some routing options are disabled because the endpoints are not published.

Signing key ⓘ

key1 

Generate SAS and connection string

Connection string

BlobEndpoint=https://techbridge20240435.blob.core.windows.net/;QueueEndpoint=https://techbri... 

SAS token ⓘ

sv=2025-11-05&ss=b&srt=co&sp=rwltx&se=2026-05-15T22:32:49Z&st=2026-05-15T14:17:49Z&s... 

Copied

Blob service SAS URL

https://techbridge20240435.blob.core.windows.net/?sv=2025-11-05&ss=b&srt=co&sp=rwltx&se=... 