

Screenshots

The First screenshot shows all the subnets and the assigned NSG

The second screenshot shows the configuration of the V net

The third screenshot shows the inbound Security rules as well as custom rules made

Screenshot 4-6 Shows the configuration of the Subnets within the V-Net

Screenshot 7 and 8 shows the configuration of the inbound security rules for both custom rules

Screenshot 9 shows the topology of the virtual network

	Address/Subnet	10.0.0.0/24	-	255	-	CTU_NSG_DamianButler	-	
	Subnet_Subnet	10.0.1.0/24	-	255	-	CTU_NSG_DamianButler	-	
	Server_Subnet	10.0.2.0/24	-	255	-	CTU_NSG_DamianButler	-	
	Start_Subnet	10.0.3.0/24	-	255	-	CTU_NSG_DamianButler	-	

CTU-VNet-DamianButler

Virtual network

Search

Move Delete Refresh Give feedback

Overview

Activity log

Access control (IAM)

Tags

Diagnose and solve problems

Resource visualizer

Essentials

Resource group: [CTU_Resources](#)

Location: [South Africa North](#)

Subscription: [CTU_Subscriptions](#)

Subscription ID: 481c1b16-e895-4025-9854-042a6b36216

Address space: 10.0.0.0/16

Subnets: 4 subnets

DNS servers: Azure provided DNS service

BGP community string: Configure

Virtual network ID: 7cc0d5ca-4b78-4b41-bc22-064bc198991f

CTU_NSG_DamianButler

Network security group

Search

Move Delete Refresh Give feedback

Overview

Activity log

Access control (IAM)

Tags

Diagnose and solve problems

Resource visualizer

Settings

Essentials

Resource group: [CTU_Resources](#)

Location: [South Africa North](#)

Subscription: [CTU_Subscriptions](#)

Subscription ID: 481c1b16-e895-4025-9854-042a6b36216

Tags: [Add tags](#)

Custom security rules: 2 inbound, 0 outbound

Associated VNS: 4 subnets, 0 network interfaces

Filter by name

Priority: [All](#)

Protocol: [All](#)

Source: [All](#)

Destination: [All](#)

Action: [All](#)

Priority	Name	Port	Protocol	Source	Destination	Action
Inbound Security Rules						
1000	Allow-HTTP	80	TCP	Any	Any	Allow
1001	Allow-HTTPS	443	TCP	Any	Any	Allow
0000	AllowVirtualNetwork	Any	Any	VirtualNetwork	VirtualNetwork	Allow
0001	AllowAzureCloudResourceProvider	Any	Any	AzureCloudResourceProvider	Any	Allow
0002	DenyAllInbound	Any	Any	Any	Any	Deny
Outbound Security Rules						
0000	AllowVirtualNetwork	Any	Any	VirtualNetwork	VirtualNetwork	Allow
0001	AllowInternetOutbound	Any	Any	Any	Internet	Allow
0002	DenyAllOutbound	Any	Any	Any	Any	Deny

Subnet ID /subscriptions/4b1c1b9c-ad90-4025-9854-b42d6dc98216/resourceGroups/CTU-Training-R... 

Subnet purpose ⓘ Default 

Name * ⓘ Server_Subnet

IPv4

Include an IPv4 address space ☒

Choose a starting address and size within your IPv4 address range: 10.0.0.0/16 (10.0.0.0 - 10.0.255.255)

Starting address * ⓘ 10.0.3.0  

Size ⓘ /24 (256 addresses) 

Subnet address range ⓘ 10.0.3.0 - 10.0.3.255

IPv6

Include an IPv6 address space ☐ This virtual network has no IPv6 address ranges.

Private subnet

Private subnets enhance security by not providing default outbound access. To enable outbound connectivity for virtual machines to access the internet, it is necessary to explicitly grant outbound access. A NAT gateway is the recommended way to provide outbound connectivity for virtual machines in the subnet. [Learn more](#) 

Enable private subnet (no default outbound access) ☐

 After March 31, 2026, private subnet will be the default selection for new virtual networks. [Learn more](#) 

Security

Simplify internet access for virtual machines by using a network address translation gateway. Filter subnet traffic using a network security group. [Learn more](#) 

NAT gateway ⓘ None 

 A NAT gateway is recommended for outbound internet access from subnets. Edit the subnet to add a NAT gateway. [Learn more](#) 

Network security group ⓘ CTU_NSG_DamianButler 

Route table None 

Subnet ID /subscriptions/4b1c1b9c-ad90-4025-9854-b42d6dc98216/resourceGroups/CTU-Training-R...

Subnet purpose ⓘ Default

Name * ⓘ Studnet_Subnet

IPv4

Include an IPv4 address space ☒

Choose a starting address and size within your IPv4 address range: 10.0.0.0/16 (10.0.0.0 - 10.0.255.255)

Starting address * ⓘ 10.0.1.0

Size ⓘ /24 (256 addresses)

Subnet address range ⓘ 10.0.1.0 - 10.0.1.255

IPv6

Include an IPv6 address space ☐ This virtual network has no IPv6 address ranges.

Private subnet

Private subnets enhance security by not providing default outbound access. To enable outbound connectivity for virtual machines to access the internet, it is necessary to explicitly grant outbound access. A NAT gateway is the recommended way to provide outbound connectivity for virtual machines in the subnet. [Learn more](#)

Enable private subnet (no default outbound access) ☐

ⓘ After March 31, 2026, private subnet will be the default selection for new virtual networks. [Learn more](#)

Security

Simplify internet access for virtual machines by using a network address translation gateway. Filter subnet traffic using a network security group. [Learn more](#)

NAT gateway ⓘ None

ⓘ A NAT gateway is recommended for outbound internet access from subnets. Edit the subnet to add a NAT gateway. [Learn more](#)

Network security group ⓘ CTU_NSG_DamianButler

Route table None

Subnet ID /subscriptions/4b1c1b9c-ad90-4025-9854-b42d6dc98216/resourceGroups/CTU-Training-R... 

Subnet purpose ⓘ Default 

Name * ⓘ Admin_Subnet

IPv4

Include an IPv4 address space ☒

Choose a starting address and size within your IPv4 address range: 10.0.0.0/16 (10.0.0.0 - 10.0.255.255)

Starting address * ⓘ 10.0.4.0  

Size ⓘ /24 (256 addresses) 

Subnet address range ⓘ 10.0.4.0 - 10.0.4.255

IPv6

Include an IPv6 address space ☐ This virtual network has no IPv6 address ranges.

Private subnet

Private subnets enhance security by not providing default outbound access. To enable outbound connectivity for virtual machines to access the internet, it is necessary to explicitly grant outbound access. A NAT gateway is the recommended way to provide outbound connectivity for virtual machines in the subnet. [Learn more](#) 

Enable private subnet (no default outbound access) ☐

 After March 31, 2026, private subnet will be the default selection for new virtual networks. [Learn more](#) 

Security

Simplify internet access for virtual machines by using a network address translation gateway. Filter subnet traffic using a network security group. [Learn more](#) 

NAT gateway ⓘ None 

 A NAT gateway is recommended for outbound internet access from subnets. Edit the subnet to add a NAT gateway. [Learn more](#) 

Network security group ⓘ CTU_NSG_DamianButler 

Route table None 

Source ⓘ

Any

Source port ranges * ⓘ

*

Destination ⓘ

Any

Service ⓘ

HTTP

Destination port ranges ⓘ

80

Protocol

- ☐ Any
- ☒ TCP
- ☐ UDP
- ☐ ICMPv4
- ☐ ICMPv6

Action

- ☒ Allow
- ☐ Deny

Priority * ⓘ

1000

Name

Allow-HTTP

Description

Source ⓘ
Any

Source port ranges * ⓘ
*

Destination ⓘ
Any

Service ⓘ
HTTPS

Destination port ranges ⓘ
443

Protocol
☐ Any
☒ TCP
☐ UDP
☐ ICMPv4
☐ ICMPv6

Action
☒ Allow
☐ Deny

Priority * ⓘ
1010 ✓

Name
Allow-HTTPS

Description

Network Topology

Virtual network
CTU-VNet-DamianButler

