

Reproducible Research: Peer Assessment 2

Chandra Tara Lama

Impact of Severe Weather Events on Public Health and Economy in the United States

Synonpsis

In this report, we aim to analyze the impact of different weather events on public health and economy based on the storm database collected from the U.S. National Oceanic and Atmospheric Administration's (NOAA) from 1950 - 2011. We will use the estimates of fatalities, injuries, property and crop damage to decide which types of event are most harmful to the population health and economy. From these data, we found that excessive heat and tornado are most harmful with respect to population health, while flood, drought, and hurricane/typhoon have the greatest economic consequences.

Basic settings

```
echo = TRUE # Always make code visible
options(scipen = 1) # Turn off scientific notations for numbers
library(R.utils)
library(ggplot2)
library(plyr)
require(gridExtra)
```

Data Processing

We read the csv file.

```
stormData <- read.csv("repdata-data-StormData.csv", sep = ",")

dim(stormData)
```

```
## [1] 902297      38
```

```
head(stormData, n = 2)
```


##	STATE__	BGN_DATE	BGN_TIME	TIME_ZONE	COUNTY	COUNTYNAME	STATE		
## 1	1	4/18/1950	0:00:00	0130	CST	97 MOBILE	AL		
## 2	1	4/18/1950	0:00:00	0145	CST	3 BALDWIN	AL		
##	EVTTYPE	BGN_RANGE	BGN_AZI	BGN_LOCATI	END_DATE	END_TIME	COUNTY_END		
## 1	TORNADO	0					0		
## 2	TORNADO	0					0		
##	COUNTYENDN	END_RANGE	END_AZI	END_LOCATI	LENGTH	WIDTH	F	MAG	FATALITIES
## 1	NA	0			14	100	3	0	0
## 2	NA	0			2	150	2	0	0
##	INJURIES	PROPDMG	PROPDMGEXP	CROPDMG	CROPDMGEXP	WFO	STATEOFFIC	ZONENAMES	
## 1	15	25.0	K	0					
## 2	0	2.5	K	0					
##	LATITUDE	LONGITUDE	LATITUDE_E	LONGITUDE_	REMARKS	REFNUM	year		
## 1	3040	8812	3051	8806		1	1950		
## 2	3042	8755	0	0		2	1950		

There are 902297 rows and 37 columns in total. The events in the database start in the year 1950 and end in November 2011. In the earlier years of the database there are generally fewer events recorded, most likely due to a lack of good

records. More recent years should be considered more complete.

```
if (dim(stormData)[2] == 37) {  
  stormData$year <- as.numeric(format(as.Date(stormData$BGN_DATE, format = "%m/%d/%Y %H:%M:%S"), "%Y"))  
}  
hist(stormData$year, breaks = 30)
```

Histogram of stormData\$year



Based on the above histogram, we see that the number of events tracked starts to significantly increase around 1995. So, we use the subset of the data from 1990 to 2011 to get most out of good records.

```
storm <- stormData[stormData$year >= 1995, ]  
dim(storm)
```

```
## [1] 681500    38
```

Now, there are 681500 rows and 38 columns in total.

Impact on Public Health

In this section, we check the number of **fatalities** and **injuries** that are caused by the severe weather events. We would like to get the first 15 most severe types of weather events.

```
sortHelper <- function(fieldName, top = 15, dataset = stormData) {  
  index <- which(colnames(dataset) == fieldName)  
  field <- aggregate(dataset[, index], by = list(dataset$EVTYPE), FUN = "sum")  
  names(field) <- c("EVTYPE", fieldName)  
  field <- arrange(field, field[, 2], decreasing = T)  
  field <- head(field, n = top)  
  field <- within(field, EVTYPE <- factor(x = EVTYPE, levels = field$EVTYPE))  
  return(field)  
}  
  
fatalities <- sortHelper("FATALITIES", dataset = storm)  
injuries <- sortHelper("INJURIES", dataset = storm)
```

Impact on Economy

We will convert the **property damage** and **crop damage** data into comparable numerical forms according to the meaning of units described in the code book ([Storm Events](#)). Both `PROPDMGEXP` and `CROPDMGEXP` columns record a multiplier for each observation where we have Hundred (H), Thousand (K), Million (M) and Billion (B).

```

convertHelper <- function(dataset = storm, fieldName, newFieldName) {
  totalLen <- dim(dataset)[2]
  index <- which(colnames(dataset) == fieldName)
  dataset[, index] <- as.character(dataset[, index])
  logic <- !is.na(toupper(dataset[, index]))
  dataset[logic & toupper(dataset[, index]) == "B", index] <- "9"
  dataset[logic & toupper(dataset[, index]) == "M", index] <- "6"
  dataset[logic & toupper(dataset[, index]) == "K", index] <- "3"
  dataset[logic & toupper(dataset[, index]) == "H", index] <- "2"
  dataset[logic & toupper(dataset[, index]) == "", index] <- "0"
  dataset[, index] <- as.numeric(dataset[, index])
  dataset[is.na(dataset[, index]), index] <- 0
  dataset <- cbind(dataset, dataset[, index - 1] * 10^dataset[, index])
  names(dataset)[totalLen + 1] <- newFieldName
  return(dataset)
}

storm <- convertHelper(storm, "PROPDMGEXP", "propertyDamage")

```

```
## Warning: NAs introduced by coercion
```

```
storm <- convertHelper(storm, "CROPDMGEXP", "cropDamage")
```

```
## Warning: NAs introduced by coercion
```

```
names(storm)
```

```
## [1] "STATE__" "BGN_DATE" "BGN_TIME" "TIME_ZONE"
```

```
## [5] "COUNTY" "COUNTYNAME" "STATE" "EVTYPE"
## [9] "BGN_RANGE" "BGN_AZI" "BGN_LOCATI" "END_DATE"
## [13] "END_TIME" "COUNTY_END" "COUNTYENDN" "END_RANGE"
## [17] "END_AZI" "END_LOCATI" "LENGTH" "WIDTH"
## [21] "F" "MAG" "FATALITIES" "INJURIES"
## [25] "PROPDMG" "PROPDMGEXP" "CROPDMG" "CROPDMGEXP"
## [29] "WFO" "STATEOFFIC" "ZONENAMES" "LATITUDE"
## [33] "LONGITUDE" "LATITUDE_E" "LONGITUDE_" "REMARKS"
## [37] "REFNUM" "year" "propertyDamage" "cropDamage"
```

```
options(scipen=999)
property <- sortHelper("propertyDamage", dataset = storm)
crop <- sortHelper("cropDamage", dataset = storm)
```

Results

As for the impact on public health, we have got two sorted lists of severe weather events below by the number of people badly affected.

fatalities

```
##           EVTYPE FATALITIES
## 1  EXCESSIVE HEAT      1903
## 2    TORNADO      1545
## 3  FLASH FLOOD       934
## 4        HEAT       924
## 5   LIGHTNING       729
## 6        FLOOD       423
## 7    RIP CURRENT      360
```



## 8	HIGH WIND	241
## 9	TSTM WIND	241
## 10	AVALANCHE	223
## 11	RIP CURRENTS	204
## 12	WINTER STORM	195
## 13	HEAT WAVE	161
## 14	THUNDERSTORM WIND	131
## 15	EXTREME COLD	126

injuries

##	EVTTYPE	INJURIES
## 1	TORNADO	21765
## 2	FLOOD	6769
## 3	EXCESSIVE HEAT	6525
## 4	LIGHTNING	4631
## 5	TSTM WIND	3630
## 6	HEAT	2030
## 7	FLASH FLOOD	1734
## 8	THUNDERSTORM WIND	1426
## 9	WINTER STORM	1298
## 10	HURRICANE/TYPHOON	1275
## 11	HIGH WIND	1093
## 12	HAIL	916
## 13	WILDFIRE	911
## 14	HEAVY SNOW	751
## 15	FOG	718

And the following is a pair of graphs of total fatalities and total injuries affected by these severe weather events.


```
fatalitiesPlot <- qplot(EVTYPE, data = fatalities, weight = FATALITIES, geom = "bar", binwidth  
= 1) +  
  scale_y_continuous("Number of Fatalities") +  
  theme(axis.text.x = element_text(angle = 45,  
hjust = 1)) + xlab("Severe Weather Type") +  
  ggtitle("Total Fatalities by Severe Weather\n Events in the U.S.\n from 1995 - 2011")  
injuriesPlot <- qplot(EVTYPE, data = injuries, weight = INJURIES, geom = "bar", binwidth = 1) +  
  
  scale_y_continuous("Number of Injuries") +  
  theme(axis.text.x = element_text(angle = 45,  
hjust = 1)) + xlab("Severe Weather Type") +  
  ggtitle("Total Injuries by Severe Weather\n Events in the U.S.\n from 1995 - 2011")  
grid.arrange(fatalitiesPlot, injuriesPlot, ncol = 2)
```



Based on the above histograms, we find that **excessive heat** and **tornado** cause most fatalities; **tornado** causes most injuries in the United States from 1995 to 2011.

As for the impact on economy, we have got two sorted lists below by the amount of money cost by damages.

property

##	EVTTYPE	propertyDamage
## 1	FLOOD	144022037057
## 2	HURRICANE/TYPHOON	69305840000
## 3	STORM SURGE	43193536000
## 4	TORNADO	24935939545
## 5	FLASH FLOOD	16047794571
## 6	HAIL	15048722103
## 7	HURRICANE	11812819010
## 8	TROPICAL STORM	7653335550
## 9	HIGH WIND	5259785375
## 10	WILDFIRE	4759064000
## 11	STORM SURGE/TIDE	4641188000
## 12	TSTM WIND	4482361440
## 13	ICE STORM	3643555810
## 14	THUNDERSTORM WIND	3399282992
## 15	HURRICANE OPAL	3172846000

crop



##	EVTTYPE	cropDamage
## 1	DROUGHT	13922066000
## 2	FLOOD	5422810400
## 3	HURRICANE	2741410000
## 4	HAIL	2614127070
## 5	HURRICANE/TYPHOON	2607872800

## 6	FLASH FLOOD	1343915000
## 7	EXTREME COLD	1292473000
## 8	FROST/FREEZE	1094086000
## 9	HEAVY RAIN	728399800
## 10	TROPICAL STORM	677836000
## 11	HIGH WIND	633561300
## 12	TSTM WIND	553947350
## 13	EXCESSIVE HEAT	492402000
## 14	THUNDERSTORM WIND	414354000
## 15	HEAT	401411500

And the following is a pair of graphs of total property damage and total crop damage affected by these severe weather events.

```
propertyPlot <- qplot(EVTYPE, data = property, weight = propertyDamage, geom = "bar", binwidth
= 1) +
  theme(axis.text.x = element_text(angle = 45, hjust = 1)) + scale_y_continuous("Property Dam
age in US dollars")+
  xlab("Severe Weather Type") + ggtitle("Total Property Damage by\n Severe Weather Events in\
n the U.S. from 1995 - 2011")

cropPlot<- qplot(EVTYPE, data = crop, weight = cropDamage, geom = "bar", binwidth = 1) +
  theme(axis.text.x = element_text(angle = 45, hjust = 1)) + scale_y_continuous("Crop Damage
in US dollars") +
  xlab("Severe Weather Type") + ggtitle("Total Crop Damage by \nSevere Weather Events in\n th
e U.S. from 1995 - 2011")
grid.arrange(propertyPlot, cropPlot, ncol = 2)
```



Based on the above histograms, we find that **flood** and **hurricane/typhoon** cause most property damage; **drought** and **flood** causes most crop damage in the United States from 1995 to 2011.

Conclusion

From these data, we found that **excessive heat** and **tornado** are most harmful with respect to population health, while **flood**, **drought**, and **hurricane/typhoon** have the greatest economic consequences.