Experiment -8

Student Name: Siddhant Garg **UID:22BCS10547**

Branch: BE-CSE **Section/Group: KRG 2B**

Semester:6th **Date of Performance:17/03/2025**

Subject Name: Project-Based Learning in Java with Lab **Subject Code: 22CSH-359**

Aim: To develop a servlet that accepts user credentials from an HTML form and displays a personalized welcome message on successful login.

Objective: Learn form handling with Servlets
Understand HTTP request/response handling
Practice doPost() method

Code:

```
<!DOCTYPE html>
<html>
<head><title>Login</title></head>
<body>
  <form action="LoginServlet" method="post">
    Username: <input type="text" name="username"><br>
    Password: <input type="password" name="password"><br>
    <input type="submit" value="Login">
  </form>
</body>
</html>
```

```
import java.io.*;
import javax.servlet.*;
import javax.servlet.http.*;

public class LoginServlet extends HttpServlet {
    protected void doPost(HttpServletRequest request, HttpServletResponse response)
            throws ServletException, IOException {
        String user = request.getParameter("username");
        String pass = request.getParameter("password");

        response.setContentType("text/html");
        PrintWriter out = response.getWriter();

        if ("admin".equals(user) && "1234".equals(pass)) {
```

```
            out.println("<h2>Welcome, " + user + "!</h2>");
        } else {
            out.println("<h2>Login Failed. Invalid credentials.</h2>");
        }
    }
}
```

```
<web-app>
  <servlet>
    <servlet-name>LoginServlet</servlet-name>
    <servlet-class>LoginServlet</servlet-class>
  </servlet>
  <servlet-mapping>
    <servlet-name>LoginServlet</servlet-name>
    <url-pattern>/LoginServlet</url-pattern>
  </servlet-mapping>
</web-app>
```

Output:

1)

```
Enter username: admin
Enter password: 1234
Welcome, admin!
```

2)

```
Enter username: user
Enter password: password
Login Failed. Invalid credentials.
```

Experiment -8.2

Aim: To build a servlet integrated with JDBC that displays all employees and enables search by employeeID.

Objective: 1) Use JDBC with Servlet

2) Fetch and display records

3) Implement search functionality

Code:

```
<!DOCTYPE html>
<html>
<head><title>Search Employee</title></head>
<body>
  <form action="EmployeeServlet" method="post">
    Enter Employee ID: <input type="text" name="empId">
    <input type="submit" value="Search">
  </form>
</body>
</html>
```

```
import java.io.*;
import javax.servlet.*;
import javax.servlet.http.*;
import java.sql.*;

public class EmployeeServlet extends HttpServlet {
    protected void doPost(HttpServletRequest request, HttpServletResponse response)
            throws ServletException, IOException {

        String empId = request.getParameter("empId");
        response.setContentType("text/html");
        PrintWriter out = response.getWriter();

        try {
            Class.forName("com.mysql.jdbc.Driver");
            Connection con =
DriverManager.getConnection("jdbc:mysql://localhost:3306/company", "root", "password");
```

```
            String query = "SELECT * FROM employees WHERE emp_id=?";
            PreparedStatement ps = con.prepareStatement(query);
            ps.setString(1, empId);
            ResultSet rs = ps.executeQuery();

            if (rs.next()) {
                out.println("<h2>Employee Details</h2>");
                out.println("ID: " + rs.getInt(1) + "<br>");
                out.println("Name: " + rs.getString(2) + "<br>");
                out.println("Department: " + rs.getString(3));
            } else {
                out.println("No employee found with ID " + empId);
            }

            con.close();
        } catch (Exception e) {
            out.println("Error: " + e.getMessage());
        }
    }
}
```

Output:

1)

```
Employee Details
ID: 101
Name: John Doe
Department: HR
```

2)

```
No employee found with ID 999
```

Experiment -8.3

Aim: To develop a JSP-based student portal that accepts attendance data and saves it to the database using a servlet.

Objective: 1) Combine JSP for UI and Servlets for logic
2) Perform INSERT using JDBC
3) Build a real-world web flow

Code:

```
<%@ page language="java" %>
<html>
<head><title>Student Attendance</title></head>
<body>
  <h2>Mark Attendance</h2>
  <form action="AttendanceServlet" method="post"> Roll
    No: <input type="text" name="roll"><br> Name:
    <input type="text" name="name"><br> Status: <select
    name="status">
        <option>Present</option>
        <option>Absent</option>
    </select><br>
    <input type="submit" value="Submit">
  </form>
</body>
</html>
```

```
import java.io.*; import
javax.servlet.*;
import javax.servlet.http.*;
import java.sql.*;

public class AttendanceServlet extends HttpServlet {
    protected void doPost(HttpServletRequest request, HttpServletResponse response) throws
            ServletException, IOException {
        String roll = request.getParameter("roll"); String
        name = request.getParameter("name"); String status
        = request.getParameter("status");
 response.setContentType("text/html");
```

```
        PrintWriter out = response.getWriter();

        try {
            Class.forName("com.mysql.jdbc.Driver");
            Connection con =
DriverManager.getConnection("jdbc:mysql://localhost:3306/student_portal",  "root",
"password");

            String query = "INSERT INTO attendance (roll_no, name, status) VALUES (?, ?,
?)";
            PreparedStatement ps = con.prepareStatement(query); ps.setString(1,
            roll);
            ps.setString(2, name);
            ps.setString(3, status);

            int i = ps.executeUpdate(); if
            (i > 0) {
                out.println("<h3>Attendance marked successfully for " + name + "!</h3>");
            }

            con.close();
        } catch (Exception e) {
            out.println("Error: " + e.getMessage());
        }
    }
}

CREATE TABLE attendance (
    id INT AUTO_INCREMENT PRIMARY KEY,
    roll_no VARCHAR(20),
    name VARCHAR(100),
    status VARCHAR(10)
);
```

OUTPUT:

```
Attendance marked successfully for John Doe!
```