Experiment 7

Student Name: Siddhant Garg

Branch: CSE

Semester: 6th

UID: 22BCS10547

Section:KRG 2B

DOP: 18/03/25

Subject: Project Based Learning in Java Subject Code: 22CSH-359

Aim: Create Java applications with JDBC for database connectivity, CRUD operations, and MVC architecture.

Objective: To Create Java applications with JDBC for database connectivity, CRUD operations, and MVC architecture.

Easy Level:

Create a Java program to connect to a MySQL database and fetch data from a single table. The program should:

Use DriverManager and Connection objects.

Retrieve and display all records from a table named Employee with columns EmpID, Name, and Salary.

Code:

```
import java.sql.*;
import java.util.Scanner;

public class EmployeeDatabase {
    private static final String DB_URL = "jdbc:mysql://localhost:3808/test";
    private static final String USERNAME = "root";
    private static final String PASSWORD = "*****";

public static void main(String[] args) {
    Scanner scanner = new Scanner(System.in);

    while (true) {
        System.out.println("\n=== Employee Management System ====");
        System.out.println("1) View Employee List");
        System.out.println("2) Exit");
}
```

```
System.out.print("Select an option: ");
       int option = scanner.nextInt();
      if (option == 1) {
         fetchEmployees();
       \} else if (option == 2) {
         System.out.println("Goodbye!");
         break;
       } else {
         System.out.println("Invalid choice! Please try again.");
       }
    }
    scanner.close();
  }
  private static void fetchEmployees() {
    String query = "SELECT EmpID, Name, Salary FROM Employee";
    try (Connection conn = DriverManager.getConnection(DB URL, USERNAME, PASSWORD);
       Statement stmt = conn.createStatement();
       ResultSet rs = stmt.executeQuery(query)) {
       System.out.println("\nEmployee Details:");
       System.out.println("ID | Name | Salary");
       System.out.println("----");
       while (rs.next()) {
         System.out.printf("%d | %s | %.2f%n", rs.getInt("EmpID"), rs.getString("Name"),
rs.getDouble("Salary"));
```

```
}
} catch (SQLException ex) {
    System.err.println("Database connection error: " + ex.getMessage());
}
}
```

Medium Level:

Build a program to perform CRUD operations (Create, Read, Update, Delete) on a database table Product with columns:

ProductID, ProductName, Price, and Quantity.

The program should include:

Menu-driven options for each operation.

Transaction handling to ensure data integrity.

Code:

```
import java.sql.*;
import java.util.Scanner;

public class ProductManager {
    private static final String DB_URL = "jdbc:mysql://localhost:3808/test";
    private static final String USER = "root";
    private static final String PASSWORD = "*******";

public static void main(String[] args) {
    Scanner scanner = new Scanner(System.in);
    boolean running = true;

    while (running) {
        System.out.println("\n==== Product Management ===="");
        System.out.println("1) Add Product");
}
```

```
System.out.println("2) View Products");
     System.out.println("3) Update Product");
     System.out.println("4) Delete Product");
     System.out.println("5) Exit");
     System.out.print("Choose an option: ");
    int choice = scanner.nextInt();
     scanner.nextLine(); // Clear newline buffer
    switch (choice) {
       case 1 -> addProduct(scanner);
       case 2 -> viewProducts();
       case 3 -> updateProduct(scanner);
       case 4 -> deleteProduct(scanner);
       case 5 -> {
         System.out.println("Exiting application...");
         running = false;
       }
       default -> System.out.println("Invalid option! Try again.");
     }
  scanner.close();
private static void addProduct(Scanner scanner) {
  System.out.print("Enter product name: ");
  String name = scanner.nextLine();
  System.out.print("Enter price: ");
  double price = scanner.nextDouble();
  System.out.print("Enter quantity: ");
```

```
int quantity = scanner.nextInt();
  String sql = "INSERT INTO Product (ProductName, Price, Quantity) VALUES (?, ?, ?)";
  try (Connection conn = DriverManager.getConnection(DB URL, USER, PASSWORD);
     PreparedStatement stmt = conn.prepareStatement(sql)) {
    stmt.setString(1, name);
    stmt.setDouble(2, price);
    stmt.setInt(3, quantity);
    int rowsInserted = stmt.executeUpdate();
    if (rowsInserted > 0) {
       System.out.println("Product added successfully!");
    } else {
       System.out.println("Failed to add product.");
    }
  } catch (SQLException ex) {
    System.err.println("Error adding product: " + ex.getMessage());
  }
private static void viewProducts() {
  String sql = "SELECT * FROM Product";
  try (Connection conn = DriverManager.getConnection(DB URL, USER, PASSWORD);
     Statement stmt = conn.createStatement();
     ResultSet rs = stmt.executeQuery(sql)) {
     System.out.println("\nProduct List:");
```

```
System.out.println("ID | Name | Price | Quantity");
    System.out.println("-----");
    while (rs.next()) {
       System.out.printf("%d | %s | %.2f | %d%n",
            rs.getInt("ProductID"),
           rs.getString("ProductName"),
           rs.getDouble("Price"),
           rs.getInt("Quantity"));
    }
  } catch (SQLException ex) {
    System.err.println("Error retrieving products: " + ex.getMessage());
  }
}
private static void updateProduct(Scanner scanner) {
  System.out.print("Enter product ID to update: ");
  int id = scanner.nextInt();
  scanner.nextLine(); // Clear buffer
  System.out.print("Enter new product name: ");
  String name = scanner.nextLine();
  System.out.print("Enter new price: ");
  double price = scanner.nextDouble();
  System.out.print("Enter new quantity: ");
  int quantity = scanner.nextInt();
  String sql = "UPDATE Product SET ProductName=?, Price=?, Quantity=? WHERE ProductID=?";
  try (Connection conn = DriverManager.getConnection(DB URL, USER, PASSWORD);
     PreparedStatement stmt = conn.prepareStatement(sql)) {
```

```
stmt.setString(1, name);
    stmt.setDouble(2, price);
    stmt.setInt(3, quantity);
    stmt.setInt(4, id);
    int rowsUpdated = stmt.executeUpdate();
    if (rowsUpdated > 0) {
       System.out.println("Product updated successfully!");
    } else {
       System.out.println("Product ID not found.");
    }
  } catch (SQLException ex) {
    System.err.println("Error updating product: " + ex.getMessage());
  }
}
private static void deleteProduct(Scanner scanner) {
  System.out.print("Enter product ID to delete: ");
  int id = scanner.nextInt();
  String sql = "DELETE FROM Product WHERE ProductID=?";
  try (Connection conn = DriverManager.getConnection(DB URL, USER, PASSWORD);
     PreparedStatement stmt = conn.prepareStatement(sql)) {
    stmt.setInt(1, id);
    int rowsDeleted = stmt.executeUpdate();
    if (rowsDeleted > 0) {
       System.out.println("Product deleted successfully!");
```

Hard Level:

Develop a Java application using JDBC and MVC architecture to manage student data. The application should:

Use a Student class as the model with fields like StudentID, Name, Department, and Marks.

Include a database table to store student data.

Allow the user to perform CRUD operations through a simple menu-driven view.

Implement database operations in a separate controller class.

Code:

Model

```
public class Student {
    private int id;
    private String fullName;
    private String dept;
    private int score;

public Student(int id, String fullName, String dept, int score) {
        this.id = id;
        this.fullName = fullName;
        this.dept = dept;
        this.score = score;
}
```

do {

```
// Getters and Setters
  public int getId() { return id; }
  public void setId(int id) { this.id = id; }
  public String getFullName() { return fullName; }
  public void setFullName(String fullName) { this.fullName = fullName; }
  public String getDept() { return dept; }
  public void setDept(String dept) { this.dept = dept; }
  public int getScore() { return score; }
  public void setScore(int score) { this.score = score; }
  @Override
  public String toString() {
    return "Student ID: " + id + ", Name: " + fullName + ", Department: " + dept + ", Score: " + score;
  }
}
View
import java.util.List;
import java.util.Scanner;
public class StudentView {
  private final StudentController studentController = new StudentController();
  private final Scanner inputScanner = new Scanner(System.in);
  public void showMenu() {
    int option;
```

```
System.out.println("\n=== Student Management Portal ===");
  System.out.println("1. Register Student");
  System.out.println("2. Display All Students");
  System.out.println("3. Modify Student Details");
  System.out.println("4. Remove Student");
  System.out.println("5. Exit");
  System.out.print("Select an option: ");
  option = inputScanner.nextInt();
  inputScanner.nextLine(); // Consume newline
  switch (option) {
    case 1:
       registerStudent();
       break;
    case 2:
       listStudents();
       break;
    case 3:
       modifyStudent();
       break;
    case 4:
       removeStudent();
       break;
    case 5:
       System.out.println("Closing application...");
       break;
     default:
       System.out.println("Invalid option, please try again.");
  }
\} while (option != 5);
```

```
private void registerStudent() {
  System.out.print("Enter Student Name: ");
  String fullName = inputScanner.nextLine();
  System.out.print("Enter Department: ");
  String department = inputScanner.nextLine();
  System.out.print("Enter Marks: ");
  int score = inputScanner.nextInt();
  Student newStudent = new Student(0, fullName, department, score);
  studentController.addStudent(newStudent);
}
private void listStudents() {
  List<Student> studentList = studentController.getAllStudents();
  if (studentList.isEmpty()) {
     System.out.println("No student records available.");
  } else {
     System.out.println("\n--- Student Records ---");
     for (Student student : studentList) {
       System.out.println(student);
     }
private void modifyStudent() {
  System.out.print("Enter Student ID to update: ");
  int studentId = inputScanner.nextInt();
  inputScanner.nextLine(); // Consume newline
  System.out.print("Enter Updated Name: ");
```

```
String updatedName = inputScanner.nextLine();
    System.out.print("Enter Updated Department: ");
    String updatedDepartment = inputScanner.nextLine();
    System.out.print("Enter Updated Marks: ");
    int updatedScore = inputScanner.nextInt();
    Student updatedStudent = new Student(studentId, updatedName, updatedDepartment, updatedScore);
    studentController.updateStudent(updatedStudent);
  }
  private void removeStudent() {
    System.out.print("Enter Student ID to remove: ");
    int studentId = inputScanner.nextInt();
    studentController.deleteStudent(studentId);
  }
Controller
import java.sql.*;
import java.util.ArrayList;
import java.util.List;
public class StudentController {
  private static final String DB URL = "jdbc:mysql://localhost:3306/javadb";
  private static final String DB_USER = "root";
  private static final String DB PASSWORD = "karan.111";
  public void insertStudent(Student student) {
```

String sql = "INSERT INTO Students (Name, Department, Marks) VALUES (?, ?, ?)";

```
try (Connection connection = DriverManager.getConnection(DB URL, DB USER, DB PASSWORD);
     PreparedStatement preparedStatement = connection.prepareStatement(sql)) {
    connection.setAutoCommit(false);
    preparedStatement.setString(1, student.getName());
    preparedStatement.setString(2, student.getDepartment());
    preparedStatement.setInt(3, student.getMarks());
    preparedStatement.executeUpdate();
    connection.commit();
    System.out.println("Student successfully registered!");
  } catch (SQLException ex) {
    ex.printStackTrace();
  }
public List<Student> fetchAllStudents() {
  List<Student> studentList = new ArrayList<>();
  String sql = "SELECT * FROM Students";
  try (Connection connection = DriverManager.getConnection(DB URL, DB USER, DB PASSWORD);
     Statement statement = connection.createStatement();
     ResultSet resultSet = statement.executeQuery(sql)) {
    while (resultSet.next()) {
       studentList.add(new Student(resultSet.getInt("StudentID"),
            resultSet.getString("Name"),
           resultSet.getString("Department"),
           resultSet.getInt("Marks")));
    }
```

```
} catch (SQLException ex) {
    ex.printStackTrace();
  return studentList;
}
public void modifyStudent(Student student) {
  String sql = "UPDATE Students SET Name=?, Department=?, Marks=? WHERE StudentID=?";
  try (Connection connection = DriverManager.getConnection(DB URL, DB USER, DB PASSWORD);
     PreparedStatement preparedStatement = connection.prepareStatement(sql)) {
    connection.setAutoCommit(false);
    preparedStatement.setString(1, student.getName());
    preparedStatement.setString(2, student.getDepartment());
    preparedStatement.setInt(3, student.getMarks());
    preparedStatement.setInt(4, student.getStudentID());
    int affectedRows = preparedStatement.executeUpdate();
    if (affectedRows > 0) {
       connection.commit();
       System.out.println("Student details updated!");
    } else {
       System.out.println("No record found with the given Student ID.");
    }
  } catch (SQLException ex) {
    ex.printStackTrace();
}
```

```
public void removeStudent(int studentID) {
    String sql = "DELETE FROM Students WHERE StudentID=?";
    try (Connection connection = DriverManager.getConnection(DB URL, DB USER, DB PASSWORD);
       PreparedStatement preparedStatement = connection.prepareStatement(sql)) {
       connection.setAutoCommit(false);
       preparedStatement.setInt(1, studentID);
      int affectedRows = preparedStatement.executeUpdate();
      if (affectedRows > 0) {
         connection.commit();
         System.out.println("Student record deleted!");
       } else {
         System.out.println("No record found with the given Student ID.");
       }
    } catch (SQLException ex) {
       ex.printStackTrace();
Main
public class StudentApplication {
  public static void main(String[] args) {
    StudentView studentView = new StudentView();
    studentView.showMenu();
```

Output:

1.1 Easy Problem

```
C:\Users\123sa\Desktop\Coding\JAVA\Class\exp 7>javac -cp ".;mysql-connector-j-9.2.0.jar" ProductCRUD.java
C:\Users\123sa\Desktop\Coding\JAVA\Class\exp 7>java -cp ".;mysql-connector-j-9.2.0.jar" ProductCRUD
      Product Management System ---
1. Add Product
2. View Products
3. Update Product
4. Delete Product
    Exit
Enter your choice: 2
ProductID | ProductName | Price | Quantity
  | Laptop | 75000.0 | 10
| Mouse | 1500.0 | 50
| Keyboard | 2500.0 | 30
     Product Management System ---
1. Add Product
2. View Products
3. Update Product
4. Delete Product
5. Exit
Enter your choice: 4
Enter Product ID to delete: 3
Product deleted successfully!
--- Product Management System ---
1. Add Product
2. View Products
3. Update Product
4. Delete Product
5. Exit
Enter your choice: 2
ProductID | ProductName | Price | Quantity
1 | Laptop | 75000.0 | 10
2 | Mouse | 1500.0 | 50
     Product Management System ---
1. Add Product
    View Products
Update Product
Delete Product
    Exit
Enter your choice: 5 Exiting...
```

```
C:\Users\123sa\Desktop\Coding\JAVA\Class\exp 7>java -cp ".;mysql-connector-j-9.2.0.jar" StudentMain
    - Student Management System ---
1. Add Student
2. View Students
3. Update Student
4. Delete Student
5. Exit
Enter your choice: 2
Student List:
ID: 1, Name: Saket, Dept: Computer Science, Marks: 95
ID: 2, Name: Ram, Dept: Electronics, Marks: 78
ID: 3, Name: Dam, Dept: Mechanical, Marks: 92
   – Student Management System ---
1. Add Student
   View Students
3. Update Student
4. Delete Student
5. Exit
Enter your choice: 5
Exiting...
```

1.3 Hard Probem

Learning Outcomes:

- 1. Integrating Java with Databases Learn how Java applications interact with databases to store and retrieve data efficiently.
- 2. Enhancing Data Security Explore best practices for securing database connections and preventing SQL injection attacks in Java applications.
- 3. Optimizing Query Performance Understand how to write efficient SQL queries and use indexing to improve database performance.
- 4. Building Scalable Applications Learn how to design a Java-based system that can handle increasing data loads while maintaining performance.