

## **Experiment 1**

Student Name: Ashutosh Chand UID:22BCS10038

Branch: BE-CSE Section/Group:Krg Iot 3B

Semester:6<sup>th</sup> Date of Performance:02/02/2025

Subject Name: Project Based Learning Subject Code: 22CSH-359

in Java with Lab

1. **Aim:** Given the following table containing information about employees of an organization, develop a small java application, which accepts employee id from the command prompt and displays the following details as output: Emp No Emp Name Department Designation and Salary You may assume that the array is initialized with the following details:

Emp	Emp	Join Date	Desig	Dept	Basic	HRA	IT
No.	Name		Code				
1001	Ashish	01/04/2009	е	R&D	20000	8000	3000
1002	Sushma	23/08/2012	С	PM	30000	12000	9000
1003	Rahul	12/11/2008	k	Acct	10000	8000	1000
1004	Chahat	29/01/2013	r	Front Desk	12000	6000	2000
1005	Ranjan	16/07/2005	m	Engg	50000	20000	20000
1006	Suman	1/1/2000	е	Manu factur ing	23000	9000	4400
1007	Tanmay	12/06/2006	С	PM	29000	12000	10000

Salary is calculated as Basic+HRA+DA-IT. (DA details are given in the Designation table)

Designation details:

<b>Designation Code</b>	Designation	DA
е	Engineer	20000
С	Consultant	32000
k	Clerk	12000
r	Receptionist	15000
m	Manager	40000

Use Switch-Case to print Designation in the output and to find the value of DA for a particular employee.

## 2. Objective:

**i.** Assuming that your class name is Project1, and you execute your code as java Project1 1003, it should display the following output:

Emp No. Emp Name Department Designation Salary 1003 Rahul Acct Clerk 29000

ii. java Project 1123

There is no employee with empid: 123

# 3. Implementation/Code:

```
import java.util.Scanner;

public class Project1 {
    public static void main(String[] args) {
        Scanner sc = new Scanner(System.in);

    String[] empNo = {"1001", "1002", "1003", "1004", "1005", "1006", "1007"};
```

```
String[] empName = {"Ashish", "Sushma", "Rahul", "Chahat",
"Ranjan", "Suman", "Tanmay"};
     String[] joinDate = {"01/04/2009", "23/08/2012", "12/11/2008",
"29/01/2013", "16/07/2005", "01/01/2000", "12/06/2006"};
     String[] desigCode = {"e", "c", "k", "r", "m", "e", "c"};
     String[] dept = {"R&D", "PM", "Acct", "Front Desk", "Engg",
"Manufacturing", "PM"};
     int[] basic = {20000, 30000, 10000, 12000, 50000, 23000, 29000};
     int[]hra = \{8000, 12000, 8000, 6000, 20000, 9000, 12000\};
     int[]it = {3000, 9000, 1000, 2000, 20000, 4400, 10000};
     System.out.print("Enter Employee ID: ");
     Int EmpId = sc.nextInt();
     int index = -1;
     for (int i = 0; i < \text{empNo.length}; i++) {
       if (empNo[i].equals(inputEmpId)) {
          index = i;
          break;
        }
     }
    if (index == -1) {
       System.out.println("There is no employee with empid: " +
inputEmpId);
     } else {
       int da;
       String designation;
       switch (desigCode[index]) {
          case "e":
            designation = "Engineer";
            da = 20000;
            break;
          case "c":
```

```
designation = "Consultant";
            da = 32000;
            break;
         case "k":
            designation = "Clerk";
            da = 12000;
            break;
         case "r":
            designation = "Receptionist";
            da = 15000;
            break;
         case "m":
            designation = "Manager";
            da = 40000;
            break;
         default:
            designation = "Unknown";
            da = 0;
       }
       int salary = basic[index] + hra[index] + da - it[index];
       System.out.println("Emp No Emp Name Department
Designation Salary");
      System.out.println(empNo[index]+" "+empName[index]+" "
+
            dept[index] + " " + designation + " " + salary);
     }
    sc.close();
}
```

#### 4. Output:

```
Enter Employee ID:
1007
Emp No
        Emp Name
                                Designation
                   Department
                                              Salary
                                Consultant
                                              63000
1007
        Tanmay
                   PM
...Program finished with exit code 0
Press ENTER to exit console.
Enter Employee ID:
1010
There is no employee with empid: 1010
...Program finished with exit code 0
Press ENTER to exit console.
```

### 5. Learning Outcomes:

- i. Understand how to map employee details (like designation codes to roles) using efficient logic and structures.
- ii. Learn to identify and address input mismatches or invalidentries through proper validation and error messages.
- iii. Gain skills in presenting data in a well-structured and readable format for better user understanding.