

# Policy Gradient

# Last Time

- Bandits

# Guiding Questions

# Guiding Questions

- What is Policy Optimization?
- What is Policy Gradient?

# Guiding Questions

- What is Policy Optimization?
- What is Policy Gradient?
- What tricks are needed for it to work effectively?

# Map

# Map

## Challenges in RL

- Exploration and Exploitation
- Credit Assignment
- Generalization

# Map

## Challenges in RL

- Exploration and Exploitation
- Credit Assignment 
- Generalization



# Policy Optimization

# Policy Optimization

$$\underset{\pi}{\text{maximize}} \underset{s \sim b}{E} \left[ \sum_{t=0}^{\infty} \gamma^t R(s_t, a_t) \mid s_0 = s, a_t = \pi(s_t) \right]$$

# Policy Optimization

$$\underset{\pi}{\text{maximize}} \underset{s \sim b}{E} \left[ \sum_{t=0}^{\infty} \gamma^t R(s_t, a_t) \mid s_0 = s, a_t = \pi(s_t) \right]$$

$$\underset{\pi}{\text{maximize}} U(\pi) = \underset{s \sim b}{E} [U^{\pi}(s)]$$

# Policy Optimization

$$\underset{\pi}{\text{maximize}} \underset{s \sim b}{E} \left[ \sum_{t=0}^{\infty} \gamma^t R(s_t, a_t) \mid s_0 = s, a_t = \pi(s_t) \right]$$

$$\underset{\pi}{\text{maximize}} U(\pi) = \underset{s \sim b}{E} [U^{\pi}(s)]$$

Two approximations:

# Policy Optimization

$$\underset{\pi}{\text{maximize}} \underset{s \sim b}{E} \left[ \sum_{t=0}^{\infty} \gamma^t R(s_t, a_t) \mid s_0 = s, a_t = \pi(s_t) \right]$$

$$\underset{\pi}{\text{maximize}} U(\pi) = \underset{s \sim b}{E} [U^{\pi}(s)]$$

Two approximations:

1. Parameterized stochastic policies

$$\underset{\theta}{\text{maximize}} \quad U(\pi_{\theta}) = U(\theta)$$

$$a \sim \pi_{\theta}(a \mid s)$$

# Policy Optimization

$$\underset{\pi}{\text{maximize}} \underset{s \sim b}{E} \left[ \sum_{t=0}^{\infty} \gamma^t R(s_t, a_t) \mid s_0 = s, a_t = \pi(s_t) \right]$$

$$\underset{\pi}{\text{maximize}} U(\pi) = \underset{s \sim b}{E} [U^{\pi}(s)]$$

Two approximations:

1. Parameterized stochastic policies

$$\underset{\theta}{\text{maximize}} \quad U(\pi_{\theta}) = U(\theta) \quad a \sim \pi_{\theta}(a \mid s)$$

2. Monte Carlo Utility

$$U(\pi) \approx \frac{1}{m} \sum_{i=1}^m R(\tau^{(i)})$$

trajectory:

$$\tau = (s_0, a_0, r_0, s_1, a_1, r_1, \dots, s_d, a_d, r_d)$$

# Policy Optimization

$$\underset{\pi}{\text{maximize}} \underset{s \sim b}{E} \left[ \sum_{t=0}^{\infty} \gamma^t R(s_t, a_t) \mid s_0 = s, a_t = \pi(s_t) \right]$$

$$\underset{\pi}{\text{maximize}} U(\pi) = \underset{s \sim b}{E} [U^{\pi}(s)]$$

Two approximations:

1. Parameterized stochastic policies  $\underset{\theta}{\text{maximize}} \quad U(\pi_{\theta}) = U(\theta) \quad a \sim \pi_{\theta}(a \mid s)$

2. Monte Carlo Utility  $U(\pi) \approx \frac{1}{m} \sum_{i=1}^m R(\tau^{(i)})$  trajectory:  $\tau = (s_0, a_0, r_0, s_1, a_1, r_1, \dots, s_d, a_d, r_d)$

Two classes of optimization algorithms:

# Policy Optimization

$$\underset{\pi}{\text{maximize}} \underset{s \sim b}{E} \left[ \sum_{t=0}^{\infty} \gamma^t R(s_t, a_t) \mid s_0 = s, a_t = \pi(s_t) \right]$$

$$\underset{\pi}{\text{maximize}} U(\pi) = \underset{s \sim b}{E} [U^{\pi}(s)]$$

Two approximations:

1. Parameterized stochastic policies  $\underset{\theta}{\text{maximize}} \quad U(\pi_{\theta}) = U(\theta) \quad a \sim \pi_{\theta}(a \mid s)$

2. Monte Carlo Utility  $U(\pi) \approx \frac{1}{m} \sum_{i=1}^m R(\tau^{(i)})$  trajectory:  $\tau = (s_0, a_0, r_0, s_1, a_1, r_1, \dots, s_d, a_d, r_d)$

Two classes of optimization algorithms:

1. Zeroth order (use only  $U(\theta)$ )
2. First order (use  $U(\theta)$  and  $\nabla_{\theta} U(\theta)$ )



# 1. Zeroth-Order Optimization

# 1. Zeroth-Order Optimization

Common zeroth-order approaches:

1. Genetic Algorithms
2. Pattern Search
3. Cross-Entropy

# 1. Zeroth-Order Optimization

Common zeroth-order approaches:

1. Genetic Algorithms
2. Pattern Search
3. Cross-Entropy

Cross Entropy:

Initialize  $d$

loop:

population  $\leftarrow$  sample( $d$ )

elite  $\leftarrow m$  with highest  $U(\theta)$

$d \leftarrow$  fit(elite)

# 1. Zeroth-Order Optimization

Common zeroth-order approaches:

1. Genetic Algorithms
2. Pattern Search
3. Cross-Entropy

Cross Entropy:


Initialize  $d$

loop:

population  $\leftarrow$  sample( $d$ )

elite  $\leftarrow m$  with highest  $U(\theta)$

$d \leftarrow$  fit(elite)




## 2. First Order Optimization


- Definition of Gradient
- Gradient Ascent
- Stochastic Gradient Ascent

# Tricks

# Tricks



# Tricks



For policy gradient, 3 tricks

- Likelihood Ratio/Log Derivative
- Reward to go
- Baseline Subtraction




# Log Derivative


# Trajectory Probability Gradient

$A = \{L, R\}$

# Example



$A = \{L, R\}$




# Example

$$\pi_{\theta}(a = L \mid s = 1) = \text{clamp}(\theta, 0, 1)$$

$$\pi_{\theta}(a = R \mid s = 1) = \text{clamp}(1 - \theta, 0, 1)$$

$$A = \{L, R\}$$




# Example

$$\pi_{\theta}(a = L \mid s = 1) = \text{clamp}(\theta, 0, 1)$$

$$\pi_{\theta}(a = R \mid s = 1) = \text{clamp}(1 - \theta, 0, 1)$$

$$\nabla U(\theta) = \mathbb{E} \left[ \sum_{k=0}^d \nabla_{\theta} \log \pi_{\theta}(a_k \mid s_k) R(\tau) \right]$$

$$A = \{L, R\}$$



# Example

$$\pi_{\theta}(a = L \mid s = 1) = \text{clamp}(\theta, 0, 1)$$

$$\pi_{\theta}(a = R \mid s = 1) = \text{clamp}(1 - \theta, 0, 1)$$

$$\nabla U(\theta) = \mathbb{E} \left[ \sum_{k=0}^d \nabla_{\theta} \log \pi_{\theta}(a_k \mid s_k) R(\tau) \right]$$

Given  $\theta = 0.2$  calculate  $\sum_{k=0}^d \nabla_{\theta} \log \pi_{\theta}(a_k \mid s_k) R(\tau)$  for two cases, (a) where  $a_0 = L$  and (b) where  $a_0 = R$

# Policy Gradient

# Policy Gradient

loop

$\tau \leftarrow \text{simulate}(\pi_\theta)$

$\theta \leftarrow \theta + \alpha \sum_{k=0}^d \nabla_\theta \log \pi_\theta(a_k \mid s_k) R(\tau)$



# Policy Gradient

loop

$\tau \leftarrow \text{simulate}(\pi_\theta)$

$\theta \leftarrow \theta + \alpha \sum_{k=0}^d \underbrace{\nabla_\theta \log \pi_\theta(a_k | s_k) R(\tau)}$

On Policy!

# Causality

# Causality

$$\nabla U(\theta) = \mathbb{E} \left[ \sum_{k=0}^d \nabla_{\theta} \log \pi_{\theta}(a_k \mid s_k) R(\tau) \right]$$

# Causality

$$\begin{aligned}\nabla U(\theta) &= \mathbb{E} \left[ \sum_{k=0}^d \nabla_{\theta} \log \pi_{\theta}(a_k \mid s_k) R(\tau) \right] \\ &= \mathbb{E} \left[ \left( \sum_{k=0}^d \nabla_{\theta} \log \pi_{\theta}(a_k \mid s_k) \right) \left( \sum_{k=0}^d \gamma^k r_k \right) \right]\end{aligned}$$

# Causality

$$\begin{aligned}\nabla U(\theta) &= \mathbb{E} \left[ \sum_{k=0}^d \nabla_{\theta} \log \pi_{\theta}(a_k \mid s_k) R(\tau) \right] \\ &= \mathbb{E} \left[ \underbrace{\left( \sum_{k=0}^d \nabla_{\theta} \log \pi_{\theta}(a_k \mid s_k) \right)}_{f_k} \left( \sum_{k=0}^d \gamma^k r_k \right) \right]\end{aligned}$$

# Causality

$$\begin{aligned}\nabla U(\theta) &= \mathbb{E} \left[ \sum_{k=0}^d \nabla_{\theta} \log \pi_{\theta}(a_k \mid s_k) R(\tau) \right] \\ &= \mathbb{E} \left[ \underbrace{\left( \sum_{k=0}^d \nabla_{\theta} \log \pi_{\theta}(a_k \mid s_k) \right)}_{f_k} \left( \sum_{k=0}^d \gamma^k r_k \right) \right] \\ &= \mathbb{E} \left[ (f_0 + \dots + f_d) (\gamma^0 r_0 + \dots \gamma^d r_d) \right]\end{aligned}$$

# Causality

$$\begin{aligned}
 \nabla U(\theta) &= \mathbb{E} \left[ \sum_{k=0}^d \nabla_{\theta} \log \pi_{\theta}(a_k \mid s_k) R(\tau) \right] \\
 &= \mathbb{E} \left[ \underbrace{\left( \sum_{k=0}^d \nabla_{\theta} \log \pi_{\theta}(a_k \mid s_k) \right)}_{f_k} \left( \sum_{k=0}^d \gamma^k r_k \right) \right] \\
 &= \mathbb{E} \left[ (f_0 + \dots + f_d) (\gamma^0 r_0 + \dots + \gamma^d r_d) \right] \\
 &= \mathbb{E} \left[ \begin{array}{l} f_0 \gamma^0 r_0 + f_0 \gamma^1 r_1 + f_0 \gamma^2 r_2 + \dots + f_0 \gamma^d r_d \\ + f_1 \gamma^0 r_0 + f_1 \gamma^1 r_1 + f_1 \gamma^2 r_2 + \dots + f_1 \gamma^d r_d \\ \vdots \\ + f_d \gamma^0 r_0 + f_d \gamma^1 r_1 + f_d \gamma^2 r_2 + \dots + f_d \gamma^d r_d \end{array} \right]
 \end{aligned}$$

# Causality

$$\begin{aligned}
 \nabla U(\theta) &= \mathbb{E} \left[ \sum_{k=0}^d \nabla_{\theta} \log \pi_{\theta}(a_k | s_k) R(\tau) \right] \\
 &= \mathbb{E} \left[ \underbrace{\left( \sum_{k=0}^d \nabla_{\theta} \log \pi_{\theta}(a_k | s_k) \right)}_{f_k} \left( \sum_{k=0}^d \gamma^k r_k \right) \right] \\
 &= \mathbb{E} \left[ (f_0 + \dots + f_d) (\gamma^0 r_0 + \dots + \gamma^d r_d) \right] \\
 &= \mathbb{E} \left[ \begin{array}{l} f_0 \gamma^0 r_0 + f_0 \gamma^1 r_1 + f_0 \gamma^2 r_2 + \dots + f_0 \gamma^d r_d \\ + \cancel{f_1 \gamma^0 r_0} + f_1 \gamma^1 r_1 + f_1 \gamma^2 r_2 + \dots + f_1 \gamma^d r_d \\ \vdots \\ + \cancel{f_d \gamma^0 r_0} + \cancel{f_d \gamma^1 r_1} + f_d \gamma^2 r_2 + \dots + f_d \gamma^d r_d \end{array} \right]
 \end{aligned}$$



# Causality

$$\begin{aligned}\nabla U(\theta) &= \mathbb{E} \left[ \sum_{k=0}^d \nabla_{\theta} \log \pi_{\theta}(a_k \mid s_k) R(\tau) \right] \\ &= \mathbb{E} \left[ \underbrace{\left( \sum_{k=0}^d \nabla_{\theta} \log \pi_{\theta}(a_k \mid s_k) \right)}_{f_k} \left( \sum_{k=0}^d \gamma^k r_k \right) \right]\end{aligned}$$

$$= \mathbb{E} \left[ (f_0 + \dots + f_d) (\gamma^0 r_0 + \dots + \gamma^d r_d) \right]$$

$$= \mathbb{E} \left[ \begin{array}{l} f_0 \gamma^0 r_0 + f_0 \gamma^1 r_1 + f_0 \gamma^2 r_2 + \dots + f_0 \gamma^d r_d \\ + \cancel{f_1 \gamma^0 r_0} + f_1 \gamma^1 r_1 + f_1 \gamma^2 r_2 + \dots + f_1 \gamma^d r_d \\ \vdots \\ + \cancel{f_d \gamma^0 r_0} + \cancel{f_d \gamma^1 r_1} + f_d \gamma^2 r_2 + \dots + f_d \gamma^d r_d \end{array} \right]$$

$$= \mathbb{E} \left[ \sum_{k=0}^d \nabla_{\theta} \log \pi_{\theta}(a_k \mid s_k) \left( \sum_{l=k}^d \gamma^l r_l \right) \right]$$

# Causality

$$\begin{aligned}\nabla U(\theta) &= \mathbb{E} \left[ \sum_{k=0}^d \nabla_{\theta} \log \pi_{\theta}(a_k | s_k) R(\tau) \right] \\ &= \mathbb{E} \left[ \underbrace{\left( \sum_{k=0}^d \nabla_{\theta} \log \pi_{\theta}(a_k | s_k) \right)}_{f_k} \left( \sum_{k=0}^d \gamma^k r_k \right) \right]\end{aligned}$$

$$= \mathbb{E} \left[ (f_0 + \dots + f_d) (\gamma^0 r_0 + \dots + \gamma^d r_d) \right]$$

$$= \mathbb{E} \left[ \begin{array}{l} f_0 \gamma^0 r_0 + f_0 \gamma^1 r_1 + f_0 \gamma^2 r_2 + \dots + f_0 \gamma^d r_d \\ + \cancel{f_1 \gamma^0 r_0} + f_1 \gamma^1 r_1 + f_1 \gamma^2 r_2 + \dots + f_1 \gamma^d r_d \\ \vdots \\ + \cancel{f_d \gamma^0 r_0} + \cancel{f_d \gamma^1 r_1} + f_d \gamma^2 r_2 + \dots + f_d \gamma^d r_d \end{array} \right]$$

$$= \mathbb{E} \left[ \sum_{k=0}^d \nabla_{\theta} \log \pi_{\theta}(a_k | s_k) \left( \sum_{l=k}^d \gamma^l r_l \right) \right] = \mathbb{E} \left[ \sum_{k=0}^d \nabla_{\theta} \log \pi_{\theta}(a_k | s_k) \gamma^k r_{k,\text{to-go}} \right]$$

# Causality

$$\begin{aligned}\nabla U(\theta) &= \mathbb{E} \left[ \sum_{k=0}^d \nabla_{\theta} \log \pi_{\theta}(a_k | s_k) R(\tau) \right] \\ &= \mathbb{E} \left[ \underbrace{\left( \sum_{k=0}^d \nabla_{\theta} \log \pi_{\theta}(a_k | s_k) \right)}_{f_k} \left( \sum_{k=0}^d \gamma^k r_k \right) \right]\end{aligned}$$

$$= \mathbb{E} [(f_0 + \dots + f_d) (\gamma^0 r_0 + \dots + \gamma^d r_d)]$$

$$= \mathbb{E} \left[ \begin{array}{l} f_0 \gamma^0 r_0 + f_0 \gamma^1 r_1 + f_0 \gamma^2 r_2 + \dots + f_0 \gamma^d r_d \\ + \cancel{f_1 \gamma^0 r_0} + f_1 \gamma^1 r_1 + f_1 \gamma^2 r_2 + \dots + f_1 \gamma^d r_d \\ \vdots \\ + \cancel{f_d \gamma^0 r_0} + \cancel{f_d \gamma^1 r_1} + f_d \gamma^2 r_2 + \dots + f_d \gamma^d r_d \end{array} \right]$$

$$= \mathbb{E} \left[ \sum_{k=0}^d \nabla_{\theta} \log \pi_{\theta}(a_k | s_k) \left( \sum_{l=k}^d \gamma^l r_l \right) \right] = \mathbb{E} \left[ \sum_{k=0}^d \nabla_{\theta} \log \pi_{\theta}(a_k | s_k) \gamma^k \underline{r_{k, \text{to-go}}} \right] Q^{\theta}(s_k, a_k)$$

# Baseline Subtraction

# Baseline Subtraction

$$\nabla U(\theta) = \mathbb{E} \left[ \sum_{k=0}^d \nabla_{\theta} \log \pi_{\theta}(a_k \mid s_k) \gamma^k r_{k,\text{to-go}} \right]$$

# Baseline Subtraction

$$\nabla U(\theta) = \mathbb{E} \left[ \sum_{k=0}^d \nabla_{\theta} \log \pi_{\theta}(a_k \mid s_k) \gamma^k r_{k,\text{to-go}} \right]$$

$$\nabla U(\theta) = \mathbb{E} \left[ \sum_{k=0}^d \nabla_{\theta} \log \pi_{\theta}(a_k \mid s_k) \gamma^k (r_{k,\text{to-go}} - r_{\text{base}}(s_k)) \right]$$

# Baseline Subtraction

$$\nabla U(\theta) = \mathbb{E} \left[ \sum_{k=0}^d \nabla_{\theta} \log \pi_{\theta}(a_k | s_k) \gamma^k r_{k,\text{to-go}} \right]$$

$$\nabla U(\theta) = \mathbb{E} \left[ \sum_{k=0}^d \nabla_{\theta} \log \pi_{\theta}(a_k | s_k) \gamma^k (r_{k,\text{to-go}} - \underline{r_{\text{base}}(s_k)}) \right]$$

does not bias  
(proof in book)

# Baseline Subtraction

$$\nabla U(\theta) = \mathbb{E} \left[ \sum_{k=0}^d \nabla_{\theta} \log \pi_{\theta}(a_k | s_k) \gamma^k r_{k,\text{to-go}} \right]$$

$$\nabla U(\theta) = \mathbb{E} \left[ \sum_{k=0}^d \nabla_{\theta} \log \pi_{\theta}(a_k | s_k) \gamma^k (r_{k,\text{to-go}} - \underline{r_{\text{base}}(s_k)}) \right]$$

does not bias  
(proof in book)

$$r_{\text{base},i} = \frac{\mathbb{E}_{a,s,r_{\text{to-go}},k} [\ell_i(a,s,k)^2 r_{\text{to-go}}]}{\mathbb{E}_{a,s,k} [\ell_i(a,s,k)^2]}$$



# Baseline Subtraction

$$\nabla U(\theta) = \mathbb{E} \left[ \sum_{k=0}^d \nabla_{\theta} \log \pi_{\theta}(a_k | s_k) \gamma^k r_{k,\text{to-go}} \right]$$

$$\nabla U(\theta) = \mathbb{E} \left[ \sum_{k=0}^d \nabla_{\theta} \log \pi_{\theta}(a_k | s_k) \gamma^k (r_{k,\text{to-go}} - \underline{r_{\text{base}}(s_k)}) \right]$$

does not bias  
(proof in book)

$$r_{\text{base},i} = \frac{\mathbb{E}_{a,s,r_{\text{to-go}},k} [\ell_i(a,s,k)^2 r_{\text{to-go}}]}{\mathbb{E}_{a,s,k} [\ell_i(a,s,k)^2]}$$

$$\ell_i(a,s,k) = \gamma^{k-1} \frac{\partial}{\partial \theta_i} \log \pi_{\theta}(a | s)$$





Figure 11.3. Several policy gradient methods used to optimize policies for the simple regulator problem from the same initial parameterization. Each gradient evaluation ran six rollouts to depth 10. The magnitude of the gradient was limited to 1, and step updates were applied with step size 0.2. The optimal policy parameterization is shown in black.

# Guiding Questions

- What is Policy Gradient?
- What tricks are needed for it to work effectively?