

Experiment 6

Student Name: Anurag Singh

Branch: Information Technology

Semester: 6th

UID: 22BET10338

Section/Group: 22BET_IOT-701/A

Subject Code: 22ITP-351

Problem 1

Aim: Maximum Depth of Binary Tree

Code:

```
/**
 * Definition for a binary tree node.
 * struct TreeNode {
 *     int val;
 *     TreeNode *left;
 *     TreeNode *right;
 *     TreeNode() : val(0), left(nullptr), right(nullptr) {}
 *     TreeNode(int x) : val(x), left(nullptr), right(nullptr) {}
 *     TreeNode(int x, TreeNode *left, TreeNode *right) : val(x), left(left), right(right) {}
 * };
 */
class Solution {
public:
    int maxDepth(TreeNode* root)
    {
        if(root==NULL)
            return 0;
        return max(1+maxDepth(root->left), 1+maxDepth(root->right));
    }
};
```

Output:

Accepted Runtime: 0 ms

• Case 1 • Case 2

Input

root =
[3,9,20,null,null,15,7]

Output

3

Expected

3

Accepted Runtime: 0 ms

• Case 1 • Case 2

Input

root =
[1,null,2]

Output

2

Expected

2

Problem: 2

Aim: Validate Binary Search Tree

Code:

```
class Solution {
public:
    bool isValidBST(TreeNode* root) {
        return valid(root, LONG_MIN, LONG_MAX);
    }

private:
    bool valid(TreeNode* node, long minimum, long maximum) {
        if (!node) return true;

        if (!(node->val > minimum && node->val < maximum)) return false;

        return valid(node->left, minimum, node->val) && valid(node->right, node->val, maximum);
    }
};
```

Output:

Accepted Runtime: 0 ms

• Case 1 • Case 2

Input

root =
[2,1,3]

Output

true

Expected

true

Accepted Runtime: 0 ms

• Case 1 • Case 2

Input

root =
[5,1,4,null,null,3,6]

Output

false

Expected

false

Problem: 3

Aim: Symmetric Tree

Code:

```
class Solution {
public:
    bool checkForSubTrees(TreeNode* p, TreeNode* q) {
        if (p == NULL && q == NULL) {
            return true;
        }
        if (p == NULL || q == NULL) {
            return false;
        }
        if (p->val != q->val) {
            return false;
        }
        bool leftSide = checkForSubTrees(p->left, q->right);
        bool rightSide = checkForSubTrees(p->right, q->left);
        if (leftSide && rightSide) {
            return true;
        }
        return false;
    }
    bool isSymmetric(TreeNode* root) {
        if (root == NULL || (root->left == NULL && root->right == NULL)) {
            return true;
        }
        if ((root->left == NULL && root->right != NULL) ||
            (root->left != NULL && root->right == NULL)) {
            return false;
        }
        return checkForSubTrees(root->left, root->right);
    }
};
```

Output:

Accepted Runtime: 0 ms

• Case 1 • Case 2

Input

root =
[1,2,2,3,4,4,3]

Output

true

Expected

true

Accepted Runtime: 0 ms

• Case 1 • Case 2

Input

root =
[1,2,2,null,3,null,3]

Output

false

Expected

false

Problem: 4

Aim: Binary Tree Level Order Traversal

Code:

```
class Solution {
public:
    vector<vector<int>> levelOrder(TreeNode* root) {
        vector<vector<int>>ans;
        if(root==NULL)return ans;
        queue<TreeNode*>q;
        q.push(root);
        while(!q.empty()){
            int s=q.size();
            vector<int>v;
            for(int i=0;i<s;i++){
                TreeNode *node=q.front();
                q.pop();
                if(node->left!=NULL)q.push(node->left);
                if(node->right!=NULL)q.push(node->right);
                v.push_back(node->val);
            }
            ans.push_back(v);
        }
        return ans;
    }
};
```

Output:

• Case 1	• Case 2	• Case 3
Input root = [3,9,20,null,null,15,7]	Input root = [1]	Input root = []
Output [[3],[9,20],[15,7]]	Output [[1]]	Output []
Expected [[3],[9,20],[15,7]]	Expected [[1]]	Expected []

Problem :5

Aim: Convert Sorted Array to Binary Search Tree

Code:

```
#include <vector>
using namespace std;

class Solution {
public:
    TreeNode* sortedArrayToBST(vector<int>& nums) {
        return helper(nums, 0, nums.size() - 1);
    }

private:
    TreeNode* helper(vector<int>& nums, int left, int right) {
        if (left > right) return nullptr;
        int mid = left + (right - left) / 2;
        TreeNode* root = new TreeNode(nums[mid]);
        root->left = helper(nums, left, mid - 1);
        root->right = helper(nums, mid + 1, right);
        return root;
    }
};
```

Output:

Accepted Runtime: 0 ms

• Case 1 • Case 2

Input

nums =

`[-10,-3,0,5,9]`

Output

`[0,-10,5,null,-3,null,9]`

Expected

`[0,-3,9,-10,null,5]`

Accepted Runtime: 0 ms

• Case 1 • Case 2

Input

nums =

`[1,3]`

Output

`[1,null,3]`

Expected

`[3,1]`

Problem:6

Aim: Binary Tree Inorder Traversal

Code:

```
class Solution {
public:
    vector<int> inorderTraversal(TreeNode* root) {
        vector<int> res;
        inorder(root, res);
        return res;
    }
private:
    void inorder(TreeNode* node, vector<int>& res) {
        if (!node) {
            return;
        }
        inorder(node->left, res);
        res.push_back(node->val);
        inorder(node->right, res);
    }
};
```

Output:

Accepted Runtime: 0 ms

• Case 1 • Case 2 • Case 3 • Case 4

Input

root =

[1,null,2,3]

Output

[1,3,2]

Expected

[1,3,2]

Accepted Runtime: 0 ms

• Case 1 • Case 2 • Case 3 • Case 4

Input

root =

[1,2,3,4,5,null,8,null,null,6,7,9]

Output

[4,2,6,5,7,1,3,9,8]

Expected

[4,2,6,5,7,1,3,9,8]

Accepted Runtime: 0 ms

• Case 1 • Case 2 • Case 3 • Case 4

Input

root =

[]

Output

[]

Expected

[]

Accepted Runtime: 0 ms

• Case 1 • Case 2 • Case 3 • Case 4

Input

root =

[1]

Output

[1]


Expected

[1]

Problem:7

Aim: Binary Zigzag Level Order Traversal

Code:



Page Not Found

Sorry, but we can't find the page you are looking for...

[!\[\]\(8d0f0e0fe25b320c33272c52aec1fbca_img.jpg\) Back to Home](#)

Problem:8

Aim: Construct Binary Tree from Inorder and Postorder Traversal

Code:

```
class Solution {

public:
    TreeNode* buildTree(vector<int>& inorder, vector<int>& postorder) {
        unordered_map<int, int> index;
        for (int i = 0; i < inorder.size(); i++) {
            index[inorder[i]] = i;
        }
        return buildTreeHelper(inorder, postorder, 0, inorder.size() - 1, 0,
postorder.size() - 1, index);
    }

    TreeNode* buildTreeHelper(vector<int>& inorder, vector<int>& postorder, int
inorderStart, int inorderEnd, int postorderStart, int postorderEnd,
unordered_map<int, int>& index) {
        if (inorderStart > inorderEnd || postorderStart > postorderEnd) {
            return nullptr;
        }

        int rootVal = postorder[postorderEnd];
        TreeNode* root = new TreeNode(rootVal);
        int inorderRootIndex = index[rootVal];
        int leftSubtreeSize = inorderRootIndex - inorderStart;
        root->left = buildTreeHelper(inorder, postorder, inorderStart,
inorderRootIndex - 1, postorderStart, postorderStart + leftSubtreeSize - 1, index);
        root->right = buildTreeHelper(inorder, postorder, inorderRootIndex + 1,
inorderEnd, postorderStart + leftSubtreeSize, postorderEnd - 1, index);
        return root;
    }
};
```


Output:

<div>Accepted Runtime: 0 ms</div> <div><div>• Case 1</div><div>• Case 2</div></div> <div>Input</div> <div>inorder = [9,3,15,20,7]</div> <div>postorder = [9,15,7,20,3]</div> <div>Output</div> <div>[3,9,20,null,null,15,7]</div> <div>Expected</div> <div>[3,9,20,null,null,15,7]</div>	<div>Accepted Runtime: 0 ms</div> <div><div>• Case 1</div><div>• Case 2</div></div> <div>Input</div> <div>inorder = [-1]</div> <div>postorder = [-1]</div> <div>Output</div> <div>[-1]</div> <div>Expected</div> <div>[-1]</div>
--	--

Problem:9

Aim: Kth Smallest element in a BST

Code:

```
class Solution {
public:
    int kthSmallest(TreeNode* root, int k) {
        const int leftCount = countNodes(root->left);
        if (leftCount == k - 1)
            return root->val;
        if (leftCount >= k)
            return kthSmallest(root->left, k);
        return kthSmallest(root->right, k - 1 - leftCount);
    }
private:
    int countNodes(TreeNode* root) {
        if (root == nullptr)
            return 0;
        return 1 + countNodes(root->left) + countNodes(root->right);
    }
};
```

Output:

Accepted Runtime: 0 ms

• Case 1 • Case 2

Input

root =
[3,1,4,null,2]

k =
1

Output

1

Expected

1

Accepted Runtime: 0 ms

• Case 1 • Case 2

Input

root =
[5,3,6,2,4,null,null,1]

k =
3

Output

3

Expected

3

Problem: 10

Aim: Populating Next Right pointers in Each Node

Code:

```
class Solution {
public:
    Node* connect(Node* root) {
        if(!root) return nullptr;
        queue<Node*> q;
        q.push(root);
        while(size(q)) {
            Node* rightNode = nullptr;           // set rightNode to null initially
            for(int i = size(q); i; i--) {       // traversing each level
                auto cur = q.front(); q.pop();    // pop a node from current level and,
                cur -> next = rightNode;         // set its next pointer to rightNode
                rightNode = cur;                 // update rightNode as cur for next iteration
                if(cur -> right)                  // if a child exists
                    q.push(cur -> right),        // IMP: push right first to do right-to-left BFS
                    q.push(cur -> left);         // then push left
            }
        }
        return root;
    }
};
```

Output:

Accepted Runtime: 3 ms

• Case 1 • Case 2

Input

root =
[1,2,3,4,5,6,7]

Output

[1,#,2,3,#,4,5,6,7,#]

Expected

[1,#,2,3,#,4,5,6,7,#]

Accepted Runtime: 3 ms

• Case 1 • Case 2

Input

root =
[]

Output

[]

Expected

[]