# Experiment 5

| | |
|---|---|
| **Name: Maneesh** | **UID: 22BET10058** |
| **Branch: BE-IT** | **Section/Group: 22BET_701-A** |
| **Semester: 6** | **Date of Performance: 14-02-25** |
| **Subject Name: Advanced Programming Lab-2** | **Subject Code: 22ITP-351** |

**Problem 1.** Merge Sorted Array - You are given two integer arrays nums1 and nums2, sorted in non-decreasing order, and two integers m and n, representing the number of elements in nums1 and nums2 respectively.

**Code:**
```
class Solution {
public:
    void merge(vector<int>& nums1, int m, vector<int>& nums2, int n) {
        for (int j = 0, i = m; j<n; j++){
            nums1[i] = nums2[j];
            i++;
        }
        sort(nums1.begin(),nums1.end());
    }
};
```

**Output:**

Accepted   Runtime: 0 ms

• Case 1    • Case 2    • Case 3

Input

nums1 =
[1]

m =
1

nums2 =
[]

n =
0

Output

[1]

**Problem 2.** First Bad Version - You are a product manager and currently leading a team to develop a new product. Unfortunately, the latest version of your product fails the quality check. Since each version is developed based on the previous version, all the versions after a bad version are also bad.

**Code:**

```cpp
class Solution {
public:
    int firstBadVersion(int n) {
        int first = 1;
        int last = n;

        while (first < last) {
            int mid = first + (last - first) / 2;

            if (isBadVersion(mid)) {
                last = mid; // Mid could be the first bad version, so narrow the
                            // range to the left half.
            } else {
                first = mid + 1; // If mid is not bad, the first bad version
                                 // must be after mid.
            }
        }
        return first; // At the end, first will be the first bad version.
    }
};
```

**Output:**

**Accepted**  Runtime: 0 ms

• Case 1      • Case 2

Input

n =
5

bad =
4

Output

4

**Problem 3.** Sort Colors. - Given an array nums with n objects colored red, white, or blue, sort them in-place so that objects of the same color are adjacent, with the colors in the order red, white, and blue.

**Code:**
```cpp
class Solution {
public:
    void sortColors(vector<int>& nums) {
        int low = 0, mid = 0, high = nums.size()-1;
        while(mid <= high){
            if(nums[mid] == 0){
                swap(nums[low], nums[mid]);
                low++;
                mid++;
            }
            else if(nums[mid] == 1){
                mid++;
            }
            else{
                swap(nums[mid], nums[high]);
                high--;
            }
        }
    }
};
```

**Output:**

**Accepted**   Runtime: 0 ms

• Case 1    • Case 2

Input

nums =
[2,0,2,1,1,0]

Output

[0,0,1,1,2,2]

**Problem 4.** Top K frequent elements- Given an integer array nums and an integer k, return the k most frequent elements. You may return the answer in any order.

**Code:**

```cpp
class Solution {
public:
    vector<int> topKFrequent(vector<int>& nums, int k) {
        int n = nums.size();
        unordered_map<int, int> map;
        vector<int> ans;
        for (int &x : nums) map[x]++;
        vector<vector<int>> arr(n + 1);
        for (auto [a, b] : map) arr[b].push_back(a);
        for (int i = n; i > 0; i--) {
            for (int &x : arr[i]) {
                if (ans.size() == k) return ans;
                ans.push_back(x);
            }
        }
        return ans;
    }
};
```

**Output:**

Accepted   Runtime: 0 ms

• Case 1      • Case 2

Input

nums =
[1,1,1,2,2,3]

k =
2

Output

[1,2]

**Problem 5.** Kth Largest element in an array- Given an integer array nums and an integer k, return the kth largest element in the array.

## Code:

```cpp
#include <queue>
#include <vector>

using namespace std;

class Solution {
public:
    int findKthLargest(vector<int>& nums, int k) {
        priority_queue<int, vector<int>, greater<int>> minHeap;

        for (int num : nums) {
            minHeap.push(num);
            if (minHeap.size() > k) {
                minHeap.pop(); // Remove smallest element
            }
        }

        return minHeap.top();
    }
};
```

## Output:

Accepted    Runtime: 0 ms

• Case 1    • Case 2

Input

nums =

[3,2,1,5,6,4]

k =

2

Output

5

**Problem 6.** Find Peak Element-A peak element is an element that is strictly greater than its neighbors. Given a 0-indexed integer array nums, find a peak element, and return its index. If the array contains multiple peaks, return the index to any of the peaks..

**Code:**
```cpp
class Solution {
public:
    int findPeakElement(vector<int>& nums) {
        int n=nums.size();
        if(n==1)return 0;
        int low=1, high=n-2;
        if(nums[0]>nums[1])return 0;
        if(nums[n-1]>nums[n-2])return n-1;
        while(low<=high){
            int mid=low+(high-low)/2;
            if(nums[mid]>nums[mid-1] && nums[mid]>nums[mid+1])
                return mid;
            else if(nums[mid]>nums[mid+1]){
                high=mid-1;
            }
            else
                low=mid+1;
        }
        return -1;
    }
};
```

**Output:**

Accepted  Runtime: 0 ms

• Case 1    • Case 2

Input

nums =
[1,2,3,1]

Output

2

**Problem 7.** Merge Intervals- Given an array of intervals where intervals[i] = [starti, endi], merge all overlapping intervals, and return an array of the non-overlapping intervals that cover all the intervals in the input.

**Code:**
```cpp
class Solution {
public:
    vector<vector<int>> merge(vector<vector<int>>& intervals) {
        sort(intervals.begin(), intervals.end()); // Sort intervals by start time
        int k = 0; // Index for merged intervals

        for (int i = 1; i < intervals.size(); i++) {
            if (intervals[k][1] >= intervals[i][0]) { // Overlap detected
                intervals[k][1] = max(intervals[k][1], intervals[i][1]); // Merge
            } else {
                k++; // Move to the next position
                intervals[k] = intervals[i]; // Replace in-place
            }
        }

        intervals.resize(k + 1); // Resize to include only merged intervals
        return intervals;
    }
};
```
**Output:**

Accepted   Runtime: 0 ms

• Case 1      • Case 2

Input

intervals =
[[1,3],[2,6],[8,10],[15,18]]

Output

[[1,6],[8,10],[15,18]]

**Problem 8.** Search in Rotated Sorted Array - There is an integer array nums sorted in ascending order (with distinct values). Prior to being passed to your function, nums is possibly rotated at an unknown pivot index k (1 <= k < nums.length) such that the resulting array is [nums[k], nums[k+1], ..., nums[n-1], nums[0], nums[1], ..., nums[k-1]] (0-indexed). For example, [0,1,2,4,5,6,7] might be rotated at pivot index 3 and become [4,5,6,7,0,1,2].

**Code:**

```cpp
#include<vector>
using namespace std;
class Solution{
    public:
    int search(vector<int>&nums,int target){
        int left=0,right=nums.size()-1;
        while(left<=right){
            int mid=left+(right-left)/2;
            if(nums[mid]==target)return mid;
            if(nums[left]<=nums[mid]){
                if(nums[left]<=target&&target<nums[mid]){
                    right=mid-1;
                }else{
                    left=mid+1;
                }
            }else{
                if(nums[mid]<target&&target<=nums[right]){
                    left=mid+1;
                }else{
                    right=mid-1;
                }
            }
        }
        return-1;
    }
};
```

**Output:**

Accepted    Runtime: 0 ms

• **Case 1**    • Case 2    • Case 3

Input

nums =
[4,5,6,7,0,1,2]

target =
0

Output

4

**Problem 9.** Search a 2D Matrix II - Write an efficient algorithm that searches for a value target in an m x n integer matrix matrix. This matrix has the following properties:

**Code:**
```cpp
class Solution {
private:
    bool search(vector<int>& arr, int target) {
        int low = 0, high = arr.size() - 1;
        while (low <= high) {
            int mid = low + (high - low) / 2;
            if (arr[mid] == target) return true;
            else if (arr[mid] < target) low = mid + 1;
            else high = mid - 1;
        }
        return false;
    }
public:
    bool searchMatrix(vector<vector<int>>& matrix, int target) {
        int n = matrix.size(), m = matrix[0].size();
        for (int i = 0; i < n; i++) {
            if (search(matrix[i], target)) {
                return true;
            }
        }
        return false;
    }
};
```

**Output:**

**Accepted**   Runtime: 0 ms

• Case 1      • Case 2

Input

matrix =

[[1,4,7,11,15], [2,5,8,12,19], [3,6,9,16,22], [10,13,14,17,24], [18,21,23,26,30]]

target =

5

Output

true

**Problem 10.** Kth smallest element in a sorted matrix - Given an n x n matrix where each of the rows and columns is sorted in ascending order, return the kth smallest element in the matrix.Note that it is the kth smallest element in the sorted order, not the kth distinct element.You must find a solution with a memory complexity better than O(n2).

**Code:**

```
class Solution {
public:
    int kthSmallest(vector<vector<int>> &matrix, int k) {
        int m = matrix.size(), n = matrix[0].size(); // For general, the matrix need not be a square
        priority_queue<int> maxHeap;
        for (int r = 0; r < m; ++r) {
            for (int c = 0; c < n; ++c) {
                maxHeap.push(matrix[r][c]);
                if (maxHeap.size() > k) maxHeap.pop();
            }
        }
        return maxHeap.top();
    }
};
```

**Output:**

**Accepted**   Runtime: 0 ms

• Case 1      • Case 2

Input

matrix =
[[1,5,9],[10,11,13],[12,13,15]]

k =
8

Output

13