



DEPARTMENT OF COMPUTER SCIENCE & ENGINEERING

Discover. Learn. Empower.

Experiment: - 9

Student Name: Vinay

UID: 22BCS12743

Branch: CSE

Section/Group: 22BCS-NTTP-IOT-603/B

Semester: 6th

Date of Performance: 02/04/2025

Subject Name: Advanced Programming Lab-2 **Subject Code:** 22CSP-351

Problem -1

1. Aim: Number of Islands

2. Objective:


- **Learn to Identify Islands in a Grid:** Understand how to recognize separate land regions in a 2D grid where '1' represents land and '0' represents water.
- **Use Depth-First Search (DFS) for Exploration:** Learn how DFS helps in visiting all connected land cells, ensuring each island is counted only once.
- **Implement Grid Traversal Effectively:** Understand how to scan each cell in the grid systematically, making sure no land portion is left unchecked.
- **Apply Recursion to Find Connected Areas:** Learn how recursive function calls help explore all possible directions (up, down, left, right) to find the full extent of an island.
- **Enhance Problem-Solving Abilities in Graph Theory:** Develop skills in handling graph-based problems, such as finding connected components, which have real-world applications.

3. Implementation/Code:

```
class Solution {
public:
    void dfs(vector<vector<char>>& grid, int i, int j) {
        int m = grid.size(), n = grid[0].size();
        if (i < 0 || j < 0 || i >= m || j >= n || grid[i][j] == '0') {
            return;
        }
        grid[i][j] = '0';
        dfs(grid, i + 1, j);
        dfs(grid, i - 1, j);
        dfs(grid, i, j + 1);
        dfs(grid, i, j - 1);
    }
    int numIslands(vector<vector<char>>& grid) {
        if (grid.empty()) return 0;
        int m = grid.size(), n = grid[0].size(), count = 0;
        for (int i = 0; i < m; ++i) {
            for (int j = 0; j < n; ++j) {
                if (grid[i][j] == '1') {
```

```
        ++count;  
        dfs(grid, i, j);  
    }  
}  
}  
return count;  
}  
};
```

4. Output



The screenshot shows a C++ IDE interface. At the top, there's a 'Code' tab. Below it, the language is set to 'C++' and 'Auto' is selected. The main area shows 'Testcase' and 'Test Result' tabs. The 'Test Result' tab is active, displaying 'Accepted' in green and 'Runtime: 3 ms'. Below this, there are two tabs: 'Case 1' and 'Case 2'. Under 'Case 1', the 'Input' section shows a 4x5 grid of 1s and 0s. The 'Output' section shows the number '1'. The 'Expected' section also shows the number '1'.

Figure 1

5. Learning Outcomes:

- **Ability to Count Islands in a Grid:** Gain the skill to count distinct islands in a binary grid by detecting connected land regions.
- **Understanding of DFS and Its Application:** Learn how Depth-First Search (DFS) is used to traverse and mark visited land cells in a grid.
- **Efficiency in Grid-Based Problem Solving:** Become proficient in scanning and modifying grid structures to solve connectivity problems.
- **Mastering Recursion for Connectivity Checks:** Develop an understanding of recursive algorithms for exploring all possible paths in a grid.
- **Improved Logical Thinking and Coding Skills:** Strengthen logical reasoning by solving complex problems related to graphs and connected components.

Problem-2

1. Aim: Surrounded Regions

2. Objectives:

- **Understand Capturing Regions in a Grid:** Learn how to identify and replace 'O' regions that are completely surrounded by 'X' in a 2D matrix.
- **Use Depth-First Search (DFS) for Traversal:** Explore how DFS helps mark connected 'O' cells on the board edges, preventing them from being captured.
- **Handle Edge Cases Efficiently:** Understand how to correctly process the grid by checking border 'O' cells first and avoiding unnecessary replacements.
- **Modify the Grid in Place:** Learn how to update the given board directly without using extra memory, making the solution efficient.
- **Improve Logical Thinking in Grid Problems:** Strengthen problem-solving skills by working with matrix-based transformations and connected components.

3. Implementation/Code:


```
class Solution {
public:
    void dfs(vector<vector<char>>& board, int i, int j) {
        int m = board.size(), n = board[0].size();
        if (i < 0 || i >= m || j < 0 || j >= n || board[i][j] != 'O')
            return;
        board[i][j] = '#';
        dfs(board, i + 1, j);
        dfs(board, i - 1, j);
        dfs(board, i, j + 1);
        dfs(board, i, j - 1);
    }
    void solve(vector<vector<char>>& board) {
        int m = board.size(), n = board[0].size();
        if (m == 0 || n == 0) return;
        for (int i = 0; i < m; i++) {
            if (board[i][0] == 'O') dfs(board, i, 0);
            if (board[i][n - 1] == 'O') dfs(board, i, n - 1);
        }
        for (int j = 0; j < n; j++) {
            if (board[0][j] == 'O') dfs(board, 0, j);
            if (board[m - 1][j] == 'O') dfs(board, m - 1, j);
        }
        for (int i = 0; i < m; i++) {
```

```

        for (int j = 0; j < n; j++) {
            if (board[i][j] == 'O') board[i][j] = 'X';
            if (board[i][j] == '#') board[i][j] = 'O';
        }
    }
}
};

```

4. Output:



The screenshot shows a code editor with a C++ program. The program defines a 4x4 grid and processes it. The input grid is:

```

board =
[["X", "X", "X", "X"], ["X", "O", "O", "X"], ["X", "X", "O", "X"], ["X", "O", "X", "X"]]

```

The output grid is:

```

[["X", "X", "X", "X"], ["X", "X", "X", "X"], ["X", "X", "X", "X"], ["X", "O", "X", "X"]]

```

The expected grid is:

```

[["X", "X", "X", "X"], ["X", "X", "X", "X"], ["X", "X", "X", "X"], ["X", "O", "X", "X"]]

```

Figure 2

5. Learning Outcomes:

- **Ability to Detect Surrounded Regions:** Gain the skill to identify and replace 'O' regions that are fully enclosed by 'X' cells.
- **Understanding of DFS for Grid Exploration:** Learn how DFS can traverse connected components in a 2D grid and mark visited cells.
- **Mastering Edge Case Handling:** Develop techniques to correctly identify which 'O' regions should be replaced and which should remain.
- **Efficiently Modifying Data Structures:** Learn how to update the board in place using temporary markers, ensuring an optimized approach.
- **Enhancing Coding and Problem-Solving Skills:** Improve the ability to implement algorithms that modify grids dynamically, useful in various applications.

Problem: - 3

1. Aim: Lowest Common Ancestor of a Binary Tree


2. Objectives:

- Learn how to find the lowest common ancestor of two nodes in a binary tree using recursion. This helps in understanding hierarchical relationships in trees and improves knowledge of tree-based algorithms.
- Understand how depth-first search (DFS) is used to traverse the tree efficiently. This method helps in searching for nodes and their ancestors and enhances tree traversal techniques.
- Improve problem-solving skills by analysing tree structures and solving ancestor-related problems. This enhances logical thinking in programming and helps in developing efficient solutions.
- Learn to handle base cases and edge cases in recursive tree problems. This ensures the solution works correctly for all possible inputs and prevents errors in complex tree structures.
- Develop coding skills by implementing tree traversal techniques. This helps in solving similar tree-based problems in interviews and real-world applications, making coding more efficient.

3. Implementation/Code:

```
class Solution {
public:
    TreeNode* lowestCommonAncestor(TreeNode* root, TreeNode* p, TreeNode* q) {
        if (root == NULL || root == p || root == q) {
            return root;
        }
        TreeNode* left = lowestCommonAncestor(root->left, p, q);
        TreeNode* right = lowestCommonAncestor(root->right, p, q);
        if (left != NULL && right != NULL) {
            return root;
        }
        return left != NULL ? left : right;
    }
};
```

4. Output:



The screenshot shows a C++ IDE interface with a dark theme. At the top, there's a 'Code' tab and a 'Test Result' tab. The 'Test Result' tab is active, showing 'Accepted' in green text and 'Runtime: 3 ms'. Below this, there are three tabs: 'Case 1', 'Case 2', and 'Case 3'. 'Case 1' is selected. Under 'Input', there are three text boxes: 'root =' containing '[3,5,1,6,2,0,8,null,null,7,4]', 'p =' containing '5', and 'q =' containing '1'. Under 'Output', there is a text box containing '3'. Under 'Expected', there is a text box containing '3'.

Figure 3

5. Learning Outcomes:

- You will be able to find the lowest common ancestor of two given nodes in a binary tree. This will help in solving hierarchical tree problems.
- You will understand how recursion helps in solving complex tree-based problems. This will improve your ability to write efficient recursive functions.
- You will learn to apply depth-first search (DFS) to navigate through trees. This will make it easier to find specific nodes and their ancestors.
- You will gain confidence in handling base cases and edge cases in recursive solutions. This will ensure your code runs correctly for all scenarios.
- You will be able to write clear and optimized C++ code for tree problems. This will strengthen your programming skills and logical thinking.