ASSIGNMENT 3

STUDENT NAME: LAKSHIT MALHOTRA

BRANCH: CSE

SEMESTER: 6

SUBJECT NAME: AP LAB -2

UID: 22BCS13047

SECTION: 22BCS_FL_IOT_601A


DATE OF SUBMISSION: 4/3/25

SUBJECT CODE: 22CSP-351

LEET CODE QUESTIONS:

94.BINARY TREE INORDER TRAVERSAL

```
import java.util.*;
class Solution {
    public List<Integer> inorderTraversal(TreeNode
root) {
        List<Integer> result = new ArrayList<>();
        Stack<TreeNode> stack = new Stack<>();
        TreeNode curr = root;
        while (curr != null || !stack.isEmpty()) {
            while (curr != null) {
                stack.push(curr);
                 curr = curr.left;
            }
            curr = stack.pop();
            result.add(curr.val);
            curr = curr.right;
        }
        return result;
    }
}
```





101.SYMMETRIC TREE

```
class Solution {
   public boolean isSymmetric(TreeNode root) {
      return root == null || isMirror(root.left, root.right);
   }
   private boolean isMirror(TreeNode t1, TreeNode t2) {
      if (t1 == null || t2 == null) return t1 == t2;
      return (t1.val == t2.val) && isMirror(t1.left, t2.right) && isMirror(t1.right, t2.left);
   }
}
```



104.MAXIMUM DEPTH OF BINARY TREE

```
class Solution {
   public int maxDepth(TreeNode root) {
      if (root == null) return 0;
      return 1 + Math.max(maxDepth(root.left), maxDepth(root.right));
   }
```



98.VALIDATE BINARY SEARCH TREE

```
class Solution {
   public boolean isValidBST(TreeNode root) {
      return validate(root, Long.MIN_VALUE, Long.MAX_VALUE);
   }
   private boolean validate(TreeNode node, long min, long max) {
      if (node == null) return true;
      if (node.val <= min || node.val >= max) return false;
      return validate(node.left, min, node.val) && validate(node.right, node.val, max);
}
```

Code S Accepted ×

All Submissions

Accepted 86 / 86 testcases passed

LAKSHIT MA... submitted at Mar 03, 2025 09:52

© Runtime

Ons | Beats 100.00% © Analyze Complexity

© Memory

43.38 MB | Beats 68.78% © 100%

100%

100%

100%

2ms 3ms 4ms



230.KTH SMALLEST ELEMENT IN A BST

```
class Solution {
  int count = 0, result = 0;
  public int kthSmallest(TreeNode root, int k) {
    inorder(root, k);
    return result;
  }
  private void inorder(TreeNode node, int k) {
    if (node == null) return;
    inorder(node.left, k);
    count++;
    if (count == k) result = node.val;
    inorder(node.right, k);
  }
}
```




102. BINARY TREE LEVEL ORDER TRAVERSAL



107.BINARY TREE LEVEL ORDER TRAVERSAL II


```
class Solution {
  public List<List<Integer>> levelOrderBottom(TreeNode root) {
    LinkedList<List<Integer>> result = new LinkedList<>();
    if (root == null) return result;
    Queue<TreeNode> queue = new LinkedList<>();
    queue.add(root);
    while (!queue.isEmpty()) {
       List<Integer> level = new ArrayList<>();
       int size = queue.size();
       for (int i = 0; i < size; i++) {
         TreeNode node = queue.poll();
         level.add(node.val);
         if (node.left != null) queue.add(node.left);
         if (node.right != null)
queue.add(node.right);
       result.addFirst(level);
    return result;
```





103.BINARY TREE ZIGZAG LEVEL ORDER TRAVERSAL


```
class Solution {
  public List<List<Integer>> zigzagLevelOrder(TreeNode root) {
    List<List<Integer>> result = new ArrayList<>();
    if (root == null) return result;
     Queue<TreeNode> queue = new LinkedList<>();
    queue.add(root);
    boolean leftToRight = true;
     while (!queue.isEmpty()) {
       LinkedList<Integer> level = new
LinkedList<>();
       int size = queue.size();
       for (int i = 0; i < size; i++) {
          TreeNode node = queue.poll();
          if (leftToRight) level.addLast(node.val);
          else level.addFirst(node.val);
          if (node.left != null)
queue.add(node.left);
          if (node.right != null)
queue.add(node.right);
       result.add(level);
       leftToRight = !leftToRight;
     return result;
```





199.BINARY TREE RIGHT SIDE VIEW

```
class Solution {
  public List<Integer> rightSideView(TreeNode
root) {
     List<Integer> result = new ArrayList<>();
     if (root == null) return result;
     Queue<TreeNode> queue = new
LinkedList<>();
    queue.add(root);
     while (!queue.isEmpty()) {
       int size = queue.size();
       for (int i = 0; i < size; i++) {
          TreeNode node = queue.poll();
          if (i == size - 1) result.add(node.val);
          if (node.left != null) queue.add(node.left);
          if (node.right != null) queue.add(node.right);
     return result;
```



106.CONSTRUCT BINARY TREE FROM INORDER AND POSTORDER TRAVERSAL

```
import java.util.*;
class Solution {
    private int postIndex;
    private Map<Integer, Integer> inorderMap;
    public TreeNode buildTree(int[] inorder, int[] postorder) {
        postIndex = postorder.length - 1;
        inorderMap = new HashMap<>();
        for (int i = 0; i < inorder.length; i++) {
            inorderMap.put(inorder[i], i);
        }
}</pre>
```

```
return build(0, inorder.length - 1, postorder);
}
private TreeNode build(int left, int right, int[]
postorder) {
    if (left > right) return null;
    int val = postorder[postIndex--];
    TreeNode node = new TreeNode(val);
    node.right = build(inorderMap.get(val) + 1, right, postorder);
    node.left = build(left, inorderMap.get(val) - 1, postorder);
    return node;
}
```



513.FIND BOTTOM LEFT TREE VALUE

```
class Solution {
   public int findBottomLeftValue(TreeNode root) {
      Queue<TreeNode> queue = new
LinkedList<>();
      queue.add(root);
      int bottomLeft = root.val;


   while (!queue.isEmpty()) {
        TreeNode node = queue.poll();
        if (node.right != null) queue.add(node.right);
        if (node.left != null) queue.add(node.left);
        bottomLeft = node.val;
    }
    return bottomLeft;
```



124. BINARY TREE MAXIMUM PATH SUM

```
class Solution {
  int maxSum = Integer.MIN_VALUE;
  public int maxPathSum(TreeNode root) {
    maxGain(root);
    return maxSum;
  }
  private int maxGain(TreeNode node) {
    if (node == null) return 0;
    int left = Math.max(maxGain(node.left), 0);
    int right = Math.max(maxGain(node.right),
    0);
    maxSum = Math.max(maxSum, left + right + node.val);
    return node.val + Math.max(left, right);
  }
```

}



987. VERTICAL ORDER TRAVERSAL OF A BINARY TREE

```
import java.util.*;
class Solution {
    class Tuple {
        TreeNode node;
        int row, col;
        public Tuple(TreeNode node, int row, int col) {
            this.node = node;
            this.row = row;
            this.col = col;
        }
    }
    public List<List<Integer>> verticalTraversal(TreeNode root) {
        TreeMap<Integer, TreeMap<Integer, PriorityQueue<Integer>>> map = new
TreeMap<>);
```

return result;

```
Queue<Tuple> queue = new LinkedList<>();
queue.offer(new Tuple(root, 0, 0)
while (!queue.isEmpty()) {
  Tuple t = queue.poll();
  TreeNode node = t.node;
  int row = t.row, col = t.col;
  map.putIfAbsent(col, new TreeMap<>());
  map.get(col).putIfAbsent(row, new PriorityQueue<>>());
  map.get(col).get(row).offer(node.val);
  if (node.left != null) queue.offer(new Tuple(node.left, row + 1, col - 1));
  if (node.right != null) queue.offer(new Tuple(node.right, row + 1, col + 1));
List<List<Integer>> result = new ArrayList<>();
for (TreeMap<Integer, PriorityQueue<Integer>> rowMap : map.values()) {
  List<Integer> vertical = new ArrayList<>();
  for (PriorityQueue<Integer> nodes : rowMap.values()) {
     while (!nodes.isEmpty()) {
       vertical.add(nodes.poll());
                                            Code | 5 Accepted ×
                                          ← All Submissions
   }
                                                                      Ⅲ Editorial
  result.add(vertical);
```

