

ASSIGNMENT 6

STUDENT NAME: AKASH PANDEY UID: 22BCS11135

BRANCH: CSE SECTION: 22BCS_FL_IOT_601A

SEMESTER: 6 DATE OF SUBMISSION: 16/3/25

SUBJECT NAME: AP LAB -2 SUBJECT CODE: 22CSP-351

LEET CODE QUESTIONS:

108.CONVERT SORTED ARRAY TO BINARY SEARCH TREE

```
class Solution {
   public TreeNode sortedArrayToBST(int[] nums) {
      return helper(nums, 0, nums.length - 1);
   }
   private TreeNode helper(int[] nums, int left, int right) {
      if (left > right) return null;
      int mid = left + (right - left) / 2;
      TreeNode node = new TreeNode(nums[mid]);
      node.left = helper(nums, left, mid - 1);
      node.right = helper(nums, mid + 1, right);
      return node;
   }
}
```



191. NUMBER OF 1 BITS

```
class Solution {
  public int hammingWeight(int n) {
    int count = 0;
    while (n != 0) {
      count += (n & 1);
      n >>>= 1;
    }
    return count;
  }
}
```

```
Description Control Co
```

912.SORT AN ARRAY

```
class Solution {
  public int[] sortArray(int[] nums) {
     mergeSort(nums, 0, nums.length - 1);
     return nums;
  private void mergeSort(int[] nums, int left, int right)
     if (left >= right) return;
     int mid = left + (right - left) / 2;
     mergeSort(nums, left, mid);
     mergeSort(nums, mid + 1, right);
     merge(nums, left, mid, right);
  private void merge(int[] nums, int left, int mid, int right) {
     int[] temp = new int[right - left + 1];
     int i = left, j = mid + 1, k = 0;
     while (i \le mid \&\& j \le right) {
       if (nums[i] \le nums[j]) temp[k++] = nums[i++];
       else temp[k++] = nums[i++];
     while (i \le mid) temp[k++] = nums[i++];
     while (i \le right) temp[k++] = nums[i++];
     System.arraycopy(temp, 0, nums, left, temp.length);
```

53.MAXIMUM SUBARRAY

```
class Solution {
  public int maxSubArray(int[] nums) {
    int maxSum = nums[0], currSum = nums[0];
    for (int i = 1; i < nums.length; i++) {
        currSum = Math.max(nums[i], currSum +
        nums[i]);
        maxSum = Math.max(maxSum, currSum);
    }
    return maxSum;
}</pre>
```



932.BEAUTIFUL ARRAY

```
class Solution {
  public int[] beautifulArray(int n) {
    List<Integer> res = new ArrayList<>();
  res.add(1);
  while (res.size() < n) {
    List<Integer> temp = new ArrayList<>();
    for (int num : res) if (num * 2 - 1 <= n) temp.add(num * 2 - 1);
    for (int num : res) if (num * 2 <= n) temp.add(num * 2);
    res = temp;
  }
  return res.stream().mapToInt(i -> i).toArray();
}
```



372.SUPER POW

class Solution {

```
private static final int MOD = 1337;
public int superPow(int a, int[] b) {
    return modPow(a, arrayToInt(b), MOD);
}

private int arrayToInt(int[] b) {
    int num = 0;
    for (int digit : b) num = (num * 10 + digit) % 1140;
    return num == 0 ? 1140 : num;
}

private int modPow(int a, int b, int mod) {
    a %= mod;
    int res = 1;
    while (b > 0) {
        if ((b & 1) == 1) res = (res * a) % mod;
        a = (a * a) % mod;
        b >>= 1;
    }
    return res;
}
```





218.THE SKYLINE PROBLEM

```
class Solution {
  public List<List<Integer>> getSkyline(int[][] buildings) {
    List<int[]> events = new ArrayList<>();
    for (int[] b : buildings) {
       events.add(new int[]{b[0], -b[2]});
       events.add(new int[]{b[1], b[2]});
     Collections.sort(events, (a, b) \rightarrow a[0] == b[0]? Integer.compare(a[1], b[1]):
Integer.compare(a[0], b[0]);
    List<List<Integer>> res = new ArrayList<>();
    TreeMap<Integer, Integer> heightMap = new
TreeMap<>(Collections.reverseOrder());
    heightMap.put(0, 1);
    int prevHeight = 0;
     for (int[] e : events) {
       if (e[1] < 0) heightMap.put(-e[1], heightMap.getOrDefault(-e[1], 0) + 1);
       else {
          if (heightMap.get(e[1]) == 1) heightMap.remove(e[1]);
          else heightMap.put(e[1], heightMap.get(e[1]) - 1);
       int currHeight = heightMap.firstKey();
       if (currHeight != prevHeight) {
         res.add(Arrays.asList(e[0], currHeight));
         prevHeight = currHeight;
     return res;
```