



DEPARTMENT OF COMPUTER SCIENCE & ENGINEERING

Discover. Learn. Empower.

Experiment 5

Student Name:Anirban chakraborty

Branch: CSE

Semester: 6th

Subject Name: Advanced Programming - 2

UID:22BCS11826

Section/Group: 637-B

Date of Performance:20/2/25

Subject Code: 22CSH-351


Ques 1:

Aim: Same Tree

Code:

```
class Solution(object):
    def isSameTree(self, p, q):
        if not p and not q:
            return True
        if not p or not q:
            return False
        if p.val != q.val:
            return False
        return self.isSameTree(p.left, q.left) and self.isSameTree(p.right, q.right)
```

Submission Screenshot:





DEPARTMENT OF COMPUTER SCIENCE & ENGINEERING

Discover. Learn. Empower.

Ques 2:

Aim: Symmetric Tree

Code:

```
class TreeNode:
```

```
    def __init__(self, val=0, left=None, right=None):
```

```
        self.val = val
```

```
        self.left = left
```

```
        self.right = right
```

```
class Solution:
```

```
    def isSymmetric(self, root):
```

```
        if not root:
```

```
            return True
```

```
        return self.isMirror(root.left, root.right)
```

```
    def isMirror(self, t1, t2):
```

```
        if not t1 and not t2:
```

```
            return True
```

```
        if not t1 or not t2:
```


```
            return False
```

```
        if t1.val != t2.val:
```

```
            return False
```

```
        return self.isMirror(t1.left, t2.right) and self.isMirror(t1.right, t2.left)
```

Submission Screenshot:



Ques 3:


Aim: Balanced Binary Tree

Code:

```
class TreeNode:
    def __init__(self, val=0, left=None, right=None):
        self.val = val
        self.left = left
        self.right = right
class Solution:
    def isBalanced(self, root):
        def height(node):
            if not node:
                return 0
            left, right = height(node.left), height(node.right)
            if abs(left - right) > 1 or left == -1 or right == -1:
                return -1
            return max(left, right) + 1

        return height(root) != -1
```

Submission Screenshot:





DEPARTMENT OF COMPUTER SCIENCE & ENGINEERING

Discover. Learn. Empower.

Ques 4:

Aim: Path Sum

Code:


```
class TreeNode:
```

```
    def __init__(self, val=0, left=None, right=None):  
        self.val = val  
        self.left = left  
        self.right = right
```

```
class Solution:
```

```
    def hasPathSum(self, root, targetSum):  
        if not root:  
            return False  
        if not root.left and not root.right and root.val == targetSum:  
            return True  
        return self.hasPathSum(root.left, targetSum - root.val) or self.hasPathSum(root.right,  
targetSum - root.val)
```

Submission Screenshot:




Ques 5:

Aim: Count Complete Tree Nodes

Code:

```
class TreeNode:
    def __init__(self, val=0, left=None, right=None):
        self.val = val
        self.left = left
        self.right = right
class Solution:
    def countNodes(self, root):
        if not root:
            return 0
        lh, rh = self.getHeight(root.left), self.getHeight(root.right)
        if lh == rh:
            return (1 << lh) + self.countNodes(root.right)
        else:
            return (1 << rh) + self.countNodes(root.left)
    def getHeight(self, node):
        h = 0
        while node:
            h += 1
            node = node.left
        return h
```

Submission Screenshot:



Ques 6:

Aim: Delete node in a BST

Code:

```
class TreeNode:
```

```
    def __init__(self, val=0, left=None, right=None):
```

```
        self.val = val
```

```
        self.left = left
```

```
        self.right = right
```

```
class Solution:
```

```
    def deleteNode(self, root, key):
```

```
        if not root: return None
```

```
        if key < root.val: root.left = self.deleteNode(root.left, key)
```

```
        elif key > root.val: root.right = self.deleteNode(root.right, key)
```

```
        else:
```

```
            if not root.left: return root.right
```

```
            if not root.right: return root.left
```

```
            minNode = self.getMin(root.right)
```

```
            root.val, root.right = minNode.val, self.deleteNode(root.right, minNode.val)
```


```
        return root
```

```
    def getMin(self, node):
```

```
        while node.left: node = node.left
```

```
        return node
```

Submission Screenshot:



Ques 7:

Aim: Diameter of Binary Tree

Code:

```
class TreeNode:
    def __init__(self, val=0, left=None, right=None):
        self.val = val
        self.left = left
        self.right = right
class Solution:
    def diameterOfBinaryTree(self, root):
        self.diameter = 0
        def depth(node):
            if not node: return 0
            left, right = depth(node.left), depth(node.right)
            self.diameter = max(self.diameter, left + right)
            return 1 + max(left, right)
        depth(root)
        return self.diameter
```

Submission Screenshot:



DEPARTMENT OF COMPUTER SCIENCE & ENGINEERING

Discover. Learn. Empower.

