



Experiment 3

StudentName: Abith

UID: 22BCS10634

Branch: BE-CSE

Section/Group: 22BCS_NTPP_603'A'

Semester: 6th

DateofPerformance: 21-01-25

Subject Name: AP Lab-2

Subject Code: 22CSP-351

1. Aim: Merge Two Sorted Lists

2. Objective:

You are given the heads of two sorted linked lists list1 and list2.

Merge the two lists into one sorted list. The list should be made by splicing together the nodes of the first two lists.

Return the head of the merged linked list.

Example 1:

Input: list1 = [1,2,4], list2 = [1,3,4]

Output: [1,1,2,3,4,4]

3. Implementation/Code:

```
ListNode* mergeTwoLists(ListNode* list1, ListNode* list2) {
```

```
    ListNode dummy(0);
```

```
    ListNode* tail = &dummy;
```

```
    while (list1 != NULL && list2 != NULL) {
```

```
        if (list1->val < list2->val) {
```

```
            tail->next = list1;
```

```
            list1 = list1->next;
```

```

    } else {
        tail->next = list2;
        list2 = list2->next;
    }
    tail = tail->next;
}
if (list1 != NULL) {
    tail->next = list1;
} else {
    tail->next = list2;
}
return dummy.next;
}

```

4. Output

Accepted Runtime: 0 ms

• Case 1 • Case 2 • Case 3

Input

list1 =
[1, 2, 4]

list2 =
[1, 3, 4]

Output

[1, 1, 2, 3, 4, 4]

Expected

[1, 1, 2, 3, 4, 4]

Accepted Runtime: 0 ms

• Case 1 • Case 2 • Case 3

Input

list1 =
[]

list2 =
[]

Output

[]

Expected

[]

Accepted Runtime: 0 ms

• Case 1 • Case 2 • Case 3

Input

list1 =
[]

list2 =
[0]

Output

[0]

Expected

[0]

5. Learning Outcome:

- i. We Learn About the use of Dummy Node.
- ii. We Learn About the use of ll.
- iii. We Learn About the use of indexing.
- iv. We learn About the ordered Next Node.
- v. We Learn About the Calling For the function.

Question 2.

1. Aim: Remove Duplicates from Sorted List

2. Objective:

Given the head of a sorted linked list, *delete all duplicates such that each element appears only once*. Return the linked list **sorted** as well.

Example 1:

Input: head = [1,1,2]

Output: [1,2]

3. Implementation/Code:

```
ListNode* deleteDuplicates(ListNode* head) {  
    if (head == NULL) return NULL;  
    ListNode* current = head;  
  
    while (current->next != NULL) {  
        if (current->val == current->next->val) {  
  
            ListNode* temp = current->next;  
            current->next = current->next->next;  
            delete temp;  
        }  
    }  
}
```

```
        } else {  
            current = current->next;  
        }  
    }  
    return head;  
}
```

4. Output

Accepted Runtime: 0 ms

• Case 1 • Case 2

Input

head =
[1,1,2]

Output

[1,2]

Expected

[1,2]

Accepted Runtime: 0 ms

• Case 1 • Case 2

Input

head =
[1,1,2,3,3]

Output

[1,2,3]

Expected

[1,2,3]

5. Learning Outcome:

- I. We Learn About the use of Running LL.
- II. We Learn About the use of temp ll.
- III. We Learn About the use of Delete function.
- IV. We learn About the move from one node.
- V. We Learn About the use of while loop.