



Experiment 4 A

Student Name: Reeva

UID: 22BCS16744

Branch: BE-CSE

Section/Group: Ntpp 602-A

Semester: 6TH

Date of Performance: 13/02/25

Subject Name: AP Lab-2

Subject Code: 22CSH-352

1. TITLE:

Sort Colors

2. AIM:

Given an array nums with n objects colored red, white, or blue, sort them in-place so that objects of the same color are adjacent, with the colors in the order red, white, and blue.

We will use the integers 0, 1, and 2 to represent the color red, white, and blue, respectively.

You must solve this problem without using the library's sort function.

3. Algorithm


- Initialize counters for zeros and ones.
- Traverse the list and count the number of zeros and ones.
- Overwrite the original list: first with zeros, then ones, and finally twos (the remainder).

Implemetation/Code

```
class
Solution:
    def sortColors(self, nums: List[int]) -> None:
        zeros, ones, n = 0, 0, len(nums)
        for num in nums:
            if num ==
0:
                zeros += 1
            elif num == 1:
                ones
+= 1
            for i in range(0, zeros):
                nums[i] = 0
            for i in range(zeros,
```

```
zeros + ones):        nums[i] = 1  
for i in range(zeros + ones, n):  
    nums[i] = 2
```

Output



Time Complexity : $O(n)$

Space Complexity : $O(1)$

Learning Outcomes:-

- Learn the principles behind counting sort.
- Manipulate array indices and values to sort in-place



Experiment 4 B

Student Name: Reevea

UID: 22BCS16744

Branch: CSE

Section/Group: Ntpp 602-A

Semester: 6TH

Date of Performance: 13/02/25

Subject Name: AP Lab-2

Subject Code: 22CSH-352

1. TITLE:

Search in Rotated Sorted Array

AIM:

There is an integer array `nums` sorted in ascending order (with distinct values).

Prior to being passed to your function, `nums` is possibly rotated at an unknown pivot index `k` ($1 \leq k < \text{nums.length}$) such that the resulting array is `[nums[k], nums[k+1], ..., nums[n-1], nums[0], nums[1], ..., nums[k-1]]` (0-indexed). For example, `[0,1,2,4,5,6,7]` might be rotated at pivot index 3 and become `[4,5,6,7,0,1,2]`.

2. Algorithm


- Initialize two pointers, `left` at the start and `right` at the end of the list.
- Use a loop to repeatedly divide the list into halves.
- If the middle element matches the target, return its index.
- Adjust the `left` or `right` pointer based on the comparison between the target and the middle element.
- If the target is not found by the end of the loop, return -1.

Implementation/Code:

```
class Solution:
    def search(self, nums: List[int], target: int) -> int:
        left, right = 0, len(nums) - 1
        while left <= right:
            mid = (left + right) // 2
            if nums[mid] == target:
                return mid
            elif nums[left] <= nums[mid]:
                if nums[left] <= target < nums[mid]:
                    right = mid - 1
            else:
                left = mid + 1
            if nums[mid] < target <= nums[right]:
                left = mid + 1
```

```
        left = mid + 1  
else:      right =  
mid - 1    return -1
```

Output



Time Complexity : $O(\log n)$

Space Complexity : $O(1)$

Learning Outcomes:-

- Learn how to implement and utilize binary search in a potentially rotated sorted array ○ Optimizing search operations significantly over linear scanning.
- Managing multiple conditions to direct search logic



Discover. Learn. Empower.

DEPARTMENT OF COMPUTER SCIENCE & ENGINEERING



DEPARTMENT OF

COMPUTER SCIENCE & ENGINEERING