Code

C++ Auto

```cpp
#include <queue>
#include <vector>

using namespace std;
```

Saved Ln 20, Col 3

Testcase | Test Result

Accepted Runtime: 0 ms

• Case 1 • Case 2

Input

nums =

[3,2,1,5,6,4]

k =

2

Output

5

Expected

5

Code

C++ Auto

```cpp
class Solution {
private:
    void fast(){
        ios_base::sync_with_stdio(false);
        cin.tie(NULL);
```

Saved Ln 6, Col 24

Testcase | Test Result

Accepted Runtime: 0 ms

• Case 1 • Case 2

Input

nums =

[1,1,1,2,2,3]

k =

2

Output

[1,2]

Expected

[1,2]

Code

C++ Auto

```cpp
class Solution {
public:
    void sortColors(vector<int>& nums) {
        int low = 0, mid = 0, high = nums.size()-1;
        while(mid <= high){
            if(nums[mid] == 0){
                swap(nums[low], nums[mid]);
                low++;
```

Saved Ln 20, Col 3

Testcase | Test Result

Accepted Runtime: 0 ms

• Case 1 • Case 2

Input

nums =

[2,0,2,1,1,0]

Output

[0,0,1,1,2,2]

Expected

[0,0,1,1,2,2]

Contribute a testcase

Ctrl Enter

C++ Auto

```
1
2  class Solution {
3  public:
```

Saved Ln 18, Col 3

Testcase | Test Result

Accepted Runtime: 3 ms

• Case 1 • Case 2

Input

n =

5

bad =

4

Output

4

Expected

4

Contribute a testcase

Code

C++ Auto

Testcase | Test Result

Accepted Runtime: 0 ms

• Case 1 • Case 2 • Case 3

Input

nums1 =

[1,2,3,0,0,0]

m =

3

nums2 =

[2,5,6]

n =

3

Output

[1,2,2,3,5,6]

Expected

[1,2,2,3,5,6]