

## EXPERIMENT-5

Name: Payal Kumari UID:22BCS10967 Section: 619-B

**Problem 1: Write a Java program to calculate the sum of a list of integers using autoboxing and unboxing, along with methods to parse strings into their respective wrapper classes (e.g., Integer.parseInt()).**


### CODE:

```
import java.util.ArrayList;
import java.util.Scanner;

public class AutoboxingUnboxing {
    public static void main(String[] args) {
        Scanner scanner = new Scanner(System.in);
        System.out.print("Enter the number of integers: ");
        int n = scanner.nextInt();
        ArrayList<Integer> numbers = new ArrayList<>();
        System.out.println("Enter the integers: ");
        for (int i = 0; i < n; i++) {
            int num = scanner.nextInt();
            numbers.add(num);
        }
        int sum = 0;
        for (Integer num : numbers) {
            sum += num;
        }
        System.out.println("Sum of integers: " + sum);
        System.out.print("Enter a number as a string: ");
        String strNum = scanner.next();
        Integer parsedNum = Integer.parseInt(strNum);
        System.out.println("Parsed Integer: " + parsedNum);
    }
}
```

```
scanner.close();  
}
```

**OUTPUT:**



```
C:\Users\walke\.jdk\openjdk-23.0.2\bin\java.exe  
Enter the number of integers: 5  
Enter the integers:  
3  
45  
90  
46  
23  
Sum of integers: 207  
Enter a number as a string: 6  
Parsed Integer: 6
```

## **Problem 2: Serialization and Deserialization of a Student Object in Java**

**This Java program demonstrates serialization and deserialization of a Student object**

**CODE:**

```
import java.io.*;  
import java.util.Scanner;  
  
class Student implements Serializable {  
    private static final long serialVersionUID = 1L;  
    private String name;  
    private int age;  
    private String course;  
    public Student(String name, int age, String course) {  
        this.name = name;  
        this.age = age;  
        this.course = course;  
    }  
    public String toString() {
```

```

        return "Student{name='" + name + "', age=" + age + ", course='" + course + "'}";
    }
}

```

```

public class StudentSerialization {
    public static void main(String[] args) {
        Scanner scanner = new Scanner(System.in);

        System.out.print("Enter student name: ");
        String name = scanner.nextLine();
        System.out.print("Enter student age: ");
        int age = scanner.nextInt();
        scanner.nextLine();
        System.out.print("Enter student course: ");
        String course = scanner.nextLine();

        Student student = new Student(name, age, course);

        try (ObjectOutputStream out = new ObjectOutputStream(new
FileOutputStream("student.ser"))) {
            out.writeObject(student);
            System.out.println("Student object serialized successfully.");
        } catch (IOException e) {
            e.printStackTrace();
        }

        try (ObjectInputStream in = new ObjectInputStream(new
FileInputStream("student.ser"))) {
            Student deserializedStudent = (Student) in.readObject();
            System.out.println("Deserialized Student: " + deserializedStudent);
        } catch (IOException | ClassNotFoundException e) {
            e.printStackTrace();
        }
    }
}

```

```

        scanner.close();
    }
}

```

### OUTPUT:

```

C:\Users\walke\.jdk\openjdk-23.0.2\bin\java.exe "-javaagent:C:\Progra
Enter student name: Payal
Enter student age: 21
Enter student course: CSE
Student object serialized successfully.
Deserialized Student: Student{name='Payal', age=21, course='CSE'}

Process finished with exit code 0

```

**Problem 3: To create a menu-based Java application that allows the addition and display of employee details, and stores this information in a file for persistence.**

### CODE:

```

import java.io.*;
import java.util.Scanner;

class Employee implements Serializable {
    private static final long serialVersionUID = 1L;
    private int id;
    private String name;
    private String designation;
    private double salary;

    public Employee(int id, String name, String designation, double salary) {
        this.id = id;
        this.name = name;
        this.designation = designation;
        this.salary = salary;
    }

    public String toString() {
        return "Employee ID: " + id + "\nName: " + name + "\nDesignation: " + designation +
            "\nSalary: " + salary + "\n";
    }
}

```

```

public class EmployeeManagement {
    private static final String FILE_NAME = "employees.ser";

    public static void main(String[] args) {
        Scanner scanner = new Scanner(System.in);

        while (true) {
            System.out.println("\nEmployee Management System");
            System.out.println("1. Add Employee");
            System.out.println("2. Display All Employees");
            System.out.println("3. Exit");
            System.out.print("Enter your choice: ");
            int choice = scanner.nextInt();
            scanner.nextLine();

            switch (choice) {
                case 1:
                    addEmployee(scanner);
                    break;
                case 2:
                    displayEmployees();
                    break;
                case 3:
                    System.out.println("Exiting program...");
                    scanner.close();
                    return;
                default:
                    System.out.println("Invalid choice! Please enter 1, 2, or 3.");
            }
        }
    }

    private static void addEmployee(Scanner scanner) {
        System.out.print("Enter Employee ID: ");
        int id = scanner.nextInt();
        scanner.nextLine(); // Consume newline
        System.out.print("Enter Name: ");
        String name = scanner.nextLine();
        System.out.print("Enter Designation: ");
        String designation = scanner.nextLine();
        System.out.print("Enter Salary: ");
        double salary = scanner.nextDouble();
    }
}


```

```
Employee employee = new Employee(id, name, designation, salary);
```


```
try (ObjectOutputStream out = new ObjectOutputStream(new  
FileOutputStream(FILE_NAME, true))) {  
    out.writeObject(employee);  
    System.out.println("Employee added successfully!");  
} catch (IOException e) {  
    e.printStackTrace();  
}  
}
```

```
private static void displayEmployees() {  
    try (ObjectInputStream in = new ObjectInputStream(new  
FileInputStream(FILE_NAME))) {  
        while (true) {  
            Employee employee = (Employee) in.readObject();  
            System.out.println(employee);  
        }  
    } catch (EOFException e) {  
    } catch (IOException | ClassNotFoundException e) {  
        e.printStackTrace();  
    }  
}
```


## OUTPUT:



	id	name	salary
▶	102	Regn	6000000
	10967	Payal	500000
*	NULL	NULL	NULL



✓	3	17:15:01	use payaldb
✓	4	17:15:06	SELECT * FROM employee LIMIT 0, 1000



```
C:\Users\watke\.jdk\openjdk-23.0.2\bin\java.exe --java  
Employee Management System  
1. Add Employee  
2. Display All Employees  
3. Exit  
Enter your choice: 2  
Employee ID: 10967  
Name: Payal  
Designation: Software Engineer  
Salary: 500000.0
```