Name :-Himanshu Kumar

UID:-22BCS11556

CLASS:-22BCS-IOT-619B

#CODE 1

```
package Wrap;
import java.util.ArrayList;
import java.util.List;
public class First {
  public static int calculateSum(List<Integer> integerList) {
     int sum = 0;
     for (Integer num : integerList) {
       sum += num;
     return sum;
  public static Integer parseInteger(String str) {
     return Integer.parseInt(str);
  public static void main(String[] args) {
    List<Integer> integerList = new ArrayList<>();
    integerList.add(parseInteger("10"));
    integerList.add(parseInteger("20"));
    integerList.add(parseInteger("30"));
    int sum = calculateSum(integerList);
    System.out.println("The sum of the integers is: " + sum);
  }
}
```

OUTPUT

#code 2

--main.java-

```
package Second;
import java.io.*;
public class Main {
  public static void serializeStudent(Student student, String filename) {
     try (ObjectOutputStream out = new ObjectOutputStream(new FileOutputStream(filename))) {
       out.writeObject(student);
       System.out.println("Student object serialized successfully.");
     } catch (FileNotFoundException e) {
       System.out.println("File not found: " + e.getMessage());
     } catch (IOException e) {
       System.out.println("IOException occurred: " + e.getMessage());
  public static Student deserializeStudent(String filename) {
     Student student = null;
     try (ObjectInputStream in = new ObjectInputStream(new FileInputStream(filename))) {
       student = (Student) in.readObject(); // Deserializes the student object
       System.out.println("Student object deserialized successfully.");
     } catch (FileNotFoundException e) {
       System.out.println("File not found: " + e.getMessage());
     } catch (IOException e) {
       System.out.println("IOException occurred: " + e.getMessage());
     } catch (ClassNotFoundException e) {
       System.out.println("Class not found: " + e.getMessage());
     return student;
  public static void main(String[] args) {
     Student student = new Student(1, "ANKIT KOUNDAL ", 8.38);
     String filename = "student.ser";
     serializeStudent(student, filename);
     Student deserializedStudent = deserializeStudent(filename);
     if (deserializedStudent != null) {
       deserializedStudent.displayStudentDetails();
     }}}
```

Discover. Learn. Empower.

```
-Student.java-
package Second;
import java.io.Serializable;
public class Student implements Serializable {
  private static final long serialVersionUID = 1L;
  private int id;
  private String name;
  private double gpa;
  public Student(int id, String name, double gpa) {
     this.id = id;
    this.name = name;
    this.gpa = gpa;
  public int getId() {
    return id;
  public String getName() {
    return name;
  public double getGpa() {
    return gpa;
  // To display student details
  public void displayStudentDetails() {
    System.out.println("Student ID: " + id);
```

System.out.println("Student Name: " + name); System.out.println("Student GPA: " + gpa);

#OUTPUT

```
Student object serialized successfully.
Student object deserialized successfully.
Student ID: 1
Student Name: ANKIT KOUNDAL
Student GPA: 8.38
```

#code 3

```
package Third;
import java.sql.*;
import java.util.Scanner;
public class EmployeeManagement {
   private static Connection connection;
```

Discover. Learn. Empower.

private static Scanner scanner = new Scanner(System.in);

```
private static void connectToDatabase() {
     try {
       String url = "jdbc:mysql://localhost:3306/employee_db";
       String username = "root";
       String password = "password";
       connection = DriverManager.getConnection(url, username, password);
       System.out.println("Connected to the database.");
     } catch (SQLException e) {
       System.out.println("Database connection failed: " + e.getMessage());
  private static void addEmployee() {
     try {
       if (connection == null) {
          System.out.println("Database connection is not established.");
         return;
       System.out.print("Enter Employee Name: ");
       String name = scanner.nextLine();
       System.out.print("Enter Employee ID: ");
       int id = scanner.nextInt();
       scanner.nextLine();
       System.out.print("Enter Designation: ");
       String designation = scanner.nextLine();
       System.out.print("Enter Salary: ");
       double salary = scanner.nextDouble();
       scanner.nextLine();
       String query = "INSERT INTO employees1 (employee_id, employee_name, designation, salary) VALUES
(?, ?, ?, ?)";
       PreparedStatement stmt = connection.prepareStatement(query);
       System.out.println("anshul koundal");
       stmt.setInt(1, id);
       stmt.setString(2, name);
       stmt.setString(3, designation);
       stmt.setDouble(4, salary);
       int result = stmt.executeUpdate();
       if (result > 0) {
          System.out.println("Employee added successfully!");
       } else {
          System.out.println("Failed to add employee.");
     } catch (SQLException e) {
       System.out.println("Error adding employee: " + e.getMessage());
  private static void displayAllEmployees() {
     try {
       if (connection == null) {
```

DEPARTMENT OF COMPUTER SCIENCE & ENGINEERING

Discover. Learn. Empower.

```
System.out.println("Database connection is not established.");
       return;
    String query = "SELECT * FROM employees1";
    Statement stmt = connection.createStatement();
    ResultSet rs = stmt.executeQuery(query);
    while (rs.next()) {
       System.out.println("Employee ID: " + rs.getInt("employee_id"));
       System.out.println("Employee Name: " + rs.getString("employee_name"));
       System.out.println("Designation: " + rs.getString("designation"));
       System.out.println("Salary: " + rs.getDouble("salary"));
       System.out.println(" -----");
  } catch (SQLException e) {
    System.out.println("Error displaying employees: " + e.getMessage());
private static void closeConnection() {
  try {
    if (connection != null) {
       connection.close();
       System.out.println("Database connection closed.");
  } catch (SQLException e) {
    System.out.println("Error closing connection: " + e.getMessage());
public static void main(String[] args) {
  connectToDatabase();
  while (true) {
    System.out.println("\nMenu:");
    System.out.println("1. Add an Employee");
    System.out.println("2. Display All Employees");
    System.out.println("3. Exit");
    System.out.print("Select an option: ");
    int choice = scanner.nextInt();
    scanner.nextLine();
    switch (choice) {
       case 1:
         addEmployee();
         break;
       case 2:
          displayAllEmployees();
         break:
       case 3:
         closeConnection();
         System.out.println("Exiting application.");
         return;
       default:
         System.out.println("Invalid choice. Please try again.");
  }
}
```

DEPARTMENT OF

COMPUTER SCIENCE & ENGINEERING

Output

EmployeeManagement [Java Application] C:\Users\Ankit Thakur\.p2\pool\plugins\org.eclipse.justj.openjdk.hotspot.jre.full.win32.x86_64_23.0.2.v20250 Connected to the database. Menu: 1. Add an Employee 2. Display All Employees 3. Exit Select an option: 1 Enter Employee Name: ANKIT KOUNDAL Enter Employee ID: 14481 Enter Designation: SOFTWARE ENGINEER Enter Salary: 1000000 ANKIT KOUNDAL Employee added successfully! Menu: 1. Add an Employee 2. Display All Employees 3. Exit Select an option: