

Experiment 4

Name: Rishi Raj Uid: 22BCS10582 Branch: CSE Semester: 6TH

Section/Group: EPM- 801/B Date Of Performance: 19/2/2025 Subject Name: Project Based Learning In Java Lab Subject Code: 22CSH-359

• Aim: Develop Java programs using core concepts such as data structures, collections, and multithreading to manage and manipulate data.

- 1. Write a Java program to implement an ArrayList that stores employee details (ID, Name, and Salary). Allow users to add, update, remove, and search employees.
- 2. Create a program to collect and store all the cards to assist the users in finding all the cards in a given symbol using Collection interface.
- 3. Develop a ticket booking system with synchronized threads to ensure no double booking of seats. Use thread priorities to simulate VIP bookings being processed first.

Objectives

• Ticket Booking System (Multithreading)

- 1. Implement a multi-user ticket booking system using Java threads.
- 2. Use thread synchronization to prevent race conditions when booking seats.
- 3. Allow users to specify priority levels for booking requests.
- 4. Demonstrate concurrent execution and thread scheduling in Java.

• Employee Management System

- 1. Provide CRUD operations (Create, Read, Update, Delete) for employee records.
- 2. Use an ArrayList to store and manage employee objects.
- 3. Implement a search function to retrieve employee details by ID.
- 4. Allow user interaction through a menu-driven console interface.

• Card Collection System

- 1. Enable users to add cards with a symbol and value.
- 2. Store and manage card objects using a collection framework.
- 3. Provide a search function to find cards based on their symbol.
- 4. Implement a menu-driven system for adding, displaying, and searching cards.

• Code:

1.

```
import java.util.ArrayList;
import java.util.Scanner;
class Employee {
  int id;
    String name;
  double salary;
    Employee(int id, String name, double salary) {
      this.id = id;
      this.name = name;
      this.salary = salary;
    }
    @Override
```

Discover. Learn. Empower.

```
public String toString() {
    return "ID: " + id + ", Name: " + name + ", Salary: " + salary;
}
public class EmployeeManagement {
  private static ArrayList<Employee> employees = new ArrayList<>();
  private static Scanner scanner = new Scanner(System.in);
  public static void main(String[] args) {
    while (true) {
       System.out.println("\nEmployee Management System");
       System.out.println("1. Add Employee");
       System.out.println("2. Update Employee");
       System.out.println("3. Remove Employee");
       System.out.println("4. Search Employee");
       System.out.println("5. Display All Employees");
       System.out.println("6. Exit");
       System.out.print("Choose an option: ");
       int choice = scanner.nextInt();
       switch (choice) {
         case 1: addEmployee(); break;
         case 2: updateEmployee(); break;
         case 3: removeEmployee(); break;
         case 4: searchEmployee(); break;
         case 5: displayEmployees(); break;
         case 6: System.exit(0);
         default: System.out.println("Invalid option. Try again.");
       }
     }
  private static void addEmployee() {
    System.out.print("Enter Employee ID: ");
    int id = scanner.nextInt();
    scanner.nextLine();
    System.out.print("Enter Name: ");
    String name = scanner.nextLine();
    System.out.print("Enter Salary: ");
    double salary = scanner.nextDouble();
    employees.add(new Employee(id, name, salary));
    System.out.println("Employee added successfully.");
  private static void updateEmployee() {
    System.out.print("Enter Employee ID to update: ");
    int id = scanner.nextInt();
    for (Employee emp : employees) {
       if (emp.id == id) {
         scanner.nextLine();
         System.out.print("Enter new Name: ");
         emp.name = scanner.nextLine();
```

Discover. Learn. Empower.

```
System.out.print("Enter new Salary: ");
       emp.salary = scanner.nextDouble();
       System.out.println("Employee updated successfully.");
       return;
     }
  System.out.println("Employee not found.");
private static void removeEmployee() {
  System.out.print("Enter Employee ID to remove: ");
  int id = scanner.nextInt();
  employees.removeIf(emp -> emp.id == id);
  System.out.println("Employee removed if found.");
private static void searchEmployee() {
  System.out.print("Enter Employee ID to search: ");
  int id = scanner.nextInt();
  for (Employee emp : employees) {
    if (emp.id == id) {
       System.out.println(emp);
       return;
     }
  System.out.println("Employee not found.");
private static void displayEmployees() {
  if (employees.isEmpty()) {
    System.out.println("No employees to display.");
  } else {
    for (Employee emp : employees) {
       System.out.println(emp);
     }
  }
}
```

2.

```
import java.util.*;
class Card {
    private String symbol;
    private String value;
    public Card(String symbol, String value) {
        this.symbol = symbol;
        this.value = value;
    }
    public String getSymbol() {
        return symbol;
    }
}
```

Discover. Learn. Empower.

```
@Override
  public String toString() {
     return "Card{" + "symbol="" + symbol + "\" + ", value="" + value + "\" + "};
public class CardCollection {
  private static Collection<Card> cards = new ArrayList<>();
  private static Scanner scanner = new Scanner(System.in);
  public static void main(String[] args) {
     while (true) {
       System.out.println("\nCard Collection System");
       System.out.println("1. Add Card");
       System.out.println("2. Display All Cards");
       System.out.println("3. Search Cards by Symbol");
       System.out.println("4. Exit");
       System.out.print("Choose an option: ");
       int choice = scanner.nextInt();
       scanner.nextLine();
       switch (choice) {
         case 1:
            addCard();
            break:
         case 2:
            displayCards();
            break;
         case 3:
            searchBySymbol();
            break;
         case 4:
            System.exit(0);
         default:
            System.out.println("Invalid option. Try again.");
     }
  private static void addCard() {
     System.out.print("Enter Card Symbol: ");
     String symbol = scanner.nextLine();
     System.out.print("Enter Card Value: ");
     String value = scanner.nextLine();
     cards.add(new Card(symbol, value));
     System.out.println("Card added successfully.");
  private static void displayCards() {
     if (cards.isEmpty()) {
       System.out.println("No cards to display.");
     } else {
       for (Card card : cards) {
```

Discover. Learn. Empower.

```
System.out.println(card);

}

private static void searchBySymbol() {
    System.out.print("Enter Symbol to search: ");
    String symbol = scanner.nextLine();
    boolean found = false;

for (Card card : cards) {
    if (card.getSymbol().equalsIgnoreCase(symbol)) {
        System.out.println(card);
        found = true;
    }
    if (!found) {
        System.out.println("No cards found with the given symbol.");
    }
}
```

3.

```
import java.util.*;
class TicketBookingSystem {
  private final int totalSeats;
  private final boolean[] seats;
  public TicketBookingSystem(int totalSeats) {
     this.totalSeats = totalSeats;
     this.seats = new boolean[totalSeats];
  public synchronized boolean bookSeat(int seatNumber, String customerName) {
     if (seatNumber < 0 \parallel seatNumber >= totalSeats) {
       System.out.println("Invalid seat number: " + seatNumber);
       return false;
     if (!seats[seatNumber]) {
       seats[seatNumber] = true;
       System.out.println("Seat " + seatNumber + " booked successfully by " +
customerName);
       return true;
     } else {
       System.out.println("Seat " + seatNumber + " is already booked.");
       return false;
     }
  }
class BookingThread extends Thread {
  private final TicketBookingSystem system;
```

Discover. Learn. Empower.

```
private final int seatNumber;
  private final String customerName;
  public BookingThread(TicketBookingSystem system, int seatNumber, String
customerName, int priority) {
    this.system = system;
    this.seatNumber = seatNumber;
    this.customerName = customerName;
    setPriority(priority);
  }
  @Override
  public void run() {
    system.bookSeat(seatNumber, customerName);
public class TicketBookingApp {
  public static void main(String[] args) {
    Scanner scanner = new Scanner(System.in);
    TicketBookingSystem system = new TicketBookingSystem(10);
    System.out.print("Enter number of users: ");
    int numUsers = scanner.nextInt();
    scanner.nextLine();
    Thread[] threads = new Thread[numUsers];
    for (int i = 0; i < numUsers; i++) {
       System.out.print("Enter name for user " + (i + 1) + ": ");
       String name = scanner.nextLine();
       System.out.print("Enter seat number for " + name + ": ");
       int seatNumber = scanner.nextInt();
       System.out.print("Enter priority (1-10, where 10 is highest) for " + name + ": ");
       int priority = scanner.nextInt();
       scanner.nextLine();
       threads[i] = new BookingThread(system, seatNumber, name, priority);
    for (Thread thread: threads) {
       thread.start();
    for (Thread thread: threads) {
       try {
         thread.join();
       } catch (InterruptedException e) {
         e.printStackTrace();
     }
    scanner.close();
  }
```



• Output

1. Ticket Booking System:

```
akanshasonker@Akanshas-MacBook-Pro exp_4 % cd "/Users/akanshasonker/Desktop/untitled folder/exp_4/" && javac EmployeeManagement.java
  && java EmployeeManagement
Employee Management System
1. Add Employee
2. Update Employee
3. Remove Employee
4. Search Employee
5. Display All Employees
 6. Exit
Choose an option: 1
Enter Employee ID: 101
Enter Name: Akansha
Enter Salary: 2000000
Employee added successfully.
Employee Management System
 1. Add Employee
2. Update Employee
3. Remove Employee
4. Search Employee
5. Display All Employees
6. Exit
Choose an option: 1
Enter Employee ID: 102
Enter Name: Alice
Enter Salary: 20000
Employee added successfully.
Employee Management System
1. Add Employee
2. Update Employee
3. Remove Employee
4. Search Employee
5. Display All Employees
6. Exit
 Choose an option: 5
ID: 101, Name: Akansha, Salary: 2000000.0
ID: 102, Name: Alice, Salary: 20000.0
Employee Management System

    Add Employee
    Update Employee
    Remove Employee

4. Search Employee
5. Display All Employees
6. Exit
Choose an option: 3
Enter Employee ID to remove: 102
Employee removed if found.
Employee Management System
1. Add Employee
2. Update Employee
3. Remove Employee
4. Search Employee
5. Display All Employees
6. Exit
Choose an option: 5
ID: 101, Name: Akansha, Salary: 2000000.0
Employee Management System
1. Add Employee
2. Update Employee
3. Remove Employee

    Search Employee
    Display All Employees

6. Exit
Choose an option:
```



2. Attempting to Book an Already Taken Seat

```
akanshasonker@Akanshas-MacBook-Pro exp_4 % cd "/Users/akanshasonker/Desktop/untitled folder/exp_4/" && javac CardCollection.java &&
iava CardCollection
Card Collection System
1. Add Card

    Add Card
    Display All Cards
    Search Cards by Symbol

4. Exit
Choose an option: 1
Enter Card Symbol: Heart
Enter Card Value: Ace
Card added successfully.
Card Collection System

    Add Card
    Display All Cards
    Search Cards by Symbol

Choose an option: 1
Enter Card Symbol: Spade
Enter Card Value: King
Card added successfully.
Card Collection System
1. Add Card
2. Display All Cards
3. Search Cards by Symbol
Choose an option: 2
Card{symbol='Heart', value='Ace'}
Card{symbol='Spade', value='King'}
Card Collection System

    Add Card
    Display All Cards
    Search Cards by Symbol

Choose an option: 3
Enter Symbol to search: Diamond
No cards found with the given symbol.
Card Collection System
1. Add Card
2. Display All Cards
3. Search Cards by Symbol
Choose an option: 4
akanshasonker@Akanshas-MacBook-Pro exp_4 %
```

3. Invalid Seat Number



• Learning Outcomes:

Ticket Booking System (Multithreading)

- 1. Understand the fundamentals of multithreading and concurrent execution in Java.
- 2. Learn how to use the synchronized keyword to prevent data inconsistencies.
- 3. Gain experience in managing thread priorities and their impact on execution.
- 4. Develop problem-solving skills for handling real-world race conditions in concurrent applications.

Employee Management System

- 1. Learn how to implement CRUD operations using object-oriented programming.
- 2. Understand the use of ArrayLists for storing and managing dynamic data.
- 3. Develop skills in user input handling and data validation.
- 4. Gain experience in implementing search and update functionalities within a collection.

Card Collection System

- 1. Understand the basics of collections and their practical applications.
- 2. Learn how to use loops and conditions to process user inputs efficiently.
- 3. Gain experience in implementing search functionalities based on user-defined criteria.
- 4. Develop a menu-driven application to interact with stored objects dynamically.