

Experiment 6

Student Name: Ishan Sharma

UID: 22BCS11144

Branch: CSE

Section: 22KPIT-902/B

Semester: 6th

Date of Performance: 28/02/2025

Subject: Project Based Learning in Java

Subject Code: 22CSH-359

1. Aim: Develop Java programs using lambda expressions and stream operations for sorting, filtering, and processing large datasets efficiently.

2. Objective 1: Easy Level

Write a program to sort a list of Employee objects (name, age, salary) using lambda expressions.

3. Code/Implementation:

```
import java.util.*;

class Employee {
    String name;
    int age;      double
    salary;
    public Employee(String name, int age, double salary)
    {
        this.name = name;      this.age = age;
        this.salary = salary;
    }

    @Override      public
    String toString() {      return name + " | Age: " + age + " |
    Salary: " + salary;
    }
} public class
Experiment6A {
    public static void main(String[] args) {
        List<Employee> employees = new
        ArrayList<>(Arrays.asList(      new Employee("Alice", 30,
        60000),      new Employee("Bob", 25, 50000),      new
        Employee("Charlie", 35, 70000)
        ));
    }
}
```

```
// Sorting by salary using Lambda
e2) -> Double.compare(e1.salary, e2.salary));
employees
    employees.forEach(System.out::println);
} }
```

```
employees.sort((e1,
// Display sorted
```

Output:

```
Bob | Age: 25 | Salary: 50000.0
Alice | Age: 30 | Salary: 60000.0
Charlie | Age: 35 | Salary: 70000.0
```

4. Objective 2: Medium Level

Create a program to use lambda expressions and stream operations to filter students scoring above 75%, sort them by marks, and display their names.

5. Code/Implementation:

```
import java.util.*; import
java.util.stream.*;

class Student {
String name;
double marks;
    public Student(String name, double marks)
{
    this.name = name;
    this.marks
= marks;
}

    @Override    public
String toString() {
    return name + " | Marks: " + marks;
} } public class
Experiment6B {
    public static void main(String[] args)
{
    List<Student> students =
Arrays.asList(
        new
Student("Alice", 80),
        new
Student("Bob", 70),
        new
Student("Charlie", 85),
        new
Student("David", 60)
    );
}
```

```

        // Filter students scoring above 75%, sort by marks, and display
names      students.stream()
            .filter(s -> s.marks > 75)
            .sorted((s1, s2) -> Double.compare(s2.marks, s1.marks)) //
Descending order
            .forEach(System.out::println);

    }
}

```

Output:

```

Charlie | Marks: 85.0
Alice | Marks: 80.0

```

6. Objective 3 : Hard Level

Write a Java program to process a large dataset of products using streams. Perform operations such as grouping products by category, finding the most expensive product in each category, and calculating the average price of all products.

7. Code/Implementation:

```

import java.util.*; import
java.util.stream.Collectors;

class Product {
    String name, category;    double
    price;
    public Product(String name, String category, double price)
    {
        this.name = name;        this.category = category;
        this.price = price;
    }

    @Override    public String toString() {        return
String.format("%-10s | %-12s | $%-8.2f", name, category, price);
    }
}

public class
Experiment6C {    public
static void main(String[]
args)

```

```
{
    List<Product> products
=
Arrays.asList(
    new
    Product("Laptop",
    "Electronics", 800),
    new
    Product("Phone",
    "Electronics", 500),
    new Product("Shirt", "Clothing",
    40),
    new
    Product("Jeans", "Clothing",
    60),

    new Product("TV",
    "Electronics", 1200)
    );

    // Grouping products by category
    Map<String, List<Product>> groupedByCategory = products.stream()
        .collect(Collectors.groupingBy(p -> p.category));
    // Finding the most expensive product in each category
    Map<String, Product> mostExpensiveByCategory = products.stream()
        .collect(Collectors.groupingBy(
    p -> p.category,
        Collectors.collectingAndThen(
            Collectors.maxBy(Comparator.comparingDouble(p ->
    p.price)),
            Optional::get
        )
    ));

    // Calculating the average price of all products
    double
    avgPrice = products.stream()
        .mapToDouble(p -> p.price)
        .average()
        .orElse(0);

    // Display results with symmetric formatting
    System.out.println("\nProducts grouped by category:");
    System.out.println("-----");
    ---");
    System.out.printf("%-10s | %-12s | %-10s\n", "Name", "Category",
    "Price ($)");
    System.out.println("-----");
    ---");
    groupedByCategory.forEach((category,
    productList) ->
    {
        productList.forEach(System.out::println);
```

```

    });

    System.out.println("\nMost expensive product in each category:");
    System.out.println("-----");
    -");
    System.out.printf("%-12s | %-10s | %-10s\n", "Category", "Name",
    "Price ($)");    System.out.println("-----");
    -----");    mostExpensiveByCategory.forEach((category, product)
    -> {    System.out.printf("%-12s | %-10s | $%-8.2f\n", category,
    product.name, product.price);
    });

    System.out.println("\nAverage price of all products: $" +
    String.format("%.2f", avgPrice));
    } }

```

Output:

```

Products grouped by category:
-----
Name      | Category   | Price ($)
-----
Shirt     | Clothing   | $40.00
Jeans     | Clothing   | $60.00
Laptop    | Electronics | $800.00
Phone     | Electronics | $500.00
TV        | Electronics | $1200.00

Most expensive product in each category:
-----
Category   | Name      | Price ($)
-----
Clothing    | Jeans     | $60.00
Electronics | TV        | $1200.00

Average price of all products: $520.00

```

8. Learning Outcomes:

- ★ Understand and apply lambda expressions for sorting and filtering data efficiently.



DEPARTMENT OF COMPUTER SCIENCE & ENGINEERING

Discover. Learn. Empower.

- ★ Utilize Java Streams to process and manipulate large datasets with ease. □ Implement grouping, aggregation, and transformation operations on collections.
- ★ Analyze and extract meaningful insights using functional programming in Java.