## **Experiment 6**

Student Name: Akriti Barthwal UID: 22BCS14027

**Branch:** BE CSE **Section/Group:** Epam-801 A **Semester:** 06 **Date of Performance:** 03/03/25

**Subject Name:** Project Based Learning in Java **Subject Code:** 22CSH-359

## 1. Aim-

Develop Java programs using lambda expressions and stream operations for sorting, filtering, and processing large datasets efficiently. a.Write a program to sort a list of Employee objects (name, age, salary) using lambda expressions. b. Create a program to use lambda expressions and stream operations to filter students scoring above 75%, sort them by marks, and display their names. c. Write a Java program to process a large dataset of products using streams. Perform operations such as grouping products by category, finding the most expensive product in each category, and calculating the average price of all products.

## 2. Code-

```
(A)import java.util.*;
   class Employee {
      String name;
      int age;
      double salary;
      public Employee(String name, int age, double salary) {
        this.name = name;
        this.age = age;
        this.salary = salary;
      public String toString() {
        return name + " - Age: " + age + ", Salary: " + salary;
   public class EmployeeSort {
     public static void main(String[] args) {
        List<Employee> employees = Arrays.asList(
          new Employee("Akriti", 30, 50000),
          new Employee("Adi", 25, 70000),
          new Employee("Hemant", 28, 60000)
        );
        employees.sort(Comparator.comparingDouble(e -> e.salary));
        employees.forEach(System.out::println);
```

Discover. Learn. Empower.

```
Akriti - Age: 30, Salary: 50000.0

Hemant - Age: 28, Salary: 60000.0

Adi - Age: 25, Salary: 70000.0

...Program finished with exit code 0

Press ENTER to exit console.
```

```
(B)
import java.util.*;
import java.util.stream.Collectors;
class Student {
  String name;
  double marks;
  public Student(String name, double marks) {
     this.name = name;
     this.marks = marks;
  }
}
public class StudentFilter {
  public static void main(String[] args) {
    List<Student> students = Arrays.asList(
       new Student("Akriti", 80),
       new Student("Adi", 70),
       new Student("Anjana", 85),
       new Student("Hemant", 60)
     List<String> topStudents = students.stream()
       .filter(s -> s.marks > 75)
       . sorted (Comparator. comparing Double (s -> -s.marks)) \\
       .map(s \rightarrow s.name)
       .collect(Collectors.toList());
     System.out.println(topStudents);
}
```

```
[Anjana, Akriti]
...Program finished with exit code 0
Press ENTER to exit console.
```

```
Discover. Learn. Empower.
```

```
(\mathbf{C})
import java.util.*;
import java.util.stream.Collectors;
class Product {
  String name, category;
  double price;
  public Product(String name, String category, double price) {
    this.name = name;
    this.category = category;
    this.price = price;
public class ProductProcessing {
  public static void main(String[] args) {
    List<Product> products = Arrays.asList(
       new Product("Laptop", "Electronics", 1000),
       new Product("Phone", "Electronics", 800),
       new Product("TV", "Electronics", 1200),
       new Product("Shirt", "Clothing", 50),
       new Product("Jeans", "Clothing", 80)
     );
    Map<String, List<Product>> groupedByCategory = products.stream()
       .collect(Collectors.groupingBy(p -> p.category));
    Map<String, Optional<Product>> mostExpensiveByCategory = products.stream()
       .collect(Collectors.groupingBy(p -> p.category,
            Collectors.maxBy(Comparator.comparingDouble(p -> p.price))));
     double avgPrice = products.stream()
       .mapToDouble(p -> p.price)
       .average()
       .orElse(0);
     System.out.println("Grouped by Category: " + groupedByCategory);
    System.out.println("Most Expensive Product in Each Category: " +
mostExpensiveByCategory);
     System.out.println("Average Price: " + avgPrice);
}
```

```
Grouped by Category: {Clothing=[Product@54bedef2, Product@5caf905d], Electronics=[Product@27716f4, Product@8efb846, Product@2a84aee7]

Most Expensive Product in Each Category: {Clothing=Optional[Product@5caf905d], Electronics=Optional[Product@2a84aee7]}

Average Price: 626.0

...Program finished with exit code 0

Press ENTER to exit console.
```

## 3. Learning Outcomes-

- Using Lambda Expressions Learned how to use lambda expressions to sort and filter lists efficiently.
- Working with Streams Understood how Java Streams help process large datasets quickly using filtering, sorting, and mapping.
- Grouping and Aggregation Learned how to group data by categories, find the most expensive product, and calculate average prices using Streams.
- Efficient Data Processing Gained experience in writing clean and optimized Java code for handling real-world datasets with functional programming techniques.