Experiment 7

Student Name: Ankita Dey

Branch: CSE

Semester: 6th

UID: 22BCS10644

Section:kpit-902B

DOP: 13/03/25

Subject: Project Based Learning in Java Subject Code: 22CSH-359

Aim: Create Java applications with JDBC for database connectivity, CRUD operations, and MVC architecture.

Objective: To Create Java applications with JDBC for database connectivity, CRUD operations, and MVC architecture.

Easy Level:

Create a Java program to connect to a MySQL database and fetch data from a single table. The program should:

Use DriverManager and Connection objects.

Retrieve and display all records from a table named Employee with columns EmpID, Name, and Salary.

Code:

DEPARTMENT OF



COMPUTER SCIENCE & ENGINEERING

```
Discover. Learn. Empower.
       if (option == 1) {
fetchEmployees();
       } else if (option == 2) {
          System.out.println("Goodbye!");
break;
       } else {
          System.out.println("Invalid choice! Please try again.");
       }
     scanner.close();
   }
   private static void fetchEmployees() {
     String query = "SELECT EmpID, Name, Salary FROM Employee";
     try (Connection conn = DriverManager.getConnection(DB URL, USERNAME, PASSWORD);
        Statement stmt = conn.createStatement();
        ResultSet rs = stmt.executeQuery(query)) {
       System.out.println("\nEmployee Details:");
       System.out.println("ID | Name | Salary");
                                                       System.out.println("-----
       while (rs.next()) {
          System.out.printf("%d | %s | %.2f%n", rs.getInt("EmpID"), rs.getString("Name"),
rs.getDouble("Salary"));
       }
     } catch (SQLException ex) {
       System.err.println("Database connection error: " + ex.getMessage());
}
```

Medium Level:

Build a program to perform CRUD operations (Create, Read, Update, Delete) on a database table Product with columns:

ProductID, ProductName, Price, and Quantity.

The program should include:

Menu-driven options for each operation.

Transaction handling to ensure data integrity.

Code:

```
import java.sql.*; import
java.util.Scanner;
public class ProductManager {
  private static final String DB URL = "jdbc:mysql://localhost:3808/test";
private static final String USER = "root";
  private static final String PASSWORD = "*******";
  public static void main(String[] args) {
Scanner scanner = new Scanner(System.in);
boolean running = true;
     while (running) {
       System.out.println("\n===== Product Management =====");
       System.out.println("1) Add Product");
       System.out.println("2) View Products");
       System.out.println("3) Update Product");
       System.out.println("4) Delete Product");
       System.out.println("5) Exit");
       System.out.print("Choose an option: ");
       int choice = scanner.nextInt();
       scanner.nextLine(); // Clear newline buffer
       switch (choice) {
```

DEPARTMENT OF COMPUTER SCIENCE & ENGINEERING

Discover. Learn. Empower.

```
case 1 -> addProduct(scanner);
case 2 -> viewProducts();
                                  case 3 -
> updateProduct(scanner);
                                  case 4
-> deleteProduct(scanner);
                                  case 5
-> {
            System.out.println("Exiting application...");
running = false;
          }
         default -> System.out.println("Invalid option! Try again.");
       }
    scanner.close();
  }
  private static void addProduct(Scanner scanner) {
     System.out.print("Enter product name: ");
    String name = scanner.nextLine();
System.out.print("Enter price: ");
double price = scanner.nextDouble();
System.out.print("Enter quantity: ");
                                         int
quantity = scanner.nextInt();
     String sql = "INSERT INTO Product (ProductName, Price, Quantity) VALUES (?, ?, ?)";
    try (Connection conn = DriverManager.getConnection(DB URL, USER, PASSWORD);
PreparedStatement stmt = conn.prepareStatement(sql)) {
       stmt.setString(1, name);
stmt.setDouble(2, price);
                                stmt.setInt(3,
quantity);
       int rowsInserted = stmt.executeUpdate();
       if (rowsInserted > 0) {
```

DEPARTMENT OF

COMPUTER SCIENCE & ENGINEERING

Discover. Learn. Empower.

```
System.out.println("Product added successfully!");
       } else {
         System.out.println("Failed to add product.");
       }
    } catch (SQLException ex) {
       System.err.println("Error adding product: " + ex.getMessage());
     }
  private static void viewProducts() {
String sql = "SELECT * FROM Product";
    try (Connection conn = DriverManager.getConnection(DB URL, USER, PASSWORD);
       Statement stmt = conn.createStatement();
       ResultSet rs = stmt.executeQuery(sql)) {
       System.out.println("\nProduct List:");
       System.out.println("ID | Name | Price | Quantity");
                                                               System.out.println("-----
----");
       while (rs.next()) {
         System.out.printf("%d | %s | %.2f | %d%n",
rs.getInt("ProductID"),
rs.getString("ProductName"),
rs.getDouble("Price"),
                             rs.getInt("Quantity"));
       }
     } catch (SQLException ex) {
       System.err.println("Error retrieving products: " + ex.getMessage());
     }
  }
  private static void updateProduct(Scanner scanner) {
System.out.print("Enter product ID to update: ");
```

int id = scanner.nextInt();

```
Discover. Learn. Empower.
int id = scanner.nextInt();
                              scanner.nextLine(); //
Clear buffer
     System.out.print("Enter new product name: ");
     String name = scanner.nextLine();
System.out.print("Enter new price: ");
double price = scanner.nextDouble();
System.out.print("Enter new quantity: ");
                                              int
quantity = scanner.nextInt();
     String sql = "UPDATE Product SET ProductName=?, Price=?, Quantity=? WHERE ProductID=?";
     try (Connection conn = DriverManager.getConnection(DB URL, USER, PASSWORD);
PreparedStatement stmt = conn.prepareStatement(sql)) {
       stmt.setString(1, name);
stmt.setDouble(2, price);
stmt.setInt(3, quantity);
                               stmt.setInt(4,
id);
       int rowsUpdated = stmt.executeUpdate();
if (rowsUpdated > 0) {
          System.out.println("Product updated successfully!");
       } else {
          System.out.println("Product ID not found.");
       }
     } catch (SQLException ex) {
       System.err.println("Error updating product: " + ex.getMessage());
   }
   private static void deleteProduct(Scanner scanner) {
     System.out.print("Enter product ID to delete: ");
```

```
String sql = "DELETE FROM Product WHERE ProductID=?";
```

```
try (Connection conn = DriverManager.getConnection(DB_URL, USER, PASSWORD);
PreparedStatement stmt = conn.prepareStatement(sql)) {
    stmt.setInt(1, id);
    int rowsDeleted = stmt.executeUpdate();

    if (rowsDeleted > 0) {
        System.out.println("Product deleted successfully!");
    } else {
        System.out.println("Product ID not found.");
    }
} catch (SQLException ex) {
        System.err.println("Error deleting product: " + ex.getMessage());
}
```

Hard Level:

Develop a Java application using JDBC and MVC architecture to manage student data. The application should:

Use a Student class as the model with fields like StudentID, Name, Department, and Marks.

Include a database table to store student data.

Allow the user to perform CRUD operations through a simple menu-driven view.

Implement database operations in a separate controller class.

Code:

Model

```
public class Student {
    private int id;    private
    String fullName;    private
```



COMPUTER SCIENCE & ENGINEERING

Discover. Learn. Empower.

```
String dept; private int
score;
  public Student(int id, String fullName, String dept, int score) {
this.id = id;
     this.fullName = fullName;
this.dept = dept;
                      this.score
= score;
  }
  // Getters and Setters public int
getId() { return id; } public void
setId(int id) { this.id = id; }
  public String getFullName() { return fullName; }
  public void setFullName(String fullName) { this.fullName = fullName; }
  public String getDept() { return dept; }
  public void setDept(String dept) { this.dept = dept; }
  public int getScore() { return score; }
  public void setScore(int score) { this.score = score; }
  @Override
  public String toString() {
     return "Student ID: " + id + ", Name: " + fullName + ", Department: " + dept + ", Score: " + score;
  }
}
```

View

import java.util.List; import java.util.Scanner;

DEPARTMENT OF



COMPUTER SCIENCE & ENGINEERING

Discover. Learn. Empower.

```
public class StudentView {
  private final StudentController studentController = new StudentController();
private final Scanner inputScanner = new Scanner(System.in);
  public void showMenu() {
     int option;
do {
       System.out.println("\n=== Student Management Portal ===");
       System.out.println("1. Register Student");
       System.out.println("2. Display All Students");
       System.out.println("3. Modify Student Details");
       System.out.println("4. Remove Student");
       System.out.println("5. Exit");
System.out.print("Select an option: ");
                                              option
= inputScanner.nextInt();
inputScanner.nextLine(); // Consume newline
       switch (option) {
case 1:
registerStudent();
                case 2:
break;
listStudents();
break;
                case 3:
modifyStudent();
break:
                case 4:
removeStudent();
break;
                case 5:
            System.out.println("Closing application...");
break;
                 default:
            System.out.println("Invalid option, please try again.");
       }
     \} while (option != 5);
  }
```

DEPARTMENT OF COMPUTER SCIENCE & ENGINEERING

```
Discover. Learn. Empower.
   private void registerStudent() {
     System.out.print("Enter Student Name: ");
     String fullName = inputScanner.nextLine();
     System.out.print("Enter Department: ");
     String department = inputScanner.nextLine();
 System.out.print("Enter Marks: ");
                                        int score
 = inputScanner.nextInt();
     Student newStudent = new Student(0, fullName, department, score);
 studentController.addStudent(newStudent);
   }
   private void listStudents() {
     List<Student> studentList = studentController.getAllStudents();
 if (studentList.isEmpty()) {
        System.out.println("No student records available.");
      } else {
        System.out.println("\n--- Student Records ---");
 for (Student student : studentList) {
          System.out.println(student);
        }
   private void modifyStudent() {
     System.out.print("Enter Student ID to update: ");
 int studentId = inputScanner.nextInt();
 inputScanner.nextLine(); // Consume newline
 System.out.print("Enter Updated Name: ");
     String updatedName = inputScanner.nextLine();
     System.out.print("Enter Updated Department: ");
```

```
String updatedDepartment = inputScanner.nextLine();
System.out.print("Enter Updated Marks: ");
                                               int
updatedScore = inputScanner.nextInt();
    Student updatedStudent = new Student(studentId, updatedName, updatedDepartment, updatedScore);
studentController.updateStudent(updatedStudent);
  }
  private void removeStudent() {
     System.out.print("Enter Student ID to remove: ");
int studentId = inputScanner.nextInt();
studentController.deleteStudent(studentId);
  }
Controller
import java.sql.*; import
java.util.ArrayList; import
java.util.List;
public class StudentController {
  private static final String DB URL = "jdbc:mysql://localhost:3306/javadb";
private static final String DB USER = "root"; private static final String
DB PASSWORD = "karan.111";
  public void insertStudent(Student student) {
     String sql = "INSERT INTO Students (Name, Department, Marks) VALUES (?, ?, ?)";
    try (Connection connection = DriverManager.getConnection(DB URL, DB USER, DB PASSWORD);
PreparedStatement preparedStatement = connection.prepareStatement(sql)) {
       connection.setAutoCommit(false);
```

```
preparedStatement.setString(1, student.getName());
preparedStatement.setString(2, student.getDepartment());
preparedStatement.setInt(3, student.getMarks());
       preparedStatement.executeUpdate();
connection.commit();
       System.out.println("Student successfully registered!");
     } catch (SQLException ex) {
ex.printStackTrace();
  }
  public List<Student> fetchAllStudents() {
    List<Student> studentList = new ArrayList<>();
String sql = "SELECT * FROM Students";
    try (Connection connection = DriverManager.getConnection(DB URL, DB USER, DB PASSWORD);
       Statement = connection.createStatement();
ResultSet resultSet = statement.executeQuery(sql)) {
       while (resultSet.next()) {
         studentList.add(new Student(resultSet.getInt("StudentID"),
resultSet.getString("Name"),
resultSet.getString("Department"),
                                               resultSet.getInt("Marks")));
     } catch (SQLException ex) {
ex.printStackTrace();
    return studentList;
  }
  public void modifyStudent(Student student) {
```

```
String sql = "UPDATE Students SET Name=?, Department=?, Marks=? WHERE StudentID=?";
    try (Connection connection = DriverManager.getConnection(DB URL, DB USER, DB PASSWORD);
PreparedStatement preparedStatement = connection.prepareStatement(sql)) {
       connection.setAutoCommit(false);
       preparedStatement.setString(1, student.getName());
preparedStatement.setString(2, student.getDepartment());
preparedStatement.setInt(3, student.getMarks());
                                                     preparedStatement.setInt(4,
student.getStudentID());
       int affectedRows = preparedStatement.executeUpdate();
if (affectedRows > 0) {
                               connection.commit();
         System.out.println("Student details updated!");
       } else {
         System.out.println("No record found with the given Student ID.");
       }
    } catch (SQLException ex) {
ex.printStackTrace();
  }
  public void removeStudent(int studentID) {
```

try (Connection connection = DriverManager.getConnection(DB URL, DB USER, DB PASSWORD);

```
\label{eq:connection} PreparedStatement = connection.prepareStatement(sql)) \ \{ \\ connection.setAutoCommit(false); \\ preparedStatement.setInt(1, studentID); \\ int affectedRows = preparedStatement.executeUpdate(); \\ if (affectedRows > 0) \ \{ \\ connection.commit(); \\ \end{cases}
```

String sql = "DELETE FROM Students WHERE StudentID=?";

COMPUTER SCIENCE & ENGINEERING

Discover. Learn. Empower.

```
System.out.println("Student record deleted!");
} else {
System.out.println("No record found with the given Student ID.");
}

catch (SQLException ex) {
ex.printStackTrace();
}
}
```

Main

```
public class StudentApplication {
  public static void main(String[] args) {
      StudentView studentView = new StudentView();
  studentView.showMenu();
   }
}
```

Output:

1.

Easy Problem

CU

DEPARTMENT OF

COMPUTER SCIENCE & ENGINEERING

Discover. Learn. Empower.

```
C:\Users\123sa\Desktop\Coding\JAVA\Class\exp 7>java -cp ".;mysql-connector-j-9.2.0.jar" ProductCRUD
   - Product Management System ---
1. Add Product
2. View Products
3. Update Product
4. Delete Product
5. Exit
Enter your choice: 2
ProductID | ProductName | Price | Quantity
1 | Laptop | 75000.0 | 10
2 | Mouse | 1500.0 | 50
3 | Keyboard | 2500.0 | 30
  - Product Management System --
1. Add Product
2. View Products
3. Update Product
4. Delete Product
5. Exit
Enter your choice: 4
Enter Product ID to delete: 3
Product deleted successfully!
   Product Management System ---
1. Add Product
2. View Products
3. Update Product
4. Delete Product
5. Exit
Enter your choice: 2
ProductID | ProductName | Price | Quantity
1 | Laptop | 75000.0 | 10
2 | Mouse | 1500.0 | 50
   - Product Management System ---
1. Add Product
2. View Products
3. Update Product
4. Delete Product
5. Exit
Enter your choice: 5
Exiting...
```

2. Medium Problem

```
C:\Users\123sa\Desktop\Coding\JAVA\Class\exp 7>java -cp ".;mysql-connector-j-9.2.0.jar" StudentMain
  -- Student Management System ---
1. Add Student
2. View Students
3. Update Student
4. Delete Student
5. Exit
Enter your choice: 2
Student List:
ID: 1, Name: Saket, Dept: Computer Science, Marks: 95
ID: 2, Name: Ram, Dept: Electronics, Marks: 78
ID: 3, Name: Dam, Dept: Mechanical, Marks: 92
 --- Student Management System ---
1. Add Student
2. View Students
3. Update Student
4. Delete Student
5. Exit
Enter your choice: 5
Exiting...
```

3. Hard Probem



Learning Outcomes:

- 1.Integrating Java with Databases Learn how Java applications interact with databases to store and retrieve data efficiently.
- 2.Enhancing Data Security Explore best practices for securing database connections and preventing SQL injection attacks in Java applications.
- 3.Optimizing Query Performance Understand how to write efficient SQL queries and use indexing to improve database performance.
- 4.Building Scalable Applications Learn how to design a Java-based system that can handle increasing data loads while maintaining performance.