# **Experiment 7**

Student Name: Gaurav Kumar UID: 22BCS10159

Section: KPIT-902 Semester: 6<sup>th</sup>

**DOP:** 03/04/25 **Subject:** Project Based Learning in Java

Subject Code: 22CSH-359 Branch: CSE

**Aim:** Create Java applications with JDBC for database connectivity, CRUD operations, and MVC architecture.

**Objective:** To Create Java applications with JDBC for database connectivity, CRUD operations, and MVC architecture.

## **Easy Level:**

Create a Java program to connect to a MySQL database and fetch data from a single table. The program should:

Use DriverManager and Connection objects.

Retrieve and display all records from a table named Employee with columns EmpID, Name, and Salary.

#### Code:

```
System.out.println("\n=== Employee Management System ====");
       System.out.println("1) View Employee List");
       System.out.println("2) Exit");
       System.out.print("Select an option: ");
       int option = scanner.nextInt();
       if (option == 1) {
fetchEmployees();
       } else if (option == 2) {
         System.out.println("Goodbye!");
         break;
       } else {
         System.out.println("Invalid choice! Please try again.");
       }
    }
    scanner.close();
  }
  private static void fetchEmployees() {
    String query = "SELECT EmpID, Name, Salary FROM Employee";
    try (Connection conn = DriverManager.getConnection(DB URL, USERNAME, PASSWORD);
       Statement stmt = conn.createStatement();
       ResultSet rs = stmt.executeQuery(query)) {
       System.out.println("\nEmployee Details:");
       System.out.println("ID | Name | Salary");
       System.out.println("----");
       while (rs.next()) {
```

```
System.out.printf("%d | %s | %.2f%n", rs.getInt("EmpID"), rs.getString("Name"), rs.getDouble("Salary"));
} catch (SQLException ex) {
System.err.println("Database connection error: " + ex.getMessage());
}
}
```

#### **Medium Level:**

Build a program to perform CRUD operations (Create, Read, Update, Delete) on a database table Product with columns:

ProductID, ProductName, Price, and Quantity.

The program should include:

Menu-driven options for each operation.

Transaction handling to ensure data integrity.

# Code:

```
System.out.println("2) View Products");
       System.out.println("3) Update Product");
       System.out.println("4) Delete Product");
       System.out.println("5) Exit");
       System.out.print("Choose an option: ");
       int choice = scanner.nextInt();
scanner.nextLine(); // Clear newline buffer
       switch (choice) {
                                  case 1 -
> addProduct(scanner);
                                 case 2 ->
viewProducts();
                          case 3 ->
                                  case 4 -
updateProduct(scanner);
> deleteProduct(scanner);
                                    case 5
-> {
            System.out.println("Exiting application...");
running = false;
         default -> System.out.println("Invalid option! Try again.");
       }
scanner.close();
  }
  private static void addProduct(Scanner scanner) {
     System.out.print("Enter product name: ");
     String name = scanner.nextLine();
System.out.print("Enter price: ");
double price = scanner.nextDouble();
System.out.print("Enter quantity: ");
int quantity = scanner.nextInt();
```

```
String sql = "INSERT INTO Product (ProductName, Price, Quantity) VALUES (?, ?, ?)";
    try (Connection conn = DriverManager.getConnection(DB URL, USER, PASSWORD);
PreparedStatement stmt = conn.prepareStatement(sql)) {
       stmt.setString(1, name);
stmt.setDouble(2,
                       price);
stmt.setInt(3, quantity);
       int rowsInserted = stmt.executeUpdate();
if (rowsInserted > 0) {
         System.out.println("Product added successfully!");
       } else {
         System.out.println("Failed to add product.");
       }
    } catch (SQLException ex) {
      System.err.println("Error adding product: " + ex.getMessage());
    }
  private static void viewProducts() {
    String sql = "SELECT * FROM Product";
    try (Connection conn = DriverManager.getConnection(DB URL, USER, PASSWORD);
       Statement stmt = conn.createStatement();
       ResultSet rs = stmt.executeQuery(sql)) {
       System.out.println("\nProduct List:");
       System.out.println("ID | Name | Price | Quantity");
       System.out.println("-----");
      while (rs.next()) {
```

```
System.out.printf("%d | %s | %.2f | %d%n",
rs.getInt("ProductID"),
rs.getString("ProductName"),
rs.getDouble("Price"),
rs.getInt("Quantity"));
       }
    } catch (SQLException ex) {
       System.err.println("Error retrieving products: " + ex.getMessage());
    }
  }
  private static void updateProduct(Scanner scanner)
{
      System.out.print("Enter product ID to update:
");
        int id = scanner.nextInt();
scanner.nextLine(); // Clear buffer
    System.out.print("Enter new product name: ");
    String name = scanner.nextLine();
System.out.print("Enter new price: ");
double price = scanner.nextDouble();
System.out.print("Enter new quantity: ");
int quantity = scanner.nextInt();
    String sql = "UPDATE Product SET ProductName=?, Price=?, Quantity=? WHERE ProductID=?";
    try (Connection conn = DriverManager.getConnection(DB URL, USER, PASSWORD);
PreparedStatement stmt = conn.prepareStatement(sql)) {
       stmt.setString(1, name);
stmt.setDouble(2, price);
stmt.setInt(3, quantity);
stmt.setInt(4, id);
```

```
int rowsUpdated = stmt.executeUpdate();
if (rowsUpdated > 0) {
         System.out.println("Product updated successfully!");
         System.out.println("Product ID not found.");
       }
     } catch (SQLException ex) {
       System.err.println("Error updating product: " + ex.getMessage());
  }
  private static void deleteProduct(Scanner scanner) {
System.out.print("Enter product ID to delete: ");
int id = scanner.nextInt();
    String sql = "DELETE FROM Product WHERE ProductID=?";
    try (Connection conn = DriverManager.getConnection(DB URL, USER, PASSWORD);
PreparedStatement stmt = conn.prepareStatement(sql)) {
       stmt.setInt(1, id);
rowsDeleted = stmt.executeUpdate();
       if (rowsDeleted > 0) {
         System.out.println("Product deleted successfully!");
       } else {
         System.out.println("Product ID not found.");
       }
    } catch (SQLException ex) {
       System.err.println("Error deleting product: " + ex.getMessage());
```

}

#### **Hard Level:**

Develop a Java application using JDBC and MVC architecture to manage student data. The application should:

Use a Student class as the model with fields like StudentID, Name, Department, and Marks.

Include a database table to store student data.

Allow the user to perform CRUD operations through a simple menu-driven view.

Implement database operations in a separate controller class.

## Code:

```
Model
```

```
public class Student {
private int id; private
String fullName;
private String dept;
private int score;
  public Student(int id, String fullName, String dept, int score) {
    this.id = id;
this.fullName = fullName;
this.dept = dept;
this.score = score;
  }
  // Getters and Setters public int
getId() { return id; } public void
setId(int id) { this.id = id; }
  public String getFullName() { return fullName; } public void
setFullName(String fullName) { this.fullName = fullName; }
```

```
public String getDept() { return dept; }
void setDept(String dept) { this.dept = dept; }
  public int getScore() { return score; } public void
setScore(int score) { this.score = score; }
@Override public String toString() {
                                            return
"Student ID: " + id + ", Name: " + fullName + ",
Department: " + dept + ", Score: " + score;
  }
}
View
import java.util.List;
import java.util.Scanner;
public class StudentView {      private final StudentController
studentController = new StudentController(); private final Scanner
inputScanner = new Scanner(System.in);
  public void showMenu() {
    int option;
do {
       System.out.println("\n=== Student Management Portal ====");
       System.out.println("1. Register Student");
       System.out.println("2. Display All Students");
       System.out.println("3. Modify Student Details");
       System.out.println("4. Remove Student");
       System.out.println("5. Exit");
System.out.print("Select an option: ");
option = inputScanner.nextInt();
```

inputScanner.nextLine(); // Consume newline

```
switch (option) {
case 1:
registerStudent();
break;
                case 2:
listStudents();
break;
                case 3:
modifyStudent();
break;
                case 4:
removeStudent();
break;
                case 5:
            System.out.println("Closing application...");
            break;
default:
            System.out.println("Invalid option, please try again.");
       }
    \} while (option != 5);
  }
  private void registerStudent() {
    System.out.print("Enter Student Name: ");
    String fullName = inputScanner.nextLine();
    System.out.print("Enter Department: ");
    String department =
inputScanner.nextLine();
System.out.print("Enter Marks: ");
                                        int score
= inputScanner.nextInt();
    Student newStudent = new Student(0, fullName, department, score);
studentController.addStudent(newStudent);
  }
```

```
private void listStudents() {
    List<Student> studentList = studentController.getAllStudents();
if (studentList.isEmpty()) {
       System.out.println("No student records available.");
    } else {
       System.out.println("\n--- Student Records ---");
for (Student student : studentList) {
         System.out.println(student);
       }
     }
  }
  private void modifyStudent() {
    System.out.print("Enter Student ID to update: ");
int studentId = inputScanner.nextInt();
inputScanner.nextLine(); // Consume newline
System.out.print("Enter Updated Name: ");
    String updatedName = inputScanner.nextLine();
    System.out.print("Enter Updated Department: ");
    String updatedDepartment =
inputScanner.nextLine();
                              System.out.print("Enter
Updated Marks: ");
                        int updatedScore =
inputScanner.nextInt();
    Student updatedStudent = new Student(studentId, updatedName, updatedDepartment, updatedScore);
studentController.updateStudent(updatedStudent);
  }
  private void removeStudent() {
```

```
System.out.print("Enter Student ID to remove: ");
int studentId = inputScanner.nextInt();
studentController.deleteStudent(studentId);
}
Controller
import java.sql.*; import
java.util.ArrayList;
import java.util.List;
public class StudentController {     private static final String DB URL =
"jdbc:mysql://localhost:3306/javadb"; private static final String
DB USER = "root"; private static final String DB PASSWORD =
"karan.111";
  public void insertStudent(Student student) {
    String sql = "INSERT INTO Students (Name, Department, Marks) VALUES (?, ?, ?)";
    try (Connection connection = DriverManager.getConnection(DB URL, DB USER, DB PASSWORD);
       PreparedStatement preparedStatement = connection.prepareStatement(sql)) {
       connection.setAutoCommit(false);
preparedStatement.setString(1, student.getName());
preparedStatement.setString(2, student.getDepartment());
preparedStatement.setInt(3, student.getMarks());
       preparedStatement.executeUpdate();
connection.commit();
       System.out.println("Student successfully registered!");
```

```
} catch (SQLException ex) {
ex.printStackTrace();
  }
  public List<Student> fetchAllStudents() {
    List<Student> studentList = new ArrayList<>();
    String sql = "SELECT * FROM Students";
    try (Connection connection = DriverManager.getConnection(DB URL, DB USER, DB PASSWORD);
       Statement statement = connection.createStatement();
       ResultSet resultSet = statement.executeQuery(sql)) {
       while (resultSet.next()) {
                                        studentList.add(new
Student(resultSet.getInt("StudentID"),
resultSet.getString("Name"),
resultSet.getString("Department"),
resultSet.getInt("Marks")));
       }
    } catch (SQLException ex) {
ex.printStackTrace();
          return
studentList;
  }
  public void modifyStudent(Student student) {
    String sql = "UPDATE Students SET Name=?, Department=?, Marks=? WHERE StudentID=?";
    try (Connection connection = DriverManager.getConnection(DB URL, DB USER, DB PASSWORD);
       PreparedStatement preparedStatement = connection.prepareStatement(sql)) {
```

```
connection.setAutoCommit(false);
preparedStatement.setString(1, student.getName());
preparedStatement.setString(2, student.getDepartment());
preparedStatement.setInt(3, student.getMarks());
preparedStatement.setInt(4, student.getStudentID());
       int affectedRows = preparedStatement.executeUpdate();
if (affectedRows > 0) {
         connection.commit();
         System.out.println("Student details updated!");
       } else {
         System.out.println("No record found with the given Student ID.");
       }
    } catch (SQLException ex) {
ex.printStackTrace();
    }
  }
  public void removeStudent(int studentID) {
    String sql = "DELETE FROM Students WHERE StudentID=?";
    try (Connection connection = DriverManager.getConnection(DB URL, DB USER, DB PASSWORD);
       PreparedStatement preparedStatement = connection.prepareStatement(sql)) {
      connection.setAutoCommit(false);
preparedStatement.setInt(1, studentID);
       int affectedRows =
preparedStatement.executeUpdate();
                                          if (affectedRows
> 0) {
               connection.commit();
```

```
System.out.println("Student record deleted!");
} else {
System.out.println("No record found with the given Student ID.");
}
catch (SQLException ex) {
ex.printStackTrace();
}
}

Main
public class StudentApplication {
public static void main(String[] args) {
StudentView studentView = new StudentView();
studentView.showMenu();
}
```

}

# **Output:**

### 1.1 Easy Problem

```
C:\Users\123sa\Desktop\Coding\JAVA\Class\exp 7>javac -cp ".;mysql-connector-j-9.2.0.jar" ProductCRUD.java
C:\Users\123sa\Desktop\Coding\JAVA\Class\exp 7>java -cp ".;mysql-connector-j-9.2.0.jar" ProductCRUD
   - Product Management System ---
1. Add Product
2. View Products
3. Update Product
4. Delete Product
5. Fxit
Enter your choice: 2
ProductID | ProductName | Price | Quantity
1 | Laptop | 75000.0 | 10
2 | Mouse | 1500.0 | 50
3 | Keyboard | 2500.0 | 30
  -- Product Management System ---
1. Add Product
2. View Products
3. Update Product
4. Delete Product
5. Exit
Enter your choice: 4
Enter Product ID to delete: 3
Product deleted successfully!
  -- Product Management System ---
1. Add Product
2. View Products
3. Update Product
4. Delete Product
5. Exit
Enter your choice: 2
ProductID | ProductName | Price | Quantity
1 | Laptop | 75000.0 | 10
2 | Mouse | 1500.0 | 50
  -- Product Management System ---
1. Add Product
2. View Products
3. Update Product
4. Delete Product
5. Exit
Enter your choice: 5
Exiting...
```

```
C:\Users\123sa\Desktop\Coding\JAVA\Class\exp 7>java -cp ".;mysql-connector-j-9.2.0.jar" StudentMain
--- Student Management System ---
1. Add Student
2. View Students
3. Update Student
4. Delete Student
5. Exit
Enter your choice: 2
Student List:
ID: 1, Name: Saket, Dept: Computer Science, Marks: 95
ID: 2, Name: Ram, Dept: Electronics, Marks: 78
ID: 3, Name: Dam, Dept: Mechanical, Marks: 92
--- Student Management System ---
1. Add Student
2. View Students
3. Update Student
4. Delete Student
5. Exit
Enter your choice: 5
Exiting...
```

1.3 Hard Probem

# **Learning Outcomes:**

- 1. Integrating Java with Databases Learn how Java applications interact with databases to store and retrieve data efficiently.
- 2. Enhancing Data Security Explore best practices for securing database connections and preventing SQL injection attacks in Java applications.
- 3. Optimizing Query Performance Understand how to write efficient SQL queries and use indexing to improve database performance.
- 4. Building Scalable Applications Learn how to design a Java-based system that can handle increasing data loads while maintaining performance.

# CU CHANDIGARH UNIVERSITY Discover. Learn. Empower.