



DEPARTMENT OF COMPUTER SCIENCE & ENGINEERING

Discover. Learn. Empower.

Experiment -8

Student Name: Akriti

UID:22BCS14027

Branch: BE-CSE

Section: EPAM-801 B

Semester:6th

Date of Performance:17/03/2025

Subject Name: Project-Based Learning
in Java with Lab

Subject Code: 22CSH-359

1.Aim: To develop a servlet that accepts user credentials from an HTML form and displays a personalized welcome message on successful login.

Objective: Learn form handling with Servlets
Understand HTTP request/response handling
Practice doPost() method

Code:

```
<!DOCTYPE html>
<html>
<head><title>Login</title></head>
<body>
  <form action="LoginServlet" method="post">
    Username: <input type="text" name="username"><br>
    Password: <input type="password" name="password"><br>
    <input type="submit" value="Login">
  </form>
</body>
</html>
```

```
import java.io.*;
import javax.servlet.*;
import javax.servlet.http.*;
```

```
public class LoginServlet extends HttpServlet {
    protected void doPost(HttpServletRequest request, HttpServletResponse response)
        throws ServletException, IOException {
        String user = request.getParameter("username");
        String pass = request.getParameter("password");

        response.setContentType("text/html");
        PrintWriter out = response.getWriter();

        if ("admin".equals(user) && "1234".equals(pass)) {
```



DEPARTMENT OF COMPUTER SCIENCE & ENGINEERING

Discover. Learn. Empower.

```
        out.println("<h2>Welcome, " + user + "!</h2>");
    } else {
        out.println("<h2>Login Failed. Invalid credentials.</h2>");
    }
}
}
```

```
<web-app>
<servlet>
  <servlet-name>LoginServlet</servlet-name>
  <servlet-class>LoginServlet</servlet-class>
</servlet>
<servlet-mapping>
  <servlet-name>LoginServlet</servlet-name>
  <url-pattern>/LoginServlet</url-pattern>
</servlet-mapping>
</web-app>
```

Output:

- 1) On correct login: Welcome, Akriti !
- 2) On failure: Login Failed. Invalid credentials.



DEPARTMENT OF COMPUTER SCIENCE & ENGINEERING

Discover. Learn. Empower.

1. **Aim:** To build a servlet integrated with JDBC that displays all employees and enables search by employee ID.

Objective: 1) Use JDBC with Servlet

2) Fetch and display records

3) Implement search functionality

Code:

```
<!DOCTYPE html>
<html>
<head><title>Search Employee</title></head>
<body>
  <form action="EmployeeServlet" method="post">
    Enter Employee ID: <input type="text" name="empId">
    <input type="submit" value="Search">
  </form>
</body>
</html>
```

```
import java.io.*;
import javax.servlet.*;
import javax.servlet.http.*;
import java.sql.*;
```

```
public class EmployeeServlet extends HttpServlet {
    protected void doPost(HttpServletRequest request, HttpServletResponse response)
        throws ServletException, IOException {
```

```
        String empId = request.getParameter("empId");
        response.setContentType("text/html");
        PrintWriter out = response.getWriter();
```

```
        try {
            Class.forName("com.mysql.jdbc.Driver");
            Connection con =
```

```
DriverManager.getConnection("jdbc:mysql://localhost:3306/company", "root", "password");
```

```
        String query = "SELECT * FROM employees WHERE emp_id=?";
        PreparedStatement ps = con.prepareStatement(query);
```

```
ps.setString(1, empId);
ResultSet rs = ps.executeQuery();

if (rs.next()) {
    out.println("<h2>Employee Details</h2>");
    out.println("ID: " + rs.getInt(1) + "<br>");
    out.println("Name: " + rs.getString(2) + "<br>");
    out.println("Department: " + rs.getString(3));
} else {
    out.println("No employee found with ID " + empId);
}

con.close();
} catch (Exception e) {
    out.println("Error: " + e.getMessage());
}
}
```

7.2.2 Output:

- 1) Enter an employee ID → Shows details if found.
- 2) Not found → "No employee found with ID X"



DEPARTMENT OF COMPUTER SCIENCE & ENGINEERING

Discover. Learn. Empower.

Aim: To develop a JSP-based student portal that accepts attendance data and saves it to the database using a servlet.

- Objective:**
- 1) Combine JSP for UI and Servlets for logic
 - 2) Perform INSERT using JDBC
 - 3) Build a real-world web flow

Code:

```
<%@ page language="java" %>
<html>
<head><title>Student Attendance</title></head>
<body>
  <h2>Mark Attendance</h2>
  <form action="AttendanceServlet" method="post">
    Roll No: <input type="text" name="roll"><br>
    Name: <input type="text" name="name"><br>
    Status: <select name="status">
      <option>Present</option>
      <option>Absent</option>
    </select><br>
    <input type="submit" value="Submit">
  </form>
</body>
</html>
```

```
import java.io.*;
import javax.servlet.*;
import javax.servlet.http.*;
import java.sql.*;
```

```
public class AttendanceServlet extends HttpServlet {
  protected void doPost(HttpServletRequest request, HttpServletResponse response)
    throws ServletException, IOException {
    String roll = request.getParameter("roll");
    String name = request.getParameter("name");
    String status = request.getParameter("status");

    response.setContentType("text/html");
```



DEPARTMENT OF COMPUTER SCIENCE & ENGINEERING

Discover. Learn. Empower.

```
PrintWriter out = response.getWriter();

try {
    Class.forName("com.mysql.jdbc.Driver");
    Connection con =
DriverManager.getConnection("jdbc:mysql://localhost:3306/student_portal", "root",
"password");

    String query = "INSERT INTO attendance (roll_no, name, status) VALUES (?, ?,
?)";

    PreparedStatement ps = con.prepareStatement(query);
    ps.setString(1, roll);
    ps.setString(2, name);
    ps.setString(3, status);

    int i = ps.executeUpdate();
    if (i > 0) {
        out.println("<h3>Attendance marked successfully for " + name + "!</h3>");
    }

    con.close();
} catch (Exception e) {
    out.println("Error: " + e.getMessage());
}
}
```

CREATE TABLE attendance (
 id INT AUTO_INCREMENT PRIMARY KEY,
 roll_no VARCHAR(20),
 name VARCHAR(100),
 status VARCHAR(10)
);

OUTPUT

Form submission → "Attendance marked successfully for John!"

And the data is stored in the database.