Experiment 4.1

Student Name: Mohit   UID: 22BCS14664
Branch: CSE   Section/Group:22BCS_IOT-640/B
Semester: 6th   Date of Performance:17/02/25
Subject Name: PBLJ   Subject Code: 22CSH-359

1. **Aim:**

   Write a Java program to implement an ArrayList that stores employee details (ID,

   Name, and Salary). Allow users to add, update, remove, and search employees..

2. **Objective:**

   The objective of this Java program is to implement an **ArrayList** to store and manage
employee details, including **Employee ID, Name, and Salary**. The program will provide
functionalities for users to:
   1. **Add** new employees.
   2. **Update** existing employee details.
   3. **Remove** an employee by ID.
   4. **Search** for an employee by ID or Name.
   5. **Display** all employees.

This program demonstrates the use of **ArrayList**, **OOP principles (Encapsulation and
Classes)**, and **basic CRUD operations** in Java.

3. **Implementation/Code:** import java.util.ArrayList;
import java.util.Scanner;

```java
public class EmployeeManagement {
    static ArrayList<String> employees = new ArrayList<>();
static Scanner scanner = new Scanner(System.in);

    static void addEmployee() {
        System.out.print("Enter Employee Details (ID Name Salary): ");
employees.add(scanner.nextLine());
    }

    static void displayEmployees() {
        if (employees.isEmpty()) {
```

```java
            System.out.println("No employees found.");
        } else {
            for (String emp : employees) {
                System.out.println(emp);
            }
        }
    }

    static void removeEmployee() {
        System.out.print("Enter Employee ID to remove: ");
String id = scanner.next();
        employees.removeIf(emp -> emp.startsWith(id));
    }

    static void searchEmployee() {
        System.out.print("Enter Employee ID to search: ");
        String id = scanner.next();
for (String emp : employees) {
if (emp.startsWith(id)) {
System.out.println(emp);
return;
        }
    }
        System.out.println("Employee not found.");
    }

    public static void main(String[] args) {
        while (true) {
            System.out.print("\n1.Add 2.Remove 3.Search 4.Display 0.Exit: ");          int choice = scanner.nextInt();          scanner.nextLine(); //
Consume newline

            if (choice == 1) addEmployee();
else if (choice == 2) removeEmployee();
else if (choice == 3) searchEmployee();
else if (choice == 4) displayEmployees();
else if (choice == 0) break;
            else System.out.println("Invalid choice.");
```

```
   }
  }
   }
```

4. Output:


```
1.Add 2.Remove 3.Search 4.Display 0.Exit: 1
Enter Employee Details (ID Name Salary): 1001 Shivani Agarwal 8465

1.Add 2.Remove 3.Search 4.Display 0.Exit: 1
Enter Employee Details (ID Name Salary): 1002 Neharika Singh 9755

1.Add 2.Remove 3.Search 4.Display 0.Exit: 2
Enter Employee ID to remove: 1002

1.Add 2.Remove 3.Search 4.Display 0.Exit: 4
1001 Shivani Agarwal 8465

1.Add 2.Remove 3.Search 4.Display 0.Exit:
```

Experiment 4.2

1. **Aim :** Create a program to collect and store all the cards to assist the users in finding all the cards in a given symbol using Collection interface.

2. **Objective :**

The objective of this program is to design a system that collects and stores all cards using the **Collection interface** in Java. The program will allow users to efficiently search and retrieve all cards associated with a given symbol.

By implementing this, users can:

1. **Store** different types of cards in a collection.
2. **Retrieve** all cards corresponding to a given symbol.
3. **Utilize** Java's Collection framework for efficient storage and retrieval.
4. **Enhance** usability by providing a structured way to manage and search cards.

3. Implementation /Code : import java.util.*;

```java
// Card class to represent a playing card
class Card {    private String symbol;
    private String value;

    public Card(String symbol, String value) {
this.symbol = symbol;        this.value =
value;
    }

    public String getSymbol() {
        return symbol;
    }

    public String getValue() {
        return value;
    }

    @Override    public
String toString() {
        return value + " of " + symbol;
    }
}
```

```java
// CardCollection class to manage and store cards class
CardCollection {
    private Map<String, Collection<Card>> cardMap;

    public CardCollection() {
        cardMap = new HashMap<>();
    }

    public void addCard(Card card) {
        cardMap.putIfAbsent(card.getSymbol(), new ArrayList<>());
cardMap.get(card.getSymbol()).add(card);
    }

    public Collection<Card> getCardsBySymbol(String symbol) {
return cardMap.getOrDefault(symbol, Collections.emptyList());
    }

    public void displayAllCards() {
        for (Map.Entry<String, Collection<Card>> entry : cardMap.entrySet()) {
            System.out.println("Symbol: " + entry.getKey());
            for (Card card : entry.getValue()) {
                System.out.println("  " + card);
            }
        }
    }
}

public class CardManager {
    public static void main(String[] args) {
        CardCollection collection = new CardCollection();

        collection.addCard(new Card("Hearts", "Ace"));
collection.addCard(new Card("Hearts", "King"));
collection.addCard(new Card("Spades", "Queen"));
collection.addCard(new Card("Diamonds", "Jack"));
collection.addCard(new Card("Clubs", "10"));

        Scanner scanner = new Scanner(System.in);
```

```
        System.out.print("Enter symbol to find cards (e.g., Hearts, Spades): ");
String symbol = scanner.nextLine();

        Collection<Card> foundCards = collection.getCardsBySymbol(symbol);

        if (foundCards.isEmpty()) {
            System.out.println("No cards found for symbol: " + symbol);
        } else {
            System.out.println("Cards found for " + symbol + ":");
for (Card card : foundCards) {            System.out.println("
" + card);
            }
        }

        scanner.close();
    }
}
```

4. Output :

<u>Experiment 4.3</u>

1. **Aim :** Develop a ticket booking system with synchronized threads to ensure no double booking of seats. Use thread priorities to simulate VIP bookings being processed first.

2. **Objective :**

  ☐   Prevent Double Booking – Use thread synchronization to avoid multiple bookings for the same seat.
  ☐ VIP Priority – Assign higher thread priority to VIP users for faster processing.
  ☐ Efficient Seat Allocation – Dynamically update seat availability in real time.
  ☐ Concurrency Handling – Manage multiple booking requests safely using locks.
  ☐ Transaction Integrity – Ensure accurate booking records and handle failures gracefully.
  ☐ Scalability – Optimize for high-volume concurrent bookings.
  ☐ Logging & Monitoring – Track transactions and detect system issues.

3. **Implementation /Code :**

```
class TicketBookingSystem {
 private int availableSeats = 5; // Total seats available

    public synchronized boolean bookSeat(String name) {
if (availableSeats > 0) {
        System.out.println(name + " booked seat " + availableSeats);
availableSeats--;          return true;        } else {
        System.out.println(name + " booking failed. No seats available.");
return false;
      }
    }
}

class BookingThread extends Thread {
private  TicketBookingSystem  system;
private String customerName;

    public BookingThread(TicketBookingSystem system, String customerName, int
priority) {
```

```java
        this.system = system;
        this.customerName = customerName;
    setPriority(priority);
    }

    @Override
public void run() {
        system.bookSeat(customerName);
    }
}

public class TicketBookingApp {
public static void main(String[] args) {
        TicketBookingSystem system = new TicketBookingSystem();

        BookingThread vip1 = new BookingThread(system, "VIP1",
Thread.MAX_PRIORITY);
        BookingThread vip2 = new BookingThread(system, "VIP2",
Thread.MAX_PRIORITY);
        BookingThread normal1 = new BookingThread(system, "User1",
Thread.NORM_PRIORITY);
        BookingThread normal2 = new BookingThread(system, "User2",
Thread.NORM_PRIORITY);
        BookingThread normal3 = new BookingThread(system, "User3",
Thread.NORM_PRIORITY);

        vip1.start();
    vip2.start();
    normal1.start();
    normal2.start();
    normal3.start();
    }
}
```

4. **Output :**

```
VIP1 booked seat 5
User3 booked seat 4
User2 booked seat 3
User1 booked seat 2
VIP2 booked seat 1


...Program finished with exit code 0
Press ENTER to exit console.
```

5. Learning Outcomes :

- Learn about Thread Synchronization.
- Learn about Arraylist.
- Implementation of Arraylist.