Experiment 5

Student Name: Priyanka Kumari UID: 22BCS10492

Branch: BE-CSE Section/Group: 22BCS 639 - A
Semester: 6th Date of Performance:21/02/2025

Subject Name: Project Based Learning Subject Code: 22CSH-359

in Java with Lab

1. Aim: Develop Java programs using autoboxing, serialization, file handling, and efficient data processing and management.

2. Objective :To demonstrate autoboxing, unboxing, and collection handling in Java, along with object serialization and describilization while implementing proper exception handling. Additionally, to implement a menu-based employee management system using collections.

3. Implementation/Code:

3.1 Write a Java program to calculate the sum of a list of integers using autoboxing and unboxing. Include methods to parse strings into their respective wrapper classes (e.g., Integer.parseInt()).

```
import java.util.ArrayList;
import java.util.List;
public class SumUsingAutoboxing {
  public static void main(String[] args) {
    List<Integer> numbers = new ArrayList<>();
    numbers.add(parseInteger("10"));
    numbers.add(parseInteger("20"));
    numbers.add(parseInteger("30"));
    numbers.add(parseInteger("40"));
    numbers.add(parseInteger("50"));
    int sum = calculateSum(numbers);
    System.out.println("Sum of numbers: " + sum);
  private static Integer parseInteger(String str) {
    return Integer.parseInt(str);
}
  private static int calculateSum(List<Integer> numbers) {
    int sum = 0;
    for (Integer num: numbers) {
       sum += num;
}
```

oos.writeObject(student);

catch (IOException e) {

System.out.println("Student object serialized successfully.");

System.err.println("Error during serialization: " + e.getMessage());

```
Discover. Learn. Empower.
      return sum;
 }
       3.2 Create a Java program to serialize and deserialize a Student object. The
       program should:
       Serialize a Student object (containing id, name, and GPA) and save it to a file.
       Deserialize the object from the file and display the student details.
       Handle FileNotFoundException, IOException, and ClassNotFoundException using
       exception handling.
 import java.io.*;
 class Student implements Serializable {
   private static final long serialVersionUID = 1L;
   private int id;
   private String name;
   private double gpa;
   public Student(int id, String name, double gpa) {
      this.id = id;
      this.name = name;
      this.gpa = gpa;
 }
   public void display() {
      System.out.println("Student ID: "+id);\\
      System.out.println("Name: " + name);
      System.out.println("GPA: " + gpa);
 public class StudentSerialization {
   private static final String FILE_NAME = "student.ser";
   public static void main(String[] args) {
      Student student = new Student(101, "ABCD", 8.3);
      serializeStudent(student);
      deserializeStudent();
   private static void serializeStudent(Student student) {
      try (ObjectOutputStream oos = new ObjectOutputStream(new
 FileOutputStream(FILE NAME))) {
```

CHANDIGARH UNIVERSITY

DEPARTMENT OF

COMPUTER SCIENCE & ENGINEERING

```
Discover. Learn. Empower.

}

private static void deserializeStudent() {
    try (ObjectInputStream ois = new ObjectInputStream(new
FileInputStream(FILE_NAME))) {
        Student student = (Student) ois.readObject();
        System.out.println("Deserialized Student Object:");
        student.display();
    }

catch (FileNotFoundException e) {
        System.err.println("File not found: " + e.getMessage());
    }

catch (IOException e) {
        System.err.println("Error during deserialization: " + e.getMessage());
    }

catch (ClassNotFoundException e) {
        System.err.println("Class not found: " + e.getMessage());
    }
}
```

3.3 Create a menu-based Java application with the following options. 1.Add an Employee 2. Display All 3. Exit If option 1 is selected, the application should gather details of the employee like employee name, employee id, designation and salary and store it in a file. If option 2 is selected, the application should display all the employee details. If option 3 is selected the application should exit.

```
import java.util.ArrayList;
import java.util.Scanner;
class Employee {
  int id;
  String name;
  String designation;
  double salary;
  public Employee(int id, String name, String designation, double salary) {
     this.id = id;
     this.name = name;
     this.designation = designation;
     this.salary = salary;
  @Override
  public String toString() {
     return "ID: " + id + ", Name: " + name + ", Designation: " + designation + ", Salary: " +
salary;
```

DEPARTMENT OF COMPUTER SCIENCE & ENGINEERING

```
Discover. Learn. Empower.
 public class EmployeeManagement {
   public static void main(String[] args) {
      Scanner scanner = new Scanner(System.in);
     ArrayList<Employee> employees = new ArrayList<>();
     while (true) {
        System.out.println("\n1. Add an Employee");
        System.out.println("2. Display All Employees");
        System.out.println("3. Exit");
        System.out.print("Enter your choice: ");
        int choice = scanner.nextInt();
        scanner.nextLine();
        switch (choice) {
           case 1:
             System.out.print("Enter Employee ID: ");
             int id = scanner.nextInt();
             scanner.nextLine(); // Consume newline
             System.out.print("Enter Name: ");
             String name = scanner.nextLine();
             System.out.print("Enter Designation: ");
             String designation = scanner.nextLine();
             System.out.print("Enter Salary: ");
             double salary = scanner.nextDouble();
             employees.add(new Employee(id, name, designation, salary));
             System.out.println("Employee added successfully.");
             break;
           case 2:
             if (employees.isEmpty()) {
               System.out.println("No employees found.");
             } else {
               System.out.println("\nEmployee List:");
               for (Employee emp : employees) {
                  System.out.println(emp);
             break;
```

```
4.2 C:\Users\HP\.jdks\corretto-17.0.8\bin\java.exe
Student object serialized successfully.

Deserialized Student Object:
Student ID: 101

Name: ABCD

GPA: 8.1

Process finished with exit code 0
```



Discover. Learn. Empower.

4.3

```
1. Add an Employee
2. Display All Employees
3. Exit
Enter your choice: 1
Enter Employee ID: 101
Enter Name: ABCD
Enter Designation: Manager
Enter Salary: 110000
Employee added successfully.
1. Add an Employee
2. Display All Employees
3. Exit
Enter your choice: 2
Employee List:
ID: 101, Name: ABCD, Designation: Manager, Salary: 110000.0
```

5. Learning Outcomes:

- Understand autoboxing and unboxing in Java.
- Learn object serialization and descrialization using streams.
- Handle exceptions like IOException and ClassNotFoundException.
- Work with collections and perform arithmetic operations.
- Use try-with-resources for efficient file handling.
- Implement a menu-driven employee management system using collections.