

Experiment 5

Student Name: Tuntun Kumar UID: 22BCS16442

Branch: CSE Section/Group: 640/B

Semester: 6th Date of Performance:12/2/25 Subject Name: PROJECT BASED Subject Code: 22CSH-352

LEARNING IN JAVA WITH LAB

1. Aim: Develop Java programs using autoboxing, serialization, file handling, and efficient data processing and management.

- (a) Easy Level: Write a Java program to calculate the sum of a list of integers using autoboxing and unboxing. Include methods to parse strings into their respective wrapper classes (e.g., Integer.parseInt()).
- (b) Medium Level: Create a Java program to serialize and deserialize a Student object. The program should: Serialize a Student object (containing id, name, and GP and save it to a file. Deserialize the object from the file and display the student details. Handle FileNotFoundException, IOException, and ClassNotFoundException using exception handling.
- (c) Hard Level: Create a menu-based Java application with the following options. 1. Add an Employee 2. Display All 3. Exit If option 1 is selected, the application should gather employee details like employee name, employee id, designation and salary and store it in a file. If option 2 is selected, the application should display all the employee details. If option 3 is selected the application should exit.
- **2. Objective:** To design and implement the Sum of integers using autoboxing and unboxing, Serialization and deserialization of a Student object and Employee Management System with file handling and menu options

3. Implementation/Code:

```
import java.io.*;
import java.util.*;
class Employee implements Serializable {
   private static final long serialVersionUID = 1L;
```

PARTMENT OF

MPUTER SCIENCE & ENGINEERING

```
Discover. Learn. Empower.
   private int empId;
   private String name;
   private String designation;
   private double salary;
   public Employee(int empId, String name, String designation, double salary) {
      this.empId = empId;
      this.name = name;
      this.designation = designation;
      this.salary = salary;
   public void display() {
      System.out.println("ID: " + empId + ", Name: " + name + ", Designation: " +
 designation + ", Salary: " + salary);
 }
 class EmployeeManager {
   private static final String FILE_NAME = "employees.dat";
   public static void addEmployee() {
      Scanner sc = new Scanner(System.in);
      int id = 0;
      String name, designation;
      double salary = 0.0;
      try {
        System.out.print("Enter Employee ID (Integer): ");
        id = sc.nextInt(); // Fixes the InputMismatchException issue
         sc.nextLine(); // Consume newline
        System.out.print("Enter Employee Name: ");
        name = sc.nextLine();
        System.out.print("Enter Designation: ");
        designation = sc.nextLine();
        System.out.print("Enter Salary: ");
        salary = sc.nextDouble();
        Employee emp = new Employee(id, name, designation, salary);
        // Append new employee data properly
         writeEmployee(emp);
        System.out.println("Employee added successfully!");
      } catch (InputMismatchException e) {
        System.out.println("Invalid input! Please enter the correct data type.");
         sc.nextLine(); // Clear the scanner buffer
      }
   private static void writeEmployee(Employee emp) {
```

PARTMENT OF

MPUTER SCIENCE & ENGINEERING

Discover. Learn. Empower. List<Employee> employees = readEmployees(); employees.add(emp); try (ObjectOutputStream oos = new ObjectOutputStream(new FileOutputStream(FILE_NAME))) { for (Employee e : employees) { oos.writeObject(e); } catch (IOException e) { System.out.println("Error writing to file: " + e.getMessage()); } private static List<Employee> readEmployees() { List<Employee> employees = new ArrayList<>(); try (ObjectInputStream ois = new ObjectInputStream(new FileInputStream(FILE_NAME))) { while (true) { try { employees.add((Employee) ois.readObject()); } catch (EOFException e) { break; } catch (FileNotFoundException e) { System.out.println("No existing employee records found."); } catch (IOException | ClassNotFoundException e) { System.out.println("Error reading file: " + e.getMessage()); return employees; public static void displayEmployees() { List<Employee> employees = readEmployees(); if (employees.isEmpty()) { System.out.println("No employees found."); return; System.out.println("Employee List:"); for (Employee emp : employees) { emp.display(); }

PARTMENT OF

MPUTER SCIENCE & ENGINEERING

```
Discover. Learn. Empower.
    public static void run() {
      Scanner sc = new Scanner(System.in);
      while (true) {
         System.out.println("\nMenu:");
         System.out.println("1. Add Employee");
         System.out.println("2. Display All Employees");
         System.out.println("3. Exit");
         System.out.print("Choose an option: ");
        int choice = sc.nextInt();
         switch (choice) {
           case 1:
              addEmployee();
              break;
           case 2:
              displayEmployees();
              break;
           case 3:
              System.out.println("Exiting...");
              return;
           default:
              System.out.println("Invalid option. Try again.");
         }
```

PARTMENT OF CU CHANDIGARH INIVERSITY Discover. Learn. Empower.

4. Output:

P:\exp 4 java>cd "p:\exp 4 java\" && javac Main.java && java Main
Picked up JAVA_TOOL_OPTIONS: -Dstdout.encoding=UTF-8 -Dstderr.encoding=UTF-8
Picked up JAVA_TOOL_OPTIONS: -Dstdout.encoding=UTF-8 -Dstderr.encoding=UTF-8

Main Menu:

- 1. Sum With Autoboxing
- 2. Student Serialization
- 3. Employee Manager
- 4. Exit

Choose an option: 1 Sum of numbers: 60

Main Menu:

- 1. Sum With Autoboxing
- 2. Student Serialization
- 3. Employee Manager
- 4. Exit

Choose an option: 2 Student data saved. Deserialized Student:

ID: 101, Name: Alice, GPA: 3.9

Main Menu:

- 1. Sum With Autoboxing
- 2. Student Serialization
- 3. Employee Manager
- 4. Exit

Choose an option: 3

Menu:

- 1. Add Employee
- 2. Display All Employees
- 3. Exit

Choose an option: 1

Enter Employee ID (Integer): 111

Enter Employee Name: amit

Enter Designation: software enginner

Enter Salary: 5000

Employee added successfully!

Menu:

- Add Employee
- 2. Display All Employees
- 3. Exit

Choose an option: 1

Enter Employee ID (Integer): 112

Enter Employee Name: shivam

Enter Designation: software engineer

Enter Salary: 4000

Employee added successfully!

Menu

- 1. Add Employee
- 2. Display All Employees
- 3. Exit

Choose an option: 2 Employee List:

ID: 111, Name: shivam, Designation: sd, Salary: 50000.0

ID: 111, Name: amit, Designation: software enginner, Salary: 5000.0 ID: 112, Name: shivam, Designation: software engineer, Salary: 4000.0



5. Learning Outcome:

- Learn how to use the graphics.h library for drawing basic shapes and setting up a graphical environment in Dev-C++.
- Gain hands-on experience with two different methods: the Circle Generator Algorithm (direct computation) and the Midpoint Circle Algorithm.
- Understood the concept of coordinating system.
- Learn about various command that is used in drawing a circle.