EXPERIMENT- 7

Student Name: Farnas Ahmad Beigh **UID:** 22BCS13462

Branch: CSE **Section/Group:** 22BCS_IOT-640-B

Semester: 6 **Date of Performance:** 10.03.25

Subject Name: Project Based Learning in Java **Subject Code:**22CSH-359

EASY LEVEL

1. **Aim**: Create a Java program to connect to a MySQL database and fetch data from a single table.

2. **Objective:** To retrieve and display all records from a table named Employee with columns EmpID, Name, and Salary.

3. **Implementation/Code:**

```
package Project1; import java.sql.*; public
class Easy7JDBC {     public static void
main(String[] args) {
        // Database connection details
        String url = "jdbc:mysql://localhost:3306/shivanidb";
        String username = "root";
        String password = "Shivani@1234";
        // SQL Query
        String query = "SELECT * FROM Employee";         try (Connection
conn = DriverManager.getConnection(url, username, password);
             Statement stmt = conn.createStatement();
             ResultSet rs = stmt.executeQuery(query)) {
            System.out.println("Connected to shivanidb successfully!\n");
System.out.println("EmpID | Name | Salary");             while (rs.next())
{
                System.out.printf("%d | %s | %.2f\n",
rs.getInt("EmpID"),                          rs.getString("Name"),
rs.getDouble("Salary"));}
        } catch (SQLException e) {
            System.err.println("Connection failed: " + e.getMessage());
        }
    }}
```

4. **Output:**



MEDIUM LEVEL

1. **Aim**: Build a program to perform CRUD operations

2. **Objective:** To perform Create, Read, Update, Delete on a database table Product with columns: ProductID, ProductName, Price, and Quantity. The program should include menu-driven options for each operation.

3. **Implementation/Code:**

```
package Project1;          import
java.sql.*;          import
java.util.Scanner; public class
Medium7JDBC {
    public static void main(String[] args) {
        String url = "jdbc:mysql://localhost:3306/shivanidb";
        String user = "root";
        String password = "Shivani@1234";          Scanner sc = new
Scanner(System.in);          try (Connection conn =
DriverManager.getConnection(url, user, password)) {              while
(true) {
                System.out.println("\n1. Add Product  2. View Products
3. Update Price  4. Delete Product  5. Exit");
int choice = sc.nextInt();                  if (choice == 1)
addProduct(conn, sc);                else if (choice == 2)
viewProducts(conn);                else if (choice == 3)
updateProduct(conn, sc);                    else if (choice == 4)
deleteProduct(conn, sc);                    else if (choice == 5)
break;
                else System.out.println("Invalid choice.");
            }
        } catch (SQLException e)
{              e.printStackTrace();}}      static void
addProduct(Connection conn, Scanner sc) throws
SQLException {
        System.out.print("Enter Product Name: ");
sc.nextLine();
```

```
        String name = sc.nextLine();
System.out.print("Enter Price: ");         double
price = sc.nextDouble();
System.out.print("Enter Quantity: ");         int
quantity = sc.nextInt();
        PreparedStatement stmt = conn.prepareStatement("INSERT INTO
Product (ProductName, Price, Quantity) VALUES (?, ?, ?)");
stmt.setString(1, name);         stmt.setDouble(2, price);
stmt.setInt(3, quantity);          stmt.executeUpdate();
        System.out.println("Product added.");
    }
    static void viewProducts(Connection conn) throws SQLException
        { ResultSet rs = conn.createStatement().executeQuery("SELECT *
        FROM
Product");
        System.out.println("\nProductID | Product Name | Price |
Quantity");
        while (rs.next()) {
            System.out.printf("%d | %s | %.2f | %d\n", rs.getInt(1),
rs.getString(2), rs.getDouble(3), rs.getInt(4));
        }
   }
    static void updateProduct(Connection conn, Scanner sc) throws
SQLException {
        System.out.print("Enter ProductID to update: ");
int id = sc.nextInt();
        System.out.print("Enter new Price: ");
double price = sc.nextDouble();
        PreparedStatement stmt = conn.prepareStatement("UPDATE Product
SET Price=? WHERE ProductID=?");         stmt.setDouble(1, price);
stmt.setInt(2, id);         stmt.executeUpdate();
        System.out.println("Product updated.");
    }
    static void deleteProduct(Connection conn, Scanner sc) throws
SQLException {
        System.out.print("Enter ProductID to delete: ");
int id = sc.nextInt();
        PreparedStatement stmt = conn.prepareStatement("DELETE FROM
Product WHERE ProductID=?");         stmt.setInt(1, id);
stmt.executeUpdate();
        System.out.println("Product deleted.");
    }}
```

4. Output:



HARD LEVEL

1. **Aim**: Develop a Java application using JDBC and MVC architecture to manage student data.

2. **Objective:** To Use a Student class as the model with fields like StudentID, Name, Department, and Marks. Include a database table to store student data.

3. **Implementation/Code:**

```
package Project1;
 import java.sql.SQLException;
import java.util.List; import
java.util.Scanner;

public class StudentView {     public static
void main(String[] args) {          try {
            StudentController controller = new StudentController();
            Scanner sc = new Scanner(System.in);

            while (true) {
                System.out.println("\n1. Add Student  2. View Students
3. Update Marks  4. Delete Student  5. Exit");
                int choice = sc.nextInt();

                if (choice == 1) {
```

```
                    System.out.print("Enter Name: ");
sc.nextLine();
                    String name = sc.nextLine();
                    System.out.print("Enter Department: ");
                    String dept = sc.nextLine();
System.out.print("Enter Marks: ");                    double marks =
sc.nextDouble();                    controller.addStudent(new
Studentss(0, name, dept, marks));                }
                else if (choice == 2) {
                    List<Studentss> students = controller.getStudents();
                    System.out.println("\nStudentID | Name | Department |
Marks");
                    System.out.println("----------------------------------------------------------------------
----------");
                    for (Studentss s : students)
                        { System.out.printf("%d | %s | %s | %.2f\n",
s.getStudentID(), s.getName(), s.getDepartment(), s.getMarks());
                    }
                }
                else if (choice == 3) {
                    System.out.print("Enter StudentID to update: ");
int id = sc.nextInt();
                    System.out.print("Enter new Marks: ");
double marks = sc.nextDouble();
controller.updateStudentMarks(id, marks);
                }
                else if (choice == 4) {
                    System.out.print("Enter StudentID to delete: ");
int id = sc.nextInt();                    controller.deleteStudent(id);
                }
                else if (choice == 5)
                    { System.out.println("Exiting...");
break;                  }                else {
                    System.out.println("Invalid choice.");
                }
            }
        } catch (SQLException e)
            { e.printStackTrace();
        }
    }
}
```

4. Output:



5. Learning Outcomes:

(i) Learn how to **establish a connection** between a Java application and a MySQL database using **JDBC**.

(ii) Understand the use of **DriverManager and Connection objects** to interact with the database.

(iii) Learn to use **PreparedStatement** to securely execute SQL queries.