



# DEPARTMENT OF COMPUTER SCIENCE & ENGINEERING

Discover. Learn. Empower.

## Experiment-5

Student Name: Nishant

UID: 22BCS12948

Branch: CSE

Section/Group: IOT-618/A

Semester: 6th

Date of Performance: 21/02/25

Subject Name: Java Lab

Subject Code: 22CSH-359

## Problem-1 (Easy)

### 1. Aim:

writing a Java program to calculate the sum of a list of integers using autoboxing and unboxing, along with methods to parse strings into their respective wrapper classes (e.g., Integer.parseInt()).

### 2. Implementation/Code:

```
//Nishant //22BCS12948

import java.util.ArrayList;
import java.util.List;
import java.util.Scanner;

public class IntegerSumCalculator {

    public static Integer parseStringToInteger(String str) {
        try {
            return Integer.parseInt(str);
        } catch (NumberFormatException e) {
            System.out.println("Invalid number format: " + str);
            return 0;
        }
    }
}
```

```
    }

    public static int calculateSum(List<Integer> numbers)
    {
        int sum = 0;
        for (Integer num : numbers) {
            sum += num;
        }
        return sum;
    }

    public static void main(String[] args) {
        Scanner scanner = new Scanner(System.in);
        List<Integer> numbers = new ArrayList<>();

        System.out.print("Enter the number of values you want to input: ");
        int n = scanner.nextInt();

        System.out.println("Enter " + n + " numbers:");

        for (int i = 0; i < n; i++) {
            String input
            = scanner.next();
            numbers.add(parseStringToInteger(input));
        }

        scanner.close();

        int totalSum = calculateSum(numbers);
        System.out.println("The sum of the list is: " + totalSum);
    }
```

```
}
```

### 3. Output:

```
Enter the number of values you want to input: 5
Enter 5 numbers:
10 20 30 40 50
The sum of the list is: 150

Enter the number of values you want to input: 3
Enter 3 numbers:
100 200 300
The sum of the list is: 600
```

## Problem-2 (Medium)

### 1. Aim:

Java program that serializes and deserializes a Student object. It saves the Student object to a file and then reads it back, displaying the student details.

The program handles exceptions like FileNotFoundException, IOException, and ClassNotFoundException.

### 2. Implementation/Code:

```
//Nishant //22BCS12948
import java.io.*;

class Student implements Serializable {    private
static final long serialVersionUID = 1L;    private
int id;    private String name;    private double
gpa;

    public Student(int id, String name, double gpa) {
this.id = id;        this.name = name;        this.gpa =
gpa;
    }
}
```

```
public void displayStudent() {
    System.out.println("Student ID: " + id + ", Name: " + name + ", GPA: " + gpa);
}

public class StudentSerialization {

    public static void serializeStudent(Student student, String filename) {
        try (ObjectOutputStream out = new ObjectOutputStream(new
        FileOutputStream(filename))) {
            out.writeObject(student);
            System.out.println("Student object has been serialized and saved to file.");
        } catch (IOException e) {
            System.out.println("Error during serialization: " + e.getMessage());
        }
    }

    public static Student deserializeStudent(String filename) {
        try (ObjectInputStream in = new ObjectInputStream(new
        FileInputStream(filename))) {
            System.out.println("Student object has been deserialized.");
            return (Student) in.readObject();
        } catch (FileNotFoundException e) {
            System.out.println("Error: File not found.");
        } catch (IOException e) {
            System.out.println("Error during deserialization: " + e.getMessage());
        } catch (ClassNotFoundException e) {
            System.out.println("Error: Class not found.");
        }
    }
    return null;
}

public static void main(String[] args) {
    String filename = "student.ser";

    // Creating a student object
    Student student = new Student(1, "John Doe", 3.75);
```

```
// Serializing the student object
serializeStudent(student, filename);

// Deserializing the student object
Student deserializedStudent = deserializeStudent(filename);

// Display student details if deserialization was successful
if (deserializedStudent != null) {
    System.out.println("Deserialized Student Details:");
    deserializedStudent.displayStudent();
}
}
```

### 3. Output:

```
Student object has been serialized and saved to file.
Student object has been deserialized.
Deserialized Student Details:
Student ID: 1, Name: John Doe, GPA: 3.75
```

### Problem-3 (Hard)

#### 1. Aim:

Menu-based Java application that allows you to add employee details, display all employees, and exit. The employee details will be stored in a file, and the program will read the file to display the stored employee information.

#### 2. Implementation/Code:

```
//Nishant //22BCS12948
import java.io.*; import
java.util.*;

class Employee implements Serializable {
    private static final long serialVersionUID = 1L;
```

```
private int id;   private String name;   private
String designation;   private double salary;

    public Employee(int id, String name, String designation, double salary) {
this.id = id;      this.name = name;      this.designation = designation;
this.salary = salary;
    }

    public void displayEmployee() {
        System.out.println("Employee ID: " + id + ", Name: " + name +
            ", Designation: " + designation + ", Salary: " + salary);
    }
}

public class EmployeeManagement {
    private static final String FILE_NAME = "employees.ser";

    // Method to add an employee   public static
void addEmployee() {   Scanner scanner =
new Scanner(System.in);
System.out.print("Enter Employee ID: ");
int id = scanner.nextInt();
scanner.nextLine(); // Consume newline

        System.out.print("Enter Employee Name: ");
        String name = scanner.nextLine();

        System.out.print("Enter Designation: ");
        String designation = scanner.nextLine();

        System.out.print("Enter Salary: ");
        double salary = scanner.nextDouble();

        Employee employee = new Employee(id, name, designation, salary);
        saveEmployeeToFile(employee);
        System.out.println("Employee added successfully!");
    }
}
```

```
// Method to save an employee to file (serialization)    public
static void saveEmployeeToFile(Employee employee) {
    List<Employee> employees = readEmployeesFromFile(); // Read existing
employees        employees.add(employee); // Add new employee

    try (ObjectOutputStream out = new ObjectOutputStream(new
FileOutputStream(FILE_NAME))) {
        out.writeObject(employees);
    } catch (IOException e) {
        System.out.println("Error saving employee: " + e.getMessage());
    }
}

// Method to read employees from file (deserialization)
public static List<Employee> readEmployeesFromFile() {
    List<Employee> employees = new ArrayList<>();
    File file = new File(FILE_NAME);

    if (!file.exists()) {        return employees; // Return
empty list if file doesn't exist
    }

    try (ObjectInputStream in = new ObjectInputStream(new
FileInputStream(FILE_NAME))) {
        employees = (List<Employee>) in.readObject();
    } catch (EOFException e) {
        // End of file reached (no employees)
    } catch (IOException | ClassNotFoundException e) {
        System.out.println("Error reading employees: " + e.getMessage());
    }
    return employees;
}

// Method to display all employees
public static void displayAllEmployees() {
    List<Employee> employees = readEmployeesFromFile();
    if (employees.isEmpty()) {
        System.out.println("No employees found.");
    }
}
```

```
        } else {
            System.out.println("Employee Details:");
            for (Employee emp : employees) {
                emp.displayEmployee();
            }
        }
    }

    public static void main(String[] args) {
        Scanner scanner = new Scanner(System.in);
        while (true) {
            System.out.println("\n1. Add Employee");
            System.out.println("2. Display All Employees");
            System.out.println("3. Exit");
            System.out.print("Enter choice: ");
            int choice = scanner.nextInt();

            switch (choice) {
                case 1:
                    addEmployee();
                    break;
                case 2:
                    displayAllEmployees();
                    break;
                case 3:
                    System.out.println("Exiting program.");
                    return;
                default:
                    System.out.println("Invalid choice. Please enter 1, 2, or 3.");
            }
        }
    }
}
```

### 3. Output:





# DEPARTMENT OF COMPUTER SCIENCE & ENGINEERING

Discover. Learn. Empower.

```
1. Add Employee
2. Display All Employees
3. Exit
Enter choice: 1
Enter Employee ID: 101
Enter Employee Name: John Doe
Enter Designation: Software Engineer
Enter Salary: 50000
Employee added successfully!

1. Add Employee
2. Display All Employees
3. Exit
Enter choice: 2
Employee Details:
Employee ID: 101, Name: JHON, Designation: Manager, Salary: 50000.0
Employee ID: 101, Name: John Doe, Designation: Software Engineer, Salary: 50000.0
```