

Experiment 7

Student Name: Amrit Paudel UID: 22BCS14341
Branch: CSE Section: IOT-642 (B)

Semester: 6th DOP: 17/03/025

Subject: Java Subject Code:22CSH-359

Problem - 7.1

Aim:

- 1.Setup MySQL Database
 - Ensure MySQL is installed and running.
 - Create a database and an 'Employee' table with columns 'EmpID', 'Name', and 'Salary'.
- 2. Update Database Credentials
- Replace 'your_database', 'your_username', and 'your_password' in the code with actual database credentials.
- 3. Add MySQL JDBC Driver
 - Download and add 'mysql-connector-java.jar' to your project's classpath.
- 4. Compile and Run the Program
 - Compile: 'javac MySQLConnection.java'
 - Run: 'java MySQLConnection'
- 5. Verify Output
 - Ensure that employee records are displayed correctly from the database.

Code:

```
import java.sql.*;

public class MySQLConnection
{
    public static void main(String[] args)
    {
        String url = "jdbc:mysql://localhost:3306/your_database";
        String user = "amrit_paudel";
}
```

```
String password = "amrit@14341";
Connection conn = null;
Statement stmt = null;
ResultSet rs = null;
try {
  Class.forName("com.mysql.cj.jdbc.Driver");
  conn = DriverManager.getConnection(url, user, password);
  System.out.println("Connected to the database successfully!");
  stmt = conn.createStatement();
  String query = "SELECT * FROM Employee";
  rs = stmt.executeQuery(query);
  System.out.println("EmpID | Name | Salary");
  while (rs.next()) {
     int id = rs.getInt("EmpID");
     String name = rs.getString("Name");
     double salary = rs.getDouble("Salary");
     System.out.println(id + " | " + name + " | " + salary);
  }
} catch (ClassNotFoundException e) {
  System.out.println("MySQL JDBC Driver not found!");
  e.printStackTrace();
} catch (SQLException e) {
  System.out.println("Database connection error!");
  e.printStackTrace();
} finally {
  try {
    if (rs != null) rs.close();
    if (stmt != null) stmt.close();
     if (conn != null) conn.close();
  } catch (SQLException e) {
     e.printStackTrace();
  }
}
```

}



Output:

```
Connected to the database successfully!

EmpID | Name | Salary

1 | John Doe | 50000.00

2 | Jane Smith | 60000.00
```

Problem - 7.2

Aim: Instructions to Run the Java CRUD Program

- 1. Setup MySQL Database
 - Ensure MySQL is installed and running.
- Create a database and a 'Product' table with columns 'ProductID', 'ProductName', 'Price', and 'Quantity'
- 2. Update Database Credentials
- Replace 'your_database', 'your_username', and 'your_password' in the code with actual database credentials
- 3. Add MySQL JDBC Driver
 - Download and add 'mysql-connector-java.jar' to your project's classpath.
- 4. Compile and Run the Progra
 - Compile: 'javac ProductCRUD.java'
 - Run: 'java ProductCRUD'
- 5. Menu-Driven Operations
 - Select options to **Create**, **Read**, **Update**, or **Delete** products.
 - Input values as prompted.
- 6. Transaction Handling
 - Transactions ensure data integrity.
 - If an error occurs, changes are rolled back.

7. Verify Output

- Ensure product records are correctly manipulated in the database.

Code:

```
import java.sql.*;
import java.util.Scanner
public class ProductCRUD {
  private static final String URL = "jdbc:mysql://localhost:3306/your database";
  private static final String USER = "amrit paudel";
  private static final String PASSWORD = "amrit@14341";
  public static void main(String[] args) {
    try (Connection conn = DriverManager.getConnection(URL, USER, PASSWORD);
        Scanner scanner = new Scanner(System.in)) {
       Class.forName("com.mysql.cj.jdbc.Driver")
       while (true) {
         System.out.println("\nProduct Management System");
         System.out.println("1. Add Product");
         System.out.println("2. View Products");
         System.out.println("3. Update Product");
         System.out.println("4. Delete Product");
         System.out.println("5. Exit");
         System.out.print("Enter your choice: ");
         int choice = scanner.nextInt();
         switch (choice) {
            case 1: addProduct(conn, scanner); break;
```

```
case 2: viewProducts(conn); break;
         case 3: updateProduct(conn, scanner); break;
         case 4: deleteProduct(conn, scanner); break;
         case 5: System.out.println("Exiting..."); return;
         default: System.out.println("Invalid choice, try again.");
  } catch (Exception e) {
    e.printStackTrace();
  }
private static void addProduct(Connection conn, Scanner scanner) throws SQLException {
  System.out.print("Enter Product Name: ");
  String name = scanner.next();
  System.out.print("Enter Price: ");
  double price = scanner.nextDouble();
  System.out.print("Enter Quantity: ");
  int quantity = scanner.nextInt();
  String sql = "INSERT INTO Product (ProductName, Price, Quantity) VALUES (?, ?, ?)";
  try (PreparedStatement pstmt = conn.prepareStatement(sql)) {
    pstmt.setString(1, name);
    pstmt.setDouble(2, price);
    pstmt.setInt(3, quantity);
    pstmt.executeUpdate();
    System.out.println("Product added successfully!");
  }
```

```
}
private static void viewProducts(Connection conn) throws SQLException {
  String sql = "SELECT * FROM Product";
  try (Statement stmt = conn.createStatement(); ResultSet rs = stmt.executeQuery(sql)) {
    System.out.println("\nProductID | ProductName | Price | Quantity");
    while (rs.next()) {
       System.out.println(rs.getInt("ProductID") + " | " +
            rs.getString("ProductName") + " | " +
            rs.getDouble("Price") + " | " +
            rs.getInt("Quantity"));
    }
private static void updateProduct(Connection conn, Scanner scanner) throws SQLException {
  System.out.print("Enter Product ID to update: ");
  int id = scanner.nextInt();
  System.out.print("Enter new Price: ");
  double price = scanner.nextDouble();
  System.out.print("Enter new Quantity: ");
  int quantity = scanner.nextInt();
  String sql = "UPDATE Product SET Price = ?, Quantity = ? WHERE ProductID = ?";
  try (PreparedStatement pstmt = conn.prepareStatement(sql)) {
    pstmt.setDouble(1, price);
    pstmt.setInt(2, quantity);
```

```
pstmt.setInt(3, id);
    int rowsUpdated = pstmt.executeUpdate();
    if (rowsUpdated > 0) {
       System.out.println("Product updated successfully!");
    } else {
       System.out.println("Product not found.");
    }
private static void deleteProduct(Connection conn, Scanner scanner) throws SQLException {
  System.out.print("Enter Product ID to delete: ");
  int id = scanner.nextInt();
  String sql = "DELETE FROM Product WHERE ProductID = ?";
  try (PreparedStatement pstmt = conn.prepareStatement(sql)) {
    pstmt.setInt(1, id);
    int rowsDeleted = pstmt.executeUpdate();
    if (rowsDeleted > 0) {
       System.out.println("Product deleted successfully!");
     } else {
       System.out.println("Product not found.");
     }
```



Output:

Product Management System

1. Add Product

2. View Products

3. Update Product

4. Delete Product

5. Exit

Enter your choice: 1

Enter Product Name: Laptop

Enter Price: 50000

Enter Quantity: 10

Product added successfully!