



Git and GitHub In-depth


**How do you plan on
using Git and GitHub?**

What is version control?

- Version control is the practice of tracking and managing changes to files.
 - Revert to various states of files
 - Modify items without harming the original copy
- Not limited to code
 - Can be used for documents, images, etc.

Benefits of version control



- Using version control provides
 - Clear tracking of the project's history
 - Management and view of different branches
 - Collaboration through merging of branches



Images: nobledesktop.com

What is version control?

- Google Docs includes "Version History"
- This allows you to see what changes were made, when those changes happened, and who made them
- You can also revert to a previous version of your file



What is Git?

- Git is version control software, created by Linus Torvalds, the same person who created the Linux operating system.
- Git monitors files on your computer and tracks changes made to them over time
- Uses the command line

Why is it called “Git”?

- Linus Torvalds: "I'm an egotistical bastard, and I name all my projects after myself. First 'Linux', now 'Git'".
- Git: “A silly, incompetent, stupid or annoying person (usually a man).” (Wikitionary)

git / README 



Linus Torvalds Initial revision of "git", the information manager from hell

Code


Blame

168 lines (135 loc) · 8.2 KB

```
1
2     GIT - the stupid content tracker
3
4     "git" can mean anything, depending on your mood.
5
6     - random three-letter combination that is pronounceable, and not
7       actually used by any common UNIX command. The fact that it is a
8       mispronunciation of "get" may or may not be relevant.
9     - stupid. contemptible and despicable. simple. Take your pick from the
10      dictionary of slang.
11     - "global information tracker": you're in a good mood, and it actually
12       works for you. Angels sing, and a light suddenly fills the room.
13     - "goddamn idiotic truckload of sh*t": when it breaks
14
```



We made a zine from our Git history



We are an open-source project, so we decided to print our Git history to celebrate our 2nd anniversary.

https://www.reddit.com/r/zines/comments/1miy3bs/we_made_a_zine_from_our_git_history/

What is GitHub?

- GitHub is a Microsoft subsidiary that offers cloud hosting for Git repositories
- Provides a GUI (Graphical User Interface) for Git
 - Most (but not all) features are available in the GitHub Desktop client
- Allows for easy collaboration and sharing
 - Issue queues for bugs and features, pull requests, and more
- GitHub basic is free (has limits)
 - Hosts both open and private repositories
- GitHub Enterprise (free for CU affiliates)
 - Includes cloud-based development environments
 - <https://oit.colorado.edu/services/business-services/github-enterprise>

Git vs GitHub

- Git: version control system
 - the actual software
- GitHub
 - cloud-based storage website



What Can I Use Git and GitHub For?

Git

- Track and manage changes of files
- Document changes
- Collaborate with others

GitHub

- Off-site backup for Git repositories
- Contribute to Open Source projects
- Communicate with team members
- Communicate with your users
- Join communities
- Bug tracking
- Website hosting

Alternatives to...

- Git (version control)
 - Apache Subversion (SVN)
 - Mercurial SCM
 - CVS (Concurrent Versions System)
- GitHub (hosting)
 - Codeberg
 - GitLab
 - Forgejo
 - Bitbucket



When **NOT** to use GitHub

- When you are looking for long-term preservation
 - There's no guarantee Microsoft will keep GitHub around forever
 - Lots of source-code-hosting platforms no longer exist
 - Thousands of URLs in research articles no longer work as they point to code hosted by defunct services
- When you want your code to be cited
 - [Zenodo](#) is an Open Access repository that can be linked to GitHub
 - Allows you to archive a specific release of public GitHub projects
 - Creates a DOI for the archive that you can use in citations

Zenodo.org will be unavailable for 2 hours on September 29th from 06:00-08:00 UTC. See [announcement](#).

September 2, 2023

Software

Open Access

PyGMT: A Python interface for the Generic Mapping Tools

 Tian, Dongdong;  Uieda, Leonardo;  Leong, Wei Ji;  Schlitzer, William;  Fröhlich, Yvonne;  Grund, Michael;  Jones, Max;  Toney, Liam;  Yao, Jiayuan;  Magen, Yohai;  Jing-Hui, Tong;  Materna, Kathryn;  Belem, Andre;  Newton, Tyler;  Anant, Abhishek;  Ziebarth, Malte;  Quinn, Jamie;  Wessel, Paul

PyGMT is a library for processing geospatial and geophysical data and making publication quality maps and figures. It provides a Pythonic interface for the [Generic Mapping Tools \(GMT\)](#), a command-line program widely used in the Earth Sciences.

The development of PyGMT has been supported by NSF grants OCE-1558403 and EAR-1948603.

Preview

 baseline-images.zip

baseline-images

- test_basemap.png 6.2 kB
- test_basemap_compass.png 71.2 kB
- test_basemap_loglog.png 24.5 kB
- test_basemap_map_scale.png 31.0 kB
- test_basemap_polar.png 31.9 kB

18,263

 views

1,446

 downloads

[See more details...](#)

Available in

GitHub

Indexed in

OpenAIRE

Publication date:

Zenodo.org will be unavailable for 2 hours on September 2, 2023

September 2, 2023

PyGMT: A Python interactive Mapping Tools

 Tian, Dongdong;  Uieda, Leonardo;  Leong, Wei Ji Jones, Max;  Toney, Liam;  Yao, Jiayuan;  Magen, Newton, Tyler;  Anant, Abhishek;  Ziebarth, Malte; 

PyGMT is a library for processing geospatial and geophysical data. It provides a Pythonic interface for the [Generic Mapping Tools](#) (GMT) Sciences.

The development of PyGMT has been supported by N

Preview

 baseline-images.zip

 baseline-images

-  test_basemap.png
-  test_basemap_compass.png
-  test_basemap_loglog.png
-  test_basemap_map_scale.png
-  test_basemap_polar.png

Versions

Version v0.10.0

Sep 2, 2023

10.5281/zenodo.8303186

Version v0.9.0

Mar 31, 2023

10.5281/zenodo.7772533

Version v0.8.0

Dec 30, 2022

10.5281/zenodo.7481934

Version v0.7.0

Jul 1, 2022

10.5281/zenodo.6702566

Version v0.6.1

Apr 11, 2022

10.5281/zenodo.6426493

[View all 17 versions](#)

Cite all versions? You can cite all versions by using the DOI [10.5281/zenodo.3781524](#). This DOI represents all versions, and will always resolve to the latest one. [Read more.](#)

24.0 KB

31.0 kB

31.9 kB

18,263

 views

1,446

 downloads

[See more details...](#)

Available in

GitHub

Indexed in

OpenAIRE


Publication date:

Ways to interact with GitHub

- The website
- GitHub Desktop
- Using Git and the command line

Website

- Create and manage projects
- Upload and download files
- Write documentation



main

1 Branch

0 Tags

Go to file

t

+

<> Code

 midnitelibrary

Updating README.md

3c43dbf · 4 months ago

🕒 3 Commits

 LICENSE

Initial commit

4 months ago

 README.md

Updating README.md

4 months ago

 dataset_README_template.txt



Adding README template

4 months ago

About


Data-related resources for researchers.

- Readme
- CC0-1.0 license
- Activity
- Custom properties
- 0 stars
- 2 watching
- 0 forks



GitHub Desktop


- Create, clone, and fork projects
- Commit changes and submit contributions
- Many people who use Git frequently prefer to use the command line
- Other graphical Git interfaces exist



The Command Line

- The most powerful and, for many, the best way to really learn the ins and outs of Git.
- Has the steepest learning curve. The command line interface requires you to learn and memorize all the available commands, the workflow, etc.
 - [Cheat sheets](#) are available!
- Not a good option for beginners unless you're the kind of person that's already used to working on the command line.

Be careful where you put your GitHub directory



University of Colorado Boulder OneDrive

Search

+ Add new

Share Copy link Download Export to Excel Automate

Sort Details

Matthew Murray

My files > UCB > Documents > GitHub

Name	Modified	Modified By	File size	Sharing	Activity
.git	September 12, ...	Matthew Murray	5 items	Private	
.github	April 29, 2024	Matthew Murray	2 items	Private	

- Microsoft OneDrive uploads a lot of stuff to the cloud, which you don't always want

Getting Started with Git

Definitions

- Trunk/Master: Main version of a repository
- Clone: A copy of a repository that is stored locally instead of online
- Branch: A parallel version of a repository that allows modifications to be made without affecting the main file
- Fork: A branch that is not intended to be merged back into the main file
- Pull/Fetch: Getting the latest version of a repository
- Merge: Combining changes from different branches/versions of files
- Commit: A saved snapshot of your project and any changes you have made
- Push: Sending your local changes to an online repository

Things to Remember about the Git Workflow

- Git isn't an automatic process (it's not like autosave)
- In order to use it, you need to integrate Git into your workflow
- You set it up for a project, on a directory on your hard drive, and from that point forward Git will start watching for any changes in that directory.
- You do your work as normal, using all the same software and tools you're used to using
- At any point, you can ask Git to tell you what changes it has detected and it will show you a detailed report of every addition and deletion that it has detected
- At any point you can make a commit and create a snapshot of your project

Areas of Git Workflow

Working Area

- Items that you are currently working on
- Are not tracked by Git!
- Exists locally
- Created by using “git init”

Staging Area

- When Git starts tracking and saving your work
- Exists locally
- Items are added to this area by using “git add”

Snapshot Area

- All staged items are captured
- Version of the repo
- Exists locally
- Items are added to this area by using “git commit”

GitHub

- Exists locally and on GitHub!
- Items are added to this area using “git push”

Getting Started


- A GitHub account set up.
 - If you don't have one, sign up at [GitHub.com](https://github.com).
- GitHub Desktop: <https://desktop.github.com/download/>

Setting up a new GitHub repo

New GitHub Repos

When you first create a repo locally, you will need to setup a new repository on GitHub too

- Go to <https://github.com>
- Sign in
- Click on “Create New Repository” or just “New”



Creating a repo

- Choose an “owner”
- Add a description
- Choose visibility
- Add a README
- Add a .gitignore
- Add a license

Create a new repository

Repositories contain a project's files and version history. Have a project elsewhere? [Import a repository](#).
Required fields are marked with an asterisk (*).

1 General

Owner *

Choose an owner ▾

Repository name *

Great repository names are short and memorable. How about **turbo-octo-adventure**?

Description

0 / 350 characters

2 Configuration

Choose visibility *

Choose who can see and commit to this repository

Public ▾

Start with a template

Templates pre-configure your repository with files.

No template ▾

Add README

READMEs can be used as longer descriptions. [About READMEs](#)

Off ☐

Add .gitignore

.gitignore tells git which files not to track. [About ignoring files](#)

No .gitignore ▾

Add license

Licenses explain how others can use your code. [About licenses](#)

No license ▾


Create repository

README Files & Documentation

- Include documentation with your project in GitHub so that others (and you) know what your project is and how it should be used.
- A README.md (markdown) file can be included in your GitHub project and will display on the front page
- What to include in a README:
 - What your project does
 - How people can use it
 - Who you are and how to contact you
 - License information
- Lots of examples and templates available
- We can provide feedback on documentation

.gitignore

- Specifies what items (files, directories, etc.) should never be tracked by Git
- Use for information that needs to be kept private or is irrelevant to a project
- Use a template or create your own



Example .gitignore

- [CHAFF](#) (Concealed, Hidden, And Forgotten Files)
- .DS_Store files are created automatically by MacOS computers and are not visible to those using that OS
- These files are used to keep track of metadata used by Finder—such as display options or icon positions—and Spotlight's search features

```
1
2 # DS store created on a mac
3 .DS_Store
4 ._DS_Store
5 **/.DS_Store
6 **/._DS_Store
7
8 # PowerPoint temporary
9 ~$*.ppt*
10
```

Licenses

- A license is a legal permission that specifies what you are (and are not) allowed to do a work
- Applies to how you can use, modify, and distribute the work
- Apply to creative work, software, datasets, intellectual property, and more
- Consider how permissive do you want to be
- For code, check out the website “Choose an open source license”
<https://choosealicense.com/>
- Feel free to reach out and ask us
- Note: I am not a lawyer

Choose a license

✓ No license

Apache License 2.0

GNU General Public License v3.0

MIT License

BSD 2-Clause "Simplified" License

BSD 3-Clause "New" or "Revised" License

Boost Software License 1.0

Creative Commons Zero v1.0 Universal

Eclipse Public License 2.0

GNU Affero General Public License v3.0

No license ▾

choosealicense.com

- Has more licenses than the ones available by default on GitHub
- Use this option to add it to your GitHub repo

[Home](#) / [Licenses](#)

Creative Commons Attribution Share Alike 4.0 International

[Copy license text to clipboard](#)

Similar to [CC-BY-4.0](#) but requires derivatives be distributed under the same or a similar, [compatible](#) license. Frequently used for media assets and educational materials. A previous version is the default license for Wikipedia and other Wikimedia projects. Not recommended for software.

Permissions

- Commercial use
- Distribution
- Modification
- Private use

Conditions

- License and copyright notice
- Same license
- State changes

Limitations

- Liability
- Patent use
- Trademark use
- Warranty

Suggest this license

Make a pull request to suggest this license for a project that is [not licensed](#). Please be polite: see if a license has already been suggested, try to suggest a license fitting for the project's [community](#), and keep your communication with project maintainers friendly.

Enter GitHub repository URL 

How to apply this license

Create a text file (typically named LICENSE or LICENSE.txt) in the root of your source code and copy the text of the license into the file. It is also acceptable to solely supply a link to a copy of the license, usually to the [canonical URL for the license](#).

Optional steps

Add [CC-BY-SA-4.0](#) to your project's package description, if applicable (e.g., [Node.js](#), [Ruby](#), and [Rust](#)). This will ensure the license is displayed in package directories.

[Source](#)

Who's using this license?

[Flight rules for Git](#)
[Material Design Iconic Font](#)
[OWASP MSTG](#)

Attribution-ShareAlike 4.0 International

=====

Creative Commons Corporation ("Creative Commons") is not a law firm and does not provide legal services or legal advice. Distribution of Creative Commons public licenses does not create a lawyer-client or other relationship. Creative Commons makes its licenses and related information available on an "as-is" basis. Creative Commons gives no warranties regarding its licenses, any material licensed under their terms and conditions, or any related information. Creative Commons disclaims all liability for damages resulting from their use to the fullest extent possible.

Using Creative Commons Public Licenses

Creative Commons public licenses provide a standard set of terms and conditions that creators and other rights holders may use to share original works of authorship and other material subject to copyright and certain other rights specified in the public license below. The following considerations are for informational purposes only, are not exhaustive, and do not form part of our licenses.

Considerations for licensors: Our public licenses are intended for use by those authorized to give the public permission to use material in ways otherwise restricted by copyright law.

 **RDM-Escape-Room** Public

Pin

Watch 0

Fork 0

Star 0

main

1 Branch

0 Tags

Go to file

Add file

<> Code

 midnritelibrary	Create .gitignore	2338fc1 · now	2 Commits
	.gitignore	Create .gitignore	now
	LICENSE	Initial commit	1 minute ago
	README.md	Initial commit	1 minute ago

README

CC0-1.0 license

RDM-Escape-Room

About

No description, website, or topics provided.

- Readme
- CC0-1.0 license

- Activity
- 0 stars
- 0 watching
- 0 forks

Releases


No releases published
[Create a new release](#)

Packages

No packages published
[Publish your first package](#)


Clone a Repo to Your Computer

- On a GitHub repo click on “Code”
- Copy the URL (or use “Open with GitHub Desktop”)




In GitHub Desktop

- Click “File”
- Select “Clone repository”



In GitHub Desktop


- Select “URL”
- Paste in the URL
- Click “Clone”



The screenshot shows the 'Clone a repository' dialog box in GitHub Desktop. It has a title bar with a close button (X) in the top right corner. Below the title bar are three tabs: 'GitHub.com', 'GitHub Enterprise', and 'URL'. The 'URL' tab is selected and highlighted with a blue underline. Below the tabs, there is a text input field labeled 'Repository URL or GitHub username and repository (hubot/cool-repo)'. The input field contains the URL 'https://github.com/midnritelibrary/RDM-Escape-Room.git'. Below this, there is a section labeled 'Local path' with a text input field containing 'C:\GitHub\Twine\RDM-Escape-Room' and a 'Choose...' button to its right. At the bottom right of the dialog are two buttons: 'Clone' (in blue) and 'Cancel' (in light gray).


What does this do?

- Copies all files from the GitHub repo to your computer



Updating GitHub Repos

- When you make a change to a file those changes will appear in GitHub
- Click “Commit 1 file to main”
 - Write a description of what changes you made



Updating GitHub Repos

- The commit has been made in Git, but hasn't been pushed to GitHub
- Click “Push origin”

No local changes

There are no uncommitted changes in this repository. Here are some friendly suggestions for what to do next.



Push commits to the origin remote

You have 1 local commit waiting to be pushed to GitHub.

Always available in the toolbar when there are local commits waiting to be pushed or

Ctrl + P

Push origin

Open the repository in your external editor

Select your editor in [Options](#)

Repository menu or Ctrl + Shift + A

Open in Notepad++

View the files of your repository in Explorer

Repository menu or Ctrl + Shift + F

Show in Explorer

Open the repository page on GitHub in your browser

Repository menu or Ctrl + Shift + G

View on GitHub

Best practices when setting up a new GitHub repo

Creating a repo

- Choose an “owner”
- Add a description
- Choose visibility
- Add a README
- Add a .gitignore
- Add a license

Create a new repository

Repositories contain a project's files and version history. Have a project elsewhere? [Import a repository](#).
Required fields are marked with an asterisk (*).

1 General

Owner *

Choose an owner ▾

Repository name *

Great repository names are short and memorable. How about **turbo-octo-adventure**?

Description

0 / 350 characters

2 Configuration

Choose visibility *

Choose who can see and commit to this repository

 Public ▾

Start with a template

Templates pre-configure your repository with files.

No template ▾

Add README

READMEs can be used as longer descriptions. [About READMEs](#)

Off ☐

Add .gitignore

.gitignore tells git which files not to track. [About ignoring files](#)

No .gitignore ▾

Add license

Licenses explain how others can use your code. [About licenses](#)

No license ▾


Create repository

Best Practices: Documentation

- Include documentation with your project in GitHub so that others (and you) know what your project is and how it should be used.
- A README.md (markdown) file can be included in your GitHub project and will display on the front page
- What to include in a README:
 - What your project does
 - How people can use it
 - Who you are and how to contact you
 - License information
- Lots of examples and templates available
- We can provide feedback on documentation

.gitignore

- Specifies what items (files, directories, etc.) should never be tracked by Git
- Use for information that needs to be kept private or is irrelevant to a project
- Use a template or create your own



Example .gitignore

- [CHAFF](#) (Concealed, Hidden, And Forgotten Files)
- .DS_Store files are created automatically by MacOS computers and are not visible to those using that OS
- These files are used to keep track of metadata used by Finder—such as display options or icon positions—and Spotlight's search features

```
1
2 # DS store created on a mac
3 .DS_Store
4 ._DS_Store
5 *.DS_Store
6 **/_DS_Store
7
8 # PowerPoint temporary
9 ~$*.ppt*
10
```

Licenses

- A license is a legal permission that specifies what you are (and are not) allowed to do a work
- Applies to how you can use, modify, and distribute the work
- Apply to creative work, software, datasets, intellectual property, and more
- Consider how permissive you want to be
- For code, check out the website “Choose an open source license” <https://choosealicense.com/>
- Feel free to reach out and ask us
- Note: I am not a lawyer

Choose a license

Q Search licenses

✓ No license

Apache License 2.0

GNU General Public License v3.0

MIT License

BSD 2-Clause "Simplified" License

BSD 3-Clause "New" or "Revised" License

Boost Software License 1.0

Creative Commons Zero v1.0 Universal

Eclipse Public License 2.0

GNU Affero General Public License v3.0

No license ▼

choosealicense.com

- Has more licenses than the ones available by default on GitHub
- Use this option to add it to your GitHub repo

Creative Commons Attribution Share Alike 4.0 International

[Copy license text to clipboard](#)

Similar to [CC-BY-4.0](#) but requires derivatives be distributed under the same or a similar, [compatible](#) license. Frequently used for media assets and educational materials. A previous version is the default license for Wikipedia and other Wikimedia projects. Not recommended for software.

Permissions

- Commercial use
- Distribution
- Modification
- Private use

Conditions

- License and copyright notice
- Same license
- State changes

Limitations

- Liability
- Patent use
- Trademark use
- Warranty

Suggest this license

Make a pull request to suggest this license for a project that is [not licensed](#). Please be polite: see if a license has already been suggested, try to suggest a license fitting for the project's [community](#), and keep your communication with project maintainers friendly.

Enter GitHub repository URL

How to apply this license

Create a text file (typically named LICENSE or LICENSE.txt) in the root of your source code and copy the text of the license into the file. It is also acceptable to solely supply a link to a copy of the license, usually to the [canonical URL for the license](#).

Optional steps

Add [CC-BY-SA-4.0](#) to your project's package description, if applicable (e.g., [Node.js](#), [Ruby](#), and [Rust](#)). This will ensure the license is displayed in package directories.

[Source](#)

Who's using this license?

[Flight rules for Git](#)
[Material Design Iconic Font](#)
[OWASP MSTG](#)

Attribution-ShareAlike 4.0 International

=====

Creative Commons Corporation ("Creative Commons") is not a law firm and does not provide legal services or legal advice. Distribution of Creative Commons public licenses does not create a lawyer-client or other relationship. Creative Commons makes its licenses and related information available on an "as-is" basis. Creative Commons gives no warranties regarding its licenses, any material licensed under their terms and conditions, or any related information. Creative Commons disclaims all liability for damages resulting from their use to the fullest extent possible.

Using Creative Commons Public Licenses

Creative Commons public licenses provide a standard set of terms and conditions that creators and other rights holders may use to share original works of authorship and other material subject to copyright and certain other rights specified in the public license below. The following considerations are for informational purposes only, are not exhaustive, and do not form part of our licenses.

Considerations for licensors: Our public licenses are intended for use by those authorized to give the public permission to use material in ways otherwise restricted by copyright law.

RDM-Escape-Room

Public

Pin

Watch 0

Fork 0

Star 0

main

1 Branch

0 Tags

Go to file

Add file

<> Code

About

midnitelibrary Create .gitignore 2338fc1 · now 2 Commits

.gitignore	Create .gitignore	now
LICENSE	Initial commit	1 minute ago
README.md	Initial commit	1 minute ago

README

CC0-1.0 license

RDM-Escape-Room

No description, website, or topics provided.

- Readme
- CC0-1.0 license

- Activity
- 0 stars
- 0 watching
- 0 forks

Releases

No releases published

Create a new release

Packages

No packages published

Publish your first package

Help! I'm stuck, where do I go?

- Trainings with Center for Research Data and Digital Scholarship (CRDDS): <https://www.colorado.edu/crdds/>
- Software Carpentries tutorial:
<https://swcarpentry.github.io/git-novice/index.html>
- GitHub Student Developer Pack: <https://education.github.com/pack>
- Helpdesk: rc-help@colorado.edu

Survey and feedback

Survey: <http://tinyurl.com/curc-survey18>



Slides: https://github.com/ResearchComputing/git_github_in_depth_short_course